







1753 Blake Avenue Los Angeles, CA 90031-1006 USA

Telephone: (323) 660-1635
Toll-free: (800) 338-3342
Fax: (323) 667-0144
Email: sales@edic-usa.com
Website: www.edic-usa.com

September 2008



## EDIC... ON THE MOVE

Our company was founded in 1975 with the goal of designing and developing the most innovative, productive and durable carpet care equipment and cleaning systems on the market. That vision holds true today as EDIC continues to expand with new product lines, patented innovations, accessories, and the support of a knowledgeable staff trained first and foremost in customer service. We thank you for your interest in our products and look forward to a successful new or continuing business relationship with you.

For further information or to locate your nearest EDIC authorized distributor, contact:

EDIC 1753 Blake Avenue Los Angeles, CA 90031-1006 USA

Telephone: (323) 660-1635
Toll-free: (800) 338-3342
Fax: (323) 667-0144
Email: sales@edic-usa.com
Website: www.edic-usa.com

## RENTAL PROGRAM

Whether you want to get your own private carpet care rental business up and running or you're looking for a good way to boost the sales of your existing business, the EDIC rental program makes it easy. Our complete rental package is perfect for janitor supply houses, vacuum dealerships, rental yards, hardware stores or any other business with walk-in traffic. We provide you with state-of-the-art rental equipment, professionally-formulated cleaning solutions, instructions for home use, and advertising and marketing materials. If you're just starting out in the carpet care business, this is perfect for consignment to stores or delivery to homes. For the retail business owner, just set up the rental package in your store or warehouse and watch your sales grow. At the heart of the program is EDIC's amazing FiveStar extractor, offering powerful cleaning capabilities in a compact unit that's light enough for anyone to handle. Choose from our complete package or build your own package to best suit your needs.

## 9501R 2-Unit Package

- 2 FiveStar carpet cleaners
- 2 upholstery kits
- 1 rental display rack
- 100 Instruction brochures
- 1 rental contract book (50 rents)
- 1 display rack header
- Start-up package of cleaning solutions which includes 1 case each of all chemicals listed below plus 2 additional cases of N12104 and 1 additional case of N12105

## **Build Your Own Package**

Tell us what units you want, we'll design a customized rental package for you!

## **Supplies**

9020R Rack Header 9029R Rental Display Rack 9050R Rental Receipt Book

## **Premium Carpet Cleaner**

N12101 Quarts, case of 12 N12104 Half gallons, case of 6 N12105 Gallons, case of 6

#### **Additional Chemicals**

N12102 Spot & Stain Remover, case of 12 N12100 Pet Stain & Odor Eliminator, case of 12

N12099 Defoamer, case of 12

N12103 Carpet Pre-Spotter, case of 12 spray bottles





Spot Cleaner available in quart-size spray bottle set





Premium carpet cleaner: cases available by the gallon, 1/2 gallon or quart





## TABLE OF CONTENTS

NEW PRODUCTS Endeavor Revolution	4 5
Portable Extraction Cleaning Machines	
Self-Contained Extractors FiveStar Comet Polaris Supernova	6 7 8 10
Box Extractors Bravo Spotter Galaxy Galaxy Pro Galaxy 5	11 12 13 14
Extraction Machine Accessories  Powermate  Wands, Carpet Tools & Attachments  Aviator Axial Fan  Aqua Dri Carpet Dryer  External Heater/Bazooka Gum Remover/Circuit Locator	15 16 18 19 20
Auto Detailing Equipment & Accessories  Galaxy Automotive  Galaxy 5  Bravo Spotter/Aqua Dri Auto Accessories/Dynamo Wet/Dry Vacuum	21 22 23 24
Vacuums Backpack Vacuums Atlas 6 & 10 Quart Backpack Accessories & Tools	25 26
Canister Vacuums - Dry Only Dynamo 6 & 9 Quart Canisters	30
Canister Vacuums - Wet/Dry Dynamo 5 & 8 Gallon Dynamo 12 & 20 Gallon	32 33
Upright Vacuums Reliant	34
Automatic Scrubbers/Grout Restoration Pilot	35
Floor Machines and Accessories  Burnishers  Dual Speed  Low Speed  Floor Machines Accessories	36 37 38 39
Spare Parts and Supplies Brass Fittings, Spray Tips, etc.	40
Rental Program Rental Equipment/Chemicals	43

**NEW!** MULTI-PURPOSE EXTRACTOR



## **SPECIFICATIONS**

Capacity - 13 Gallon

Tank Construction – Rotationally Molded Polyethylene

Tile & Grout Pump – 1200 PSI, Adjustable (500-1200), Self-priming

Carpet Pump – 250 PSI, Adjustable (20-250)

Vacuum Motors - Dual 2-Stage, parallel

CFM - 200

Heater - 2000W Internal

Rear Wheels - 12"

Casters - 4" Dual-wheel

Auto Fill - Float Style

Auto Dump - 3.5 GPM

Intake - 1.5" Cool Cuffs

Power Cord - Dual 50' Detachable

Dimensions - 22.5"W x 33"L x 42.5"H

Weight - 175 lbs

### **WARRANTY**

Industry-leading limited lifetime warranty. 2 years on parts and labor, lifetime on the housing

### **MODELS**

90001

Multi-purpose extractor, 200CFM, 1200 PSI (adj.) / 200 PSI (adj.) Machine only, all tools sold separately.

## ENDEAVOR

The all-new Endeavor is a high-performance, dual-vac, multipurpose extractor engineered to help you clean more efficiently than ever. It has a number of breakthrough features, starting with an innovative design that allows one operator to load or unload the unit into a truck or van without a ramp. The key to this design is a set of casters mounted up near the handle complemented by ramps built right into the mold, so you can literally roll the machine into your vehicle. It also has an auto-fill, autodump design which eliminates workflow interruption. For power matched by versatility, the dual-vac Endeavor has the most versatile dual-pump system on the market, allowing you to clean upholstery, carpet or hard floor surfaces. It can be used as a 250 psi heated carpet extractor or a 1200 psi tile and grout machine without heat. When it comes time for routine maintenance, you'll really appreciate the remarkably well-organized and uncluttered layout of its interior components. That means easy access for no-hassle servicing. Its long list of thoughtfully designed features includes a spinner/wand holder to save you a trip to your vehicle, recessed power cord receptacles, dual-wheeled casters for easy maneuverability, a low easy-pour solution tank opening, a 250psi pump that can be adjusted down to as low 20 psi for upholstery cleaning, a double-wall motor compartment for quiet operation, along with an overall design that places the weight of the machine over the back wheels to give you good leverage to turn, transport and load the Endeavor with ease!

### **FEATURES**

- Multi-purpose extractor that can clean both hard surface & carpet.
- Easy one-person loading and unloading. Handle mounted casters and dolly style weight distribution eliminates the need for a ramp!
- 5 gallon bucket fits on the recovery lid to reduce trips to and from the vehicle.
- Dual-wheel casters provide excellent maneuverability.
- 12" non-marking, soft rear wheels protect fittings from being damaged during transport.
- Combination wand / spinner holder on the front of the machine for easy transport or storage.
- Conveniently located switches and controls, along with a built-in circuit locator.

### **OPTIONAL ACCESSORIES**

1200REV Revolution 12" hard surface tool 2540AC-HPC 25' hose set with cool cuff Auto-fill / auto-dump hose assembly

1034ACH 12" Dual-jet stainless steel carpet wand 1039AC Stainless steel detailer tool

9000AC Spray gun, touch-less bathroom cleaning tool

## REVOLUTION

The all-new Revolution is a tile and grout-cleaning tool that provides remarkably smooth operation, gliding easily over the floor for less operator fatigue. It has a lightweight design — only 13 lbs! — yet it's engineered for outstanding durability. It works on uneven surfaces like grouted tile or smooth surfaces such as concrete, and can be used with truckmounts or portables. The Revolution's handle folds to 180 degrees so you can clean under a counter or overhang as low as 6 inches. For exceptionally convenient operation, it has a 90-degree inlet swivel that rotates 360 degrees, which always keeps the hose out of the way even when you're cleaning alongside a wall. It's also loaded with innovative features designed to help you clean more quickly and efficiently, including: An inline filter that catches dirt before it has a chance to clog tips — it works great even with machines that don't have good filtration. An easy-pull trigger with safety. Recovery hoses located in the center of the head for better suction, allowing you to

clean along edges without hitting hoses.
Comfortable and ergonomic hand grips.
A conveniently located vacuum relief mounted in the handle so you can easily adjust air flow without bending over.
A stainless steel handle for long-term durability. A high quality ceramic swivel that's repairable. And a T-style handle that allows side- to-side as well as front-to-back operation.



### **FEATURES**

- 90-degree inlet swivel rotates 360 degrees always keeping the hose out of the way even when cleaning alongside a wall.
- Comfortable and ergonomic hand grips.
- Inline filter catches dirt before it has a chance to clog tips works great even with machines that don't have good filtration.
- Easy pull trigger with safety.
- Conveniently located vacuum relief is mounted in the handle so you can easily adjust air flow without bending over.
- Stainless steel handle.
- Recovery hoses located in the center of the head for better suction allowing you to clean along edges without hitting hoses.
- Highest quality ceramic swivel is repairable.

## **MODEL**

1200REV 12" revolution hard surface tool, repairable ceramic swivel, 1.5"



Diameter	12"
Repairable Swivel	Yes
Maximum PSI	2500
Intake Diameter	1.5"
Trigger Safety	Yes
Weight	13 Lbs.

## WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

**SELF-CONTAINED EXTRACTORS** 



## **FIVESTAR**

The amazing FiveStar is a small, self-contained unit with powerful brush agitation to clean carpets, hard floors and grouted tile. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The FiveStar is small enough to clean tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design allows you to fill and empty out of the same bucket and eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning. No more spills or mess!







Fold-down handle for easy storage and transport

<b>SPECIFICATIONS</b>	
Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	112 CFM, 2 HP
Water Lift	107"
Brush Motor	1/6 HP
Brush Speed	2,500 RPM
Brush Style	Chevron design, 4 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W

#### **WARRANTY**

**Electrical Draw** 

Lifetime on rotationally-molded housing, 2 years on parts and labor

12 amps

## **FEATURES**

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for easy storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright-mounted motor and intercooler system combine for long-lasting operation.

### **OPTIONAL ACCESSORIES**

330AC 10" Single-jet stainless steel wand

357AC Upholstery tool, vacuum and solution hose assembly and hose bag

341AC 8' vacuum and solution hose assembly 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories ( $1\frac{1}{4}$  diameter), see pages 14-17.

### **MODELS**

401TR FiveStar, carpet cleaner only

411TR FiveStar, all floor unit—carpet, hard floor and grouted tile

## COMET

The Comet is a small, economical, self-contained unit with powerful brush agitation to clean carpets. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The Comet is small enough to clean in tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning.

No more spills or mess! The single on-off switch is designed for operation simplicity.

### **FEATURES**

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for compact storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright mounted motor and intercooler system combine for long-lasting operation.

### **OPTIONAL ACCESSORIES**

330AC 10" single-jet stainless steel wand

357AC Upholstery tool, vacuum and solution hose assembly and hose bag

341AC 8' vacuum and solution hose assembly 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories ( $1\frac{1}{4}$  diameter), see pages 14-17.

## **MODEL**

419TR Comet carpet cleaner

## **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor



## **SPECIFICATIONS**

Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	92 CFM
Water Lift	85"
Brush Motor	1/12 HP
Brush Speed	2500 RPM
Brush Style	Chevron design, 3 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W
Electrical Draw	12 amps

**SELF-CONTAINED EXTRACTORS** 

## **SELF-CONTAINED EXTRACTORS**



**POLARIS** 500PS, 700PS, 701PS

These self-contained workhorses combine remarkable ease of operation with unbeatable performance and portability to deliver consistent results in light speed!

The Polaris is big enough to tackle large rooms and hallways and is available with a full complement of accessories giving it maximum versatility to clean upholstery, stairs and other hard to reach places. A lift-off recovery bucket makes emptying quick and easy without the need for a drain hose. Special features including the

patented 4-wheel design, adjustable handle and lightweight construction allow easy transportation and unparalleled balance and maneuverability.

Clamshell design provides easy internal access for fast service



SPECIFICATIONS	
Solution Tank	5 gallon/7 gallon
Solution Pressure	50 psi (500 & 700) 100 psi (701)
Vac Motor	112 CFM, 2 HP, 136" lift
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	14/17 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft. (500) 50 ft. detachable (700/701)
Dimensions 500PS 700/701PS	39"H x 30"L x 14"W 39"H x 30"L x 17"W

68/78 lbs.

95/103 lbs.

42"H x 34"L x 21"W

14/14/15 amps

**Electrical Draw** 

**WARRANTY** 

Shipping Weight

Ship Dimensions

Weight

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **FEATURES**

- Patented 4-wheel design makes turning in tight places easy and balances total weight, even full of water, for easy maneuvering.
- Lift-off recovery bucket—no drain hose.
- Patented self-adjusting, self-leveling brush and vacuum shoe combine for superior cleaning of all carpet lengths and uneven floors.
- Fully adjustable handle for greater operator ease, increased leverage on stairs and over curbs plus compact storage.
- Side extension for cleaning right to baseboards (700/701).
- Upright-mounted vacuum plus intercooler system extends motor life.
- See-through recovery dome.

### **OPTIONAL ACCESSORIES**

1204AC	Powermate-12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag
323AC	Prespray wand
1033AC	Single-jet wand
1034AC	Dual-jet wand
1041AC	15 ft. vac and solution hose assembly with adapter plate
For our full line of optional accessories $(1\frac{1}{2})^n$ diameter, see pages 13-18.	

### **MODELS**

500PS	5-gallon Polaris/14" wide/50 psi
700PS	7-gallon Polaris/17" wide/50 psi
701PS	7-gallon Polaris/17" wide/100 psi

# POLARIS 801PS, 1201PS

For wide open spaces where productivity is the bottom line, the 800 and 1200 models clean quickly and efficiently. These larger self-contained units come equipped with dual vacuums to more thoroughly clean and dry carpets. The Polaris has a built-in silencer so you can clean without interrupting the workflow. Top quality construction, remarkable ease of operation and versatility combine for a machine that consistently outperforms the competition. Dual lift-off recovery buckets with no hose



Ouick-fit accessories

to detach allow easy emptying. Maintenance is a breeze as well-iust remove two screws and open like a clamshell for quick internal access.



New optional valve allows you to adjust the performance of the machine for regular maintenance or heavy-duty restorative cleaning.

### **FEATURES**

- Large wheels, adjustable handle and lightweight construction team up for easy handling and storage.
- Optional accessories quickly attach to the rear of machine for cleaning stairs, upholstery, etc.
- Patented dual lift-off recovery buckets provide quick and convenient
- Patented four-wheel design for balance and reduced turning radius.
- High speed brush motor and brush guarantee powerful agitation to release deeply embedded soil and grit, extending carpet life.
- Patented brush system utilizes fully sealed stainless steel ball bearings for years of trouble-free operation.

## **OPTIONAL ACCESSORIES**

1204AC	Powermate—12" wide power brush	
D02359-1	Adapter to connect standard 1½ diameter hose assemblies	
358AC	Upholstery cleaning kit-upholstery tool, vacuum and solution	
	hose assembly and hose bag	
323AC	Prespray wand	
1033AC	Single-jet wand	
1034AC	Dual-jet wand	
1041AC	15 ft. vac and solution hose assembly with adapter plate	
For our full line of optional accessories $(1\frac{1}{2})^n$ diameter, see pages 13-18.		

## **MODELS**

801PS 8-gallon Polaris/19" wide/100 psi 1201PS 12-gallon Polaris/19" wide/100 psi

## **SPECIFICATIONS**

Solution Tank	8/12 gallon
Solution Pressure	100 psi
Vac Motors	Dual, 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	19 inches
Tank Construction	Polyethylene
Wheels	8 inches, non-marking
Power Cord	50 ft. detachable
Dimensions 801PS 1201PS	38"H x 48"L x 19"W 38"H x 48"L x 19"W
Weight	114/120 lbs.
Shipping Weight	131/136 lbs.
Ship Dimensions	42"H x 45"L x 25"W
Flectrical Draw	15/15 amps

## **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

SELF-CONTAINED EXTRACTORS

BOX EXTRACTORS



## **SPECIFICATIONS**

Solution Tank 7/8/12 gallon Solution Pressure 50 psi 112 CFM, 2 HP Vacuum Motor 700 Vac Motors 800/1200 Dual, 2-stage bypass, 200 CFM, 3.5 HP 4200 RPM, 1/6 HP **Brush Motor Brush Speed** 2100 RPM Brush Style Chevron design Sealed, stainless steel **Brush Bearings** ball bearings 17/19/19 inches Cleaning Width Tank Construction Polyethylene Wheels 8 inches, non-marking 50 ft. detachable Power Cord Dimensions 37.5"H x 31.75"L x 17"W 700 800/1200 38"H x 39"L x 19.25"W Weight 87/113/123 lbs. Shipping Weight 115/136/146 lbs. Ship Dimensions 42"H x 34"L x 21"W 700 800/1200 42"H x 45"L x 25"W **Electrical Draw** 12.8/12.8/15 amps

#### **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **SUPERNOVA**

There is literally nothing like the Supernova series—remarkable self-contained extractors that clean in both forward and reverse! The patented two-way system provides unparalleled productivity in any setting—clean up to 4,000 square feet in one hour. All models operate forward in hallways



Optional accessories for versatile cleaning

and other open areas, but with a simple pull of a lever instantly change to reverse to clean corners and other tight areas for a dramatic reduction in labor costs. A specially designed vacuum head allows cleaning on hard floors in addition to carpets, without any cumbersome attachments. Just walk off carpet on to hard floors—it's that simple. Dual vacuum motors and a 19" cleaning width on the 800 and 1200 models combine with a host of other exclusive features to guarantee unrivaled performance.

### **FEATURES**

- Two-way system for forward and reverse operation.
- Patented self-adjusting, self-leveling brush and vacuum shoes for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Exclusive "clamshell" body provides fast and easy internal access for quick servicing.
- Patented lift-off recovery buckets—no drain hose.
- Fully adjustable handle.
- Patented 4-wheel design gives extraordinary balance and reduces turning radius for easy maneuverability in tight areas.
- Side extension for cleaning right to baseboards.
- Dual spray jets on both sides of the brush suspend the soil for increased pick up and faster drying.

#### **OPTIONAL ACCESSORIES**

1204AC Powermate—12" wide power brush

D02359-1 Adapter to connect standard  $1\frac{1}{2}$  diameter hose assemblies

358AC Upholstery cleaning kit: upholstery tool, vacuum and solution hose

assembly and hose bag

323AC Prespray wand 1033AC Single-jet wand 1034AC Dual-jet wand

334AC Hard floor squeegee wand

1041AC 15 ft. vac and solution hose assembly with adapter plate

For our full line of optional accessories ( $1\frac{1}{2}$ " diameter), see pages 13-18.

## **MODELS**

700PSN 7-gallon Supernova

800PSN 8-gallon Supernova, dual vacuum 1200PSN 12-gallon Supernova, dual vacuum

## BRAVO SPOTTER

### **AVAILABLE WITH HEAT!**

The new Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning

immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the

upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life.

## **FEATURES**

Porthole allows easy access to

recovery tank

- Optional in-tank heater delivers 150-degree heat. (339MH-HT)
- Unique molded-in holders carry spray bottles for greater ease.
- Large six-inch wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Quickly opens up for easy servicing and repair.
- Large porthole on recovery tank allows easy access for odor-free maintenance.

## **OPTIONAL ACCESSORIES**

330ACS/330ACH 10" single-jet wand

334AC 10" hard-floor squeegee wand 1204AC/1204ACH Powermate – 12" wide power brush B00216 Power cord for Powermate

323AC/323ACH Prespray wand

342AC 8-ft. hose assembly with quick connects

1942/1C 0-10. Hose assembly with quick conflicts

1040AC 15-ft. hose assembly

1039AC Stainless steel upholstery tool

1037AC Upholstery tool, durable plastic head

## **MODELS**

319B Bravo with economy tool (319AC)
319BH Economy tool and transport handle
337BH Deluxe tool and transport handle

300MH Deluxe model with high performance motor (tools sold separately)

339MH-HT Bravo with heat, stainless steel tool and transport handle

## **SPECIFICATIONS**

Solution Tank 3 gallon Recovery Tank 3.5 gallon Solution Pressure 55 psi Vacuum Motor 2 stage, bypass Water Lift 85" (optional 106" with high performance motor) Handle Adjustable, 22-37" Wheels 6 inches Power Cord 25 ft. Optional Heater 1500 watts, stainless steel Hose Assembly 8 ft. Plastic **Economy Tool** Long nose, stainless Deluxe Tool steel handle Long-nose, all High Heat Tool stainless steel Weight 19 lbs. 27 lbs. Shipping Weight 20.5"H x 15"L x 13"W **Dimensions** Ship Dimensions 23"H x 18"L x 15.5"W Electrical Draw 8.5/8.5/8.5/12/12 amps 339MH-HT 15 amps

#### **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

Bravo with heat: Lifetime on rotationally-molded housing, 1 year on parts and labor

For our full line of

optional accessories

 $(1\frac{1}{2}$  diameter), see

pages 13-18.

**BOX EXTRACTORS BOX EXTRACTORS** 



## **GALAXY**

Introducing our exclusive line-up of Galaxy carpet extractors that now comes "heat-ready." Life's little decisions just got a whole lot easier! You can purchase any Galaxy without heat and if you change your mind, no problem. Simply order our external heater, and away you go. Placing the heater on the outside also insures that everything on the inside of the machine runs cooler, extending the life of the vacuum and pump motors. The stainless steel heater tank is guaranteed for life. If a repair is necessary, simply lift the heater off the back of the machine. Meantime, you can continue to use the unit without heat.

From a seller's standpoint, there's no need to purchase both heated and non-heated units—just stock machines and heaters. Your customers can

> start with a non-heated model then later upgrade to heat without having to purchase a whole new machine. The "heat ready" Galaxy includes a 25-foot vacuum and solution hose assembly.

\*\*Also Available: Our basic contractor's model, slightly more economical and complete with 15' hose assembly, with or without heat. Heated model includes a 1000-watt external-mount heater and works with a single power cord.

SPECIFICATIONS		
Solution Tank	12 gallon	
Recovery Tank	11 gallon	
Solution Pressure	100/150/200/500 psi	
Vacuum Motors	Dual high-performance 2-stage and 3-stage	
Water Lift	150"/185"/210"	
Tank Construction	Polyethylene	
Baseplate	1" aluminum	
Rear Wheels	10 inches, non-marking	
Casters	4 inches	
Power Cord	50 ft. detachable	
Hose Assembly	25 ft.	
Optional Wand	Deluxe dual-jet S-bend stainless steel	
Dimensions	35"H x 31"L x 18"W	
Weight	78/80/89/75/84 lbs.	
Shipping Weight	94/96/105/105/91/100 lbs.	
Ship Dimensions	36.5"H x 31.5"L x 19"W	
Electrical Draw Dual Cord (FX) 2000EL/EL-EH	14.4/14.9/15.2/16.3/16.7/17.1 amps 14.7/11.8 amps per cord 14.4/18.8 amps	

## **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **FEATURES (Galaxy and Galaxy Pro)**

- **Exclusive** heat-ready system offers the ultimate in versatility.
- External heater makes repairs a snap and keeps heat away from the motor compartment.
- New "granite look" projects an image of professionalism and keeps the machine looking brand new.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Standard 5-gallon bucket fits under drain valve for easy emptying.
- Opens quickly like a clamshell for easy servicing.
- Top-mounted switches.
- Sealed motor cavity insures that spills on the outside stay out.

### **MODELS**

All come complete with 25-ft hose assembly 2000SX-HR Dual 2-stage vacs, 150" lift, 100 psi Dual 2-stage vacs. 150" lift, 150 psi 2000GX-HR 2000JX-HR Dual 2-stage vacs, 150" lift, 200 psi (adj) 2000KX-HR\* Dual 2-stage vacs, 185" lift, 200 psi (adj) Dual 2-stage vacs, 150" lift, 500 psi (adj) 2000LX-HR 2000CX-HR\* Dual 3-stage vacs, 185" lift, 500 psi (adj) Dual 3-stage vacs, 210" lift, 500 psi (adj) 2000FX-HR Single 3-stage vac, 136" lift, 15' hose assembly 2000EL 2000EL-EH Single 3-stage vac, 117" lift, 15' hose assembly, external-mount 1000-watt heater, single power cord

# GALAXY PRO

## **HEAT READY!**

This is the big brother to our popular Galaxy series with a large 17-gallon capacity housed within an extremely portable unit that's affordably priced. The "heat-ready" Galaxy Pro includes all the great features of our standard Galaxy model with the added benefits of an optional adjustable 500 psi and the ability to clean extremely large areas quickly and professionally. Versatility is the name of the game with the heat-ready system. You can

purchase the machine without heat and later decide to add heat without having to buy a new unit. The external heater makes repairs a snap, and it keeps the heat away from the internal components, extending the life of the machine. All units are available "heat ready." The Galaxy Pro comes complete with a 25-foot hose assembly and a 50-foot detachable power cord.



and Galaxy Pro



## **OPTIONAL ACCESSORIES (Galaxy and Galaxy Pro)**

605HR	Heater kit (see page 18 for more details)
1033ACH	Single-jet stainless steel wand (specify psi)
1034ACH	Dual-jet stainless steel wand (specify psi)
334ACH	10" hard floor squeegee wand
1039AC	Stainless steel detailer tool

1204AC/ACH Powermate—12" wide power brush (specify psi)

1800AC-100 18" Powermate, up to 150 psi 1800AC-200 18" Powermate, up to 500 psi

00206-1A Receptacle for power wand (factory installed)

988CS Circuit locator

For our full line of optional accessories  $(\frac{1}{2})^n$  diameter, see pages 13-18.

## **MODELS**

All come complete with 25-ft hose assembly

2700GX-HR	Dual 2-stage vacs, 150" litt, 150 psi
2700JX-HR	Dual 2-stage vacs, 150" lift, 200 psi (adj)
2700KX-HR*	Dual 3-stage vacs, 185" lift, 200 psi (adj)
2700LX-HR	Dual 2-stage vacs, 150" lift, 500 psi
2700CX-HR*	Dual 3-stage vacs, 185" lift, 500 psi (adj)
2700FX-HR	Dual 3-stage vacs, 210" lift, 500 psi (adj)
	dual power cords, circuit locator included

<sup>\*20-</sup>amp circuit required.

## **SPECIFICATIONS**

Solution Tank	17 gallon
Recovery Tank	15 gallon
Solution Pressure	150/200/500 psi
Vacuum Motor	Dual high-performance 2-stage and 3-stage
Water Lift	150"/185"/210"
Optional Wand	Dual-jet or single-jet stainless steel.
Hose Assembly	25 ft.
Tank Construction	Polyethylene
Baseplate	1/4" aluminum
Rear Wheels	10 inches, non-marking
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	38"H x 31"L x 20"W
Weight	94/102/102/110/110/120 lbs.
Shipping Weight	114/122/122/130/130/140 lbs.
Ship Dimensions	40.5"H x 39"L x 21"W
Electrical Draw Dual Cord (FX)	14.4/14.9/15.2/16.3/16.7/17.1 ar 14.7/11.8 amps per cord

### **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

<sup>\*20-</sup>amp circuit required.

**BOX EXTRACTORS EXTRACTION MACHINE ACCESSORIES** 



# **GALAXY 5** NOW AVAILABLE HEAT READY!

One look at our new compact addition to the Galaxy series and you'll realize that it is possible to have your cake and eat it too! The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The Galaxy 5 is an obvious choice for auto detailing and for those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The new optional external heater can be removed in seconds if a repair is necessary, and the stainless steel heating element is guaranteed for life.



The Galaxy 5 comes complete with a 15-foot hose assembly.



external heater

<b>SPECIFICATIONS</b>	
Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
Optional Heater	1000 or 2000 watts, stainless steel
Vacuum Motor	Single 3-stage
Water Lift	136"/117"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Dimensions	28"H x 24.5"L x 16"W
Weight	57 lbs.
Shipping Weight	65 lbs.

30"H x 25.5"L x 17"W

## **WARRANTY**

Ship Dimensions

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **FEATURES**

- External heater is a snap to remove and keeps heat away from the inside of the machine for longer life.
- No drip" motor cavity guarantees water spilled on outside of machine
- Opens quickly like a clamshell for fast and easy servicing.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Silencer system for quieter operation.
- Handle folds down for easy transport and compact storage.
- Optional heating system delivers consistent 170 degrees.

## **OPTIONAL ACCESSORIES**

1204AC/1204ACH Powermate – 12" wide power brush B00216 Power cord for Powermate 330ACS 10" Stainless steel wand 1038AC Crevice tool

Stainless steel upholstery tool 1039AC

323AC/323ACH Prespray wand

### **MODELS**

All models come complete with a 15-foot hose assembly. 3-stage vac, 100 psi, not heat ready

500BX-EHR 100 psi w/external 1000-watt heater, single power cord

500BX-HR 100 psi, heat ready

## POWERMATE

## 1204AC

Why use a standard wand when you can get a combination of powerful brush agitation and speed in a super lightweight attachment with wheels—all at a bargain price! So lightweight and maneuverable, the Powermate will triple your productivity. No more backaches and fatigue from slow, tedious cleaning with a wand. The Powermate attaches to any portable unit



to remove deeply imbedded soil and grit at record speed! A high-speed cylindrical brush gets down to the base of the carpet fibers for more effective cleaning. Available with  $1\frac{1}{2}$ diameter handle. Choice of standard unit up to 100 psi or high heat up to 500 psi.

#### **FEATURES**

- Weighs only 15 lbs.
- See-through front cover.
- Sealed, stainless steel ball bearings.
- High-speed 2500 RPM brush for deep cleaning.
- Heavy-duty aluminum handle.
- Adapts to all EDIC extractors.

### **OPTIONAL ACCESSORIES**

B00216 Adapter to plug Powermate into standard 00206-1A Receptacle, power wand (factory installed)

## **MODELS**

1204AC 12" wide power brush,  $1\frac{1}{2}$ " handle diameter—up to 100 psi–no heat High heat—up to 500 psi 1204ACH 1800AC-100 18" wide power brush,  $1\frac{1}{2}$ " handle diameter—up to 150 psi–no heat 1800AC-200 High heat-up to 500 psi

## 1800AC

The ultimate in speed and power for a deep down clean! Powermate 1800AC attaches to any portable or truckmount extractor for cleaning tough, dirty hightraffic areas. An 18" wide cleaning path and highspeed brush save valuable time and reduce operator fatigue. The power brush is designed to clean right up to baseboards and into corners. Its fully adjustable



handle fits any size operator and the low profile makes it a breeze to get under furniture. Choice of standard unit up to 150 psi or high heat up to 500 psi.

#### **FEATURES**

- 0-90 degree adjustable handle plus fingertip controls for easy handling.
- High-speed chevron-style brush for deep cleaning.
- See-through sight glass to monitor recovery.
- Heavy-duty steel handle.
- Adapts to all EDIC extractors.
- 5 Spray tips.

SPECIFICATIONS Cleaning Width	1200/1800 12 inches/18 inches
Housing	Ultra high-impact ABS
Brush	Cylindrical, Tynex bristles
Brush Motor	1/12 HP, 1/6 HP
Brush Speed	2500 RPM/2100 RPM
Electrical Draw	1.0/1.25 amps
Power Cord	25 ft.
Weight	15/47 lbs.
Shipping Weight	25/54 lbs.
Ship Dimensions 1204AC 1800AC	13.5"H x 49.5"L x 18"W 58.5"H x 21"I x 9.5"W

## **WARRANTY**

2 years on parts and labor

## **EXTRACTION MACHINE ACCESSORIES**

# GLIDEMASTER WANDS, TOOLS, HOSE ASSEMBLIES



## Single or Dual-Jet Stainless Steel Wand

The Glidemaster wands allow for easy pickup under furniture and desks. The head is winged to prevent overspray and the insulated handle, valve lever and grip ensure operator comfort. The dual-jet version has an S-bend for superior pickup under all types of furniture. Dual-jets guarantee maximum pressure for fast and thorough cleaning. Standard or high-pressure models available—up to 1000 psi. 1½ diameter.

### **MODELS**

1033AC/1033ACH 1034AC/1034ACH 1034ACH-500

Single jet: Standard/High pressure Dual iet: Standard/High pressure Dual jet: High pressure up to 500 psi

Width: 12" 60" Length: 7.4 lbs. Weight: Shipping Weight: 12 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

Warranty: 30 days

## **Aluminum Squeegee Wand**

Our new aluminum squeegee wand can be attached to any extractor with 1½" diameter to provide thorough cleaning of hard floor surfaces.



## **MODEL**

334AC Single-jet squeegee wand

14.5" Width: 55.5" Length: Weight: 5 lbs. Shipping Weight: 9 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

## Single-Jet 9" Stainless Steel Wand

This wand is perfect for use with smaller extractors like the FiveStar.  $1\frac{1}{4}$  or  $1\frac{1}{2}$ diameter available.



## **MODELS**

330AC 1<sup>1</sup>/<sub>4</sub> fittings-100 psi - FiveStar/Comet 1½" fittings-100 psi - All other EDIC Extractors 330ACS

Width: Length: 60" Weight: 8 lbs. Shipping Weight: 11 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

## **Traditional Hose Assemblies**

Available with choice of standard or high heat, high pressure models. Lengths from 10' – 50'.  $1\frac{1}{2}$ " or  $1\frac{1}{4}$ " hose cuffs. Complete with fittings, see page 39.


## Connector—Model # 100630

Allows you to quickly connect two hose assemblies together for extra length, see page 39.

## **Easy Mop**

## **Bucketless Floor Cleaning System**

The Easy Mop is a self-contained dispensing mop system that



cleans floors, ceilings and walls with no spills, no mess. A zerogravity trigger-action sprayer with an adjustable nozzle makes it easy to clean up the sides of walls and even ceilings, and get into corners and tight spaces. The Easy Mop is designed to work in tandem with green chemicals and requires much less chemical than a standard mop.

### **FEATURES**

- Pressurized reservoir—cleans up to 3,200 sq. feet per filling.
- Easy-grip activator is ergonomically sound and activates solution with a slight downward movement, reducing operator fatigue.
- Non-shrinking microfiber pile mop provides increased absorbency and can be laundered over 500 times before replacement.

## **MODEL/ACCESSORIES**

4000EM Easy Mop

4500GG Microfiber Pad (Green/Green)

4500GW Microfiber Pad (Green/White)



Cast aluminum with black powder-coat upholstery tool with see-through window, enclosed spray chamber, and 3-ft. pigtail. Recirculating notches decrease water build-up in spray chamber for faster drying time. High pressure available.

### **MODELS**

321AC 1½" diameter

High Pressure-up to 300 psi 321ACH Width: 3.5" Length: 7" Weight: 1.5 lbs. Ship Wt: 3 lbs.



Durable stainless steel auto detailer tool specially designed to effectively clean in tight places. High pressure up to 1000 psi.

**MODEL** -1039AC (1½" diameter) Width: 3.5" Length: 11.5" Ship Wt: 3 lbs. Weight: 1.7 lbs.



The ultimate in stair cleaning, the stainless steel stair wand has a winged head, grab handle and insulated grip. High pressure up to 1000 psi.

**MODEL** -1035AC (1½ diameter) Width: 12" Length: 36" Weight: 4.5 lbs. Ship Wt: 7.5 lbs.



Upholstery tool with see-through window and hose assembly complete with durable hose bag.

## **MODELS**

357AC 8 ft. hose assy., tool and


hose bag.  $1\frac{1}{4}$  diameter. 358AC 15 ft. hose assy., tool & hose bag.  $1\frac{1}{2}$  diameter.

Weight: 4/8.8 lbs. 6/12 lbs. Ship Wt:



This auto detailer has a durable plastic head to monitor recovery. Up to 100 psi.

MODEL—1037AC (1½ diameter) Weight: 1.3 lbs. Ship Wt: 3 lbs. Width: 4 Length: 8"



Lightweight stainless steel stair tool is made of high quality components and built to last. High pressure up to 1000 psi.

 $MODEL - 1021AC (1\frac{1}{2}" diameter)$ 

Weight: 2 lbs. Ship Wt: 3 lbs. Width: 4" Length: 8"



Lightweight, economy upholstery tool with a durable plastic housing. Not available for high heat. Up to 100 psi.

## **MODELS**

319AC Tool w/8' hose assy.,

 $1\frac{1}{4}$  diameter.

319ACG Tool w/8' hose assy.,

1½" diameter. Add D02359-1 for Polaris and Supernova models.

319ACS Tool only, 1½ diameter.

Length: 11.5" Width: 4" 2.6/2.6/1 lbs. Weight: Ship Wt: 5/5/3 lbs.



Stainless steel crevice tool for reaching into crevices and tight spaces for more thorough cleaning. Up to 1000 psi.

**MODEL** -1038AC (1½" diameter)

Width 3.5" Length: 17" Weight: 3 lbs. Ship Wt: 5 lbs.



Prespray wand constructed of brass with 25' hose.

### **MODELS**

323AC-up to 100 psi 323ACH— High heat, high pressure Weight: 3 lbs. Ship Wt: 5 lbs.





Built-in GFCI outlet for linking multiple units on a single circuit

### **SPECIFICATIONS**

of EchileAtions	
Housing	Roto-molded polyethylene
Motor	1/4 HP
Speeds	2
Power	120 volts
Electric Draw	2.3 amps
Impeller	16.5" diameter
Stackable	Yes
Power Cord	25 ft. yellow safety cord
Weight	29 lbs.
Shipping Weight	36 lbs.
Dimensions	20.5"H x 20.5"L x 16"W
Ship Dimensions	21"H x 21"L x 16"W

### **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **AVIATOR**

#### **Axial Fan**

Superior performance, design and engineering makes our new axial fan the most efficient in the industry, providing more CFM with a lower amp draw. Use our large-sized blower to tackle even the toughest water damage restoration and carpet drying jobs in a hurry. With an amazing velocity of 3000 CFM at a super-low 2.3 amps, the Aviator literally blows away the competition! The bottom line is a much faster drying time which puts more money in your pocket. A built-in GFCI outlet means you can link together multiple units using only one 15-amp circuit for the really big jobs. Plus the dual-direction airflow and choice of drying positions make it extremely versatile. The Aviator axial fan is uniquely designed with 360-degree stacking for easy loading and storage. It's lightweight with an ergonomically-designed handle and convenient cord wrap for easy transport and maneuvering. Comes complete with an hour meter to monitor usage.



Aviator with wheels



Easy and secure 360-degree stacking of units

### **FEATURES**

- The most powerful blower in its class with a velocity of 3000 CFM.
- Built-in GFCI outlet makes it easy to daisy-chain multiple units on a single 15-amp circuit.
- Hour meter monitors usage.
- Exclusive 360-degree frame allows for easy stacking of units.
- Circuit breaker protects air mover and attached devices.
- Durable polyethylene housing in granite color that retains its brand-new appearance.
- Available in a low 2.3 amps.

#### **MODELS**

3009AF-W Aviator with wheels

# AQUA DRI (patents pending)

## Portable Air Mover/Carpet Dryer

EDIC's Agua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with a ½ HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with  $\frac{1}{2}$  HP (2700 CFM) for the ultimate in power. Both models can be easily adjusted to four different positions for drying carpets, furniture, curtains, ceilings—you name it! Available with optional carpet clamp.



Accordion hose attachment for attics and other hard-to-reach places



## **FEATURES**

- Exclusive hi-tech design makes it the most versatile, compact and portable air mover in the industry.
- Heavy-duty polyethylene housing with "granite" look is durable and never looks dirty.
- Balanced carry-along handle distributes weight evenly for superior portability.
- Easy to store or stack for transport.
- Thermally protected motor.

### **OPTIONAL ACCESSORY**

13168A Accordion hose attachment Length: 15 ft. Diameter: 10 in.

> Tightening belt allows hose to attach to the nose of the Aqua Dri or other competitive air movers.

Yellow with black fabric wear strip.

## **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor





#### SPECIFICATIONS 3004AD/3005AD Housing Polyethylene $\frac{1}{2}HP/\frac{1}{2}HP$ Motor Speeds 3 2400/2700 CFM Power **Electrical Draw** 5.0 amps 9½"/10½" diameter Blower Fan Intake Screens Open flow design Height Adjustment 4 positions Stackable Yes Included Kickstand Carpet Clamp Optional 25 ft. Power Cord Dimensions 18"H x 18\frac{3}{4}"L x 17\frac{3}{8}"W 3004AD 19<sup>3</sup>"H x 20<sup>5</sup>"L x 19<sup>1</sup>"W 3005AD 30/33 lbs. Weight 33/36 lbs. Shipping Weight 19"H x 19"L x 18"W 21"H x 21"L x 19½"W Ship Dimensions

#### **MODELS**

All models available with optional carpet clamp

Aqua Dri,  $\frac{1}{2}$ HP,  $9\frac{1}{2}$ " fan 3004AD 3005AD Aqua Dri Pro, ½ HP,  $10\frac{5}{8}$ " fan 3004AD-CC Aqua Dri, ½ HP, 9½" fan

with carpet clamp

3005AD-CC Aqua Dri Pro,  $\frac{1}{2}$ HP,  $10\frac{5}{8}$ " fan

with carpet clamp

**EXTRACTION MACHINE ACCESSORIES AUTO DETAILING** 

## EXTERNAL HEATER SYSTEM

A revolutionary new way to clean with heat!



### **SPECIFICATIONS**

Pressure Up to 1300 psi Tank Construction Stainless steel 81/4"H x 24"L x 81/4"W **Shipping Dimensions** 50 ft. detachable Power Cord

## **WARRANTY**

Electric Draw

Lifetime on stainless tank and rotationally-molded housing, 2 years on parts and labor

14.2 amps

The EDIC external heater system is the only one of its kind.

- Our exclusive "heat ready" system, available on the Galaxy, Galaxy Pro, and select Galaxy 5 models, gives you the option of purchasing a machine without heat and then adding the heater at any time.
- Ours is the only detachable heater on the market that mounts on the outside, taking only seconds to attach or remove. Placing the heater on the outside has another advantage — it ensures everything on the inside of the machine runs cooler, thereby extending the life of the pump and motors.
- The stainless steel tank and heating element eliminate galvanic corrosion and clogs in the solution flow that can obstruct heat transfer.
- This system really heats up fast, delivering 210 degrees of heat in about 90 seconds. If a repair is necessary, just lift the heater off the back of the machine.

Our entire line of heated extractors has the heater system mounted on the outside for greater longevity and ease of repair.

## **MODELS**

605HR 2000-watt heater kit for Galaxy, Galaxy Pro and selected Galaxy 5 models 1000-watt replacement heater for Galaxy series automotive units

## THE CONVERTER





**MODEL: 986CO** 

The Converter gives a standard carpet extractor the versatility to be used as a dry vacuum. With a simple attachment, you get the superior suction power of an extraction machine to more thoroughly remove excess dirt and soil from carpets and floors. Available for use with the Polaris, Supernova and Galaxy series. Item #L11028 Paper Filter Bags, 6-pack.

## BAZOOKA GUM REMOVER SYSTEM

Our patented gum removal machine lets you stand up while instantly removing spot after spot of ground-in gum, sticky candy and adhesive from carpets, hard floors and concrete. Complete with carpet brush.

## **MODELS**

420AC Bazooka

High torque electric with 25-foot cord 421AC Bazooka Cordless Battery powered

### **OPTIONAL BRUSHES**

F03472 Soft brush for carpet (blue) F03473 Professional for carpet (brown)

## F03474 Concrete brush (green)

## CIRCUIT LOCATOR



MODEL: 988CS- with 1 wall outlet plug and one twist-lock to fit EDIC equipment MODEL: 989CS- with 2 wall outlet plugs

So you've got two power cords and you need to find outlets on different circuits? No problem! Just plug the circuit locator with an extension cord into two wall outlets - the sensor instantly lights up when it's good to go. Use it anytime for any equipment. Prevents potential power overload by taking the guesswork out of locating circuits.

## **BAZOOKA SPOT REMOVER**

Item #N00901 (aerosol)

- 100% biodegradable, organic, citrusbased solvent for use with the Bazooka.
- Case of 12, 14-oz. cans.

## GALAXY AUTOMOTIVE

#### **COMES STANDARD WITH HEAT!**

Nothing beats these machines for getting at deeply imbedded dirt and grime in auto upholstery and carpet and removing it for good! The winning combination is lots of heat plus high-performance vacuums for squeaky-clean interiors and faster drying time. There are two basic models to choose from: a single-cord unit with a 3-stage vacuum or a dual-cord unit with dual 2-stage vacuums. All models come with our exclusive external heater that makes repairs a snap and keeps heat away from the

motor chamber, extending the life of the internal parts. The heater can be removed in about 15 seconds if need be, and the unit cleans with or without heat. The Galaxy's hi-tech design houses a large 12 or 17-gallon tank inside a compact body for exceptional portability. Comes complete with a vacuum and solution hose assembly. Tools sold separately.





## **FEATURES**

- 1000 watt or 2000 watt in-line external heater delivering up to 200 degrees in just 90 seconds.
- All heaters tested to 2500 psi to insure quality operation in the most severe environments.
- Durable stainless steel heating chamber and heating element.
- Exclusive external heating system for easy removal and repair.
- External heater design removes heat from the motor compartment keeping the vacuum motors and pump running cooler.
- Opens quickly like a clamshell for easy servicing.
- Powerful and lightweight ideal for single operators.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.

## **OPTIONAL ACCESSORIES**

1038AC Stainless steel crevice tool 1035AC Stainless steel van tool 1039AC Stainless steel detailer tool

## **MODELS**

3100BX-EH 12 gal., 1000w heater, 15-ft. hose assy. 3700BX-EH 17 gal., 1000w heater, 25-ft. hose assy. 3000VX-EH 12 gal., 2000w heater, dual cords, 15-ft. hose assy. 3700VX-EH 17 gal., 2000w heater, dual cords, 25-ft. hose assy.

## **SPECIFICATIONS**

SPECIFICATIONS	
Solution Tank	12/17 gallon
Recovery Tank	11/15 gallon
Solution Pressure	100 psi
Vacuum Motor	Single 3-stage/Dual 2-stage
Water Lift	117"/117"/150"/150"
External Heater	1000/2000 watts
Detailer Tool	Stainless steel
Hose Assembly	15 ft./25 ft.
Tank Construction	Polyethylene
Baseplate	1/4" aluminum
Rear Wheels	10 inches
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	35"H x 31"L x 18"W 38"H x 31"L x 20"W
Weight	88/90 lbs.
Shipping Weight	110/117 lbs.
Ship Dimensions	36.5"H x 31"L x 19"W 40.5"H x 39"L x 21"W
Electrical Draw Dual Cords	18.8/18.8 amps 18/18 amps per cord

#### **WARRANTY**

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

AUTO DETAILING
AUTO DETAILING



## **GALAXY 5**

## **COMES STANDARD WITH HEAT!**

The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The exclusive external heater design, with stainless steel heating chamber and heating element, delivers up to 170 degrees on demand. The unit can be operated on a single power cord, which gives it the versatility to be used in a variety of settings. The heater can be removed in about 15 seconds if a repair is necessary, and the stainless steel heating chamber comes with a lifetime guarantee. The Galaxy 5 is an obvious choice for auto detailing and those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The Galaxy 5 automotive unit comes complete with a 15-foot vacuum and solution hose assembly. Tools sold separately.

### **SPECIFICATIONS**

SPECIFICATIONS	
Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
External Heater	1000 watts
Vacuum Motor	Single 3-stage
Water Lift	117"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Weight	57 lbs.
Shipping Weight	65 lbs.
Dimensions	24.5"H x 16"L x 28"W
Ship Dimensions	25"H x 17"L x 29"W
Electric Draw	18.8 amps

### **WARRANTY**

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

### **FEATURES**

- Single cord operation.
- Exclusive 1000-watt external heating system for on-demand heat up to 170 degrees.
- Stainless steel heating element.
- Stainless steel heating chamber with lifetime warranty.
- Opens quickly like a clamshell for easy servicing.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.
- **Exclusive EZ removable heater for quick service and no down time.**
- Silencer system for quiet operation.
- Heating chamber tested to 2500 psi to insure quality.
- Handle folds down for easy transport and compact storage.
- External heater design removes heat from the motor compartment keeping the internal parts cool.

## **OPTIONAL ACCESSORIES**

1035AC Stainless steel van tool1038AC Stainless steel crevice tool1039AC Stainless steel detailer tool

## **MODEL**

500BX-EH Single 3-stage vac, 1000-watt external heater, 15-foot hose assy.

# BRAVO SPOTTER

### WITH HEAT!

The new 17-pound Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life. The Bravo comes complete with a vacuum and solution hose assembly. Tools sold separately.

### **SPECIFICATIONS**

31 ECHICATIONS	
Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2 stage, bypass
Water Lift	107"
Handle	Adjustable, 22-37"
Wheels	6 inches
Power Cord	25 ft.
Heater	1500 watts, stainless steel
Hose Assembly	8 ft.
High Heat	Long-nose, fully stainless steel tool
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Ship Dimensions	23"H x 15"L x 13"W
Electrical Draw	15 amps

### **FEATURES**

- 1500 watt, in-tank heater delivers 150 degree heat.
- Unique molded-in holders carry spray bottles for greater ease.
- Stainless steel heating element.
- Large 6" wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Carry-along handle increases portability.
- Small and light enough to carry with one hand.
- Quickly opens up for easy servicing and repair.
- Large porthole on solution tank allows easy access for odor-free maintenance of recovery tank.

## **OPTIONAL ACCESSORIES**

330ACH Single-jet wand, 10" wide 1039AC Stainless steel detailer tool

## WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

## **MODEL**

300MH-HT Bravo with heat, hose assembly and transport handle

## **AQUA** DRI

## Portable Air Mover/Carpet Dryer (patents pending)

EDIC's Aqua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with  $a\frac{1}{2}$  HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with  $\frac{1}{2}$  HP (2700 CFM)

for the ultimate in power. Both models can be easily adjusted to four different positions for drying auto interiors, carpets, furniture, curtains, ceilings—you name it!



## MODELS

All models available with optional carpet clamp 3004AD Aqua Dri,  $\frac{1}{2}$ HP,  $9\frac{1}{2}$ " fan 3005AD Aqua Dri Pro,  $\frac{1}{2}$ HP,  $10\frac{5}{3}$ " fan



SPECIFICATIONS Housing	3004AD/3005AD Polyethylene
Motor	$\frac{1}{2}HP/\frac{1}{2}HP$
Speeds	3
Power	2400/2700 CFM
Electrical Draw	5.0 amps
Blower Fan	9½"/10½" diameter
Intake Screens	Open flow design
Height Adjustment	4 positions
Stackable	Yes
Kickstand	Included
Carpet Clamp	Optional
Power Cord	25 ft.
Dimensions 3004AD 3005AD	18"H x 18 <u>3</u> "L x 17 <u>3</u> "W 19 <u>3</u> "H x 20 <u>5</u> "L x 19 <u>4</u> "W
Weight	30/33 lbs.
Shipping Weight	36 lbs
Ship Dimensions	19"H x 19"L x 18"W

**AUTO DETAILING BACK PACK VACUUMS** 

## **ACCESSORIES**



1033ACH Single-jet Wand, high pressure 1034ACH Dual-jet Wand, high pressure



1039AC Stainless Steel Detailer Tool



Stainless Steel Crevice Tool



1035AC Stainless Steel Stair Wand

## **WET/DRY VACUUM SERIES**

## 12Ш/20Ш

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



#### **SPECIFICATIONS**

SPECIFICATIONS	
Housing	Stainless steel or polyethelene
Capacity	12/20 gallon
Motor	1200w, single vac, 1.9 HP 1600w, dual vac, 2 HP
CFM	114/192
Water Lift	100/80 inches
Power Cord	33 ft.
Noise Level	63dB
Casters	3 inches
Wheels	6 inches
Dolly	Polyethylene
Tool Kit	8-piece deluxe
Filter	Washable cloth
Paper Filter	Optional
HEPA Filter	Optional on 12W
Hose	15 ft w/1.5" swivel connector
Dimensions	33"H x 19"L x 19"W 36"H x 24"L x 20"W
Weight	30/48 lbs.
Shipping Weight	50/67 lbs.
Ship Dimensions	34"H x 21"L x 21"W 39"H x 25"L x 22"W
Electrical Draw	13 amps

### **FEATURES**

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full  $1\frac{1}{2}$  accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.

#### **OPTIONAL ACCESSORIES**

335AC Front-mount squeegee assembly (12-gal) 336AC Front-mount squeegee assembly (20-gal) L11824-1 Paper filter bag

## **MODELS**

Optional HEPA filter available on 12-gallon models - add "H" to model number (12WH, 12WSH)

12W 12-gallon poly (with 8-piece deluxe tool kit)

**12WS** 12-gallon stainless steel (with 8-piece deluxe tool kit) 20W 20-gallon poly (with 8-piece deluxe tool kit)

20WS 20-gallon stainless steel (with 8-piece deluxe tool kit)

#### WARRANTY

1 year on housing, 1 year on parts and labor



# **ATLAS** (patents pending)

After years of careful planning, our new Atlas is taking the backpack vacuum market by storm. Feature for feature, it simply defies the competition! It's light enough for anyone to handle and the ergonomically-designed Velcro straps at the chest and hips result in a comfortable fit for virtually any sized operator. A special slide adjustment hooks the shoulder straps together for a higher range of motion. The on/off switch is at the hip level and mounted on top for unparalleled ease of operation. Our unique airflow design makes this unit quieter than most and the baffled exhaust goes out the back, away from the operator, for a higher level of comfort. The Atlas comes with our extraordinary Ultrastat<sup>™</sup> 3-ply composite filter treated with an anti-microbial



agent that provides exceptional airflow even when full, allowing for greater productivity. This exclusive bag is fitted with a durable plastic rim for an airtight seal around the top, and the seams are sonically welded (as opposed to glued). The result is higher dust retention, and a much longer filtration cycle.

### **FEATURES**

- Longer exhaust chamber and diffused exhaust air for quiet operation.
- EDIC Ultrastat™ filters have better filtration efficiency, greater dust retention and longer useful life than Micro filter bags because Ultrastat's™ revolutionary synthetic material allows greater air flow even when the bag is full.
- 3-position hip adjustment for wider or narrower hips allows the unit to sit more comfortably on the hips.
- Ergonomically designed harness with multi-adjustable settings for optimum comfort.
- Lightweight only 10 lbs.
- Hip-mounted switch results in easy on/off.
- Precision-molded cloth filter bag rim holds it's shape to prevent collapsing inside the unit when the bag is full.
- Optional HEPA filter available on 10-qt units.
- Available in 220-volt and in 400 cycles for the aviation industry.

### **MODELS**

601TV	6-qt w/standard kit	1001TV	10-qt w/standard Kit
602TV	6-qt w/industrial kit	1002TV	10-qt w/industrial kit
603TV	6-qt w/mixed floor kit	1003TV	10-qt w/mixed floor kit
605TV	6-qt w/turbo kit	1005TV	10-qt w/turbo kit
606TV	6-qt w/Sidewinder kit	1006TV	10-qt w/Sidewinder kit

Aviation Vac – add "A" to the end of any 6 or 10-qt model number. 220-Volt Vac – add "220V" to the end of any 6 or 10-qt model number. HEPA Filter – add "H" to the end of any 10-qt. model number.

## **SPECIFICATIONS** 6 quart/10 quart

Watts	1150
Amps	8.5
CFM	130
Water Lift	110"
Filtration	4 stage
Decibels	65
Thermally Protected	Yes
Construction	Roto-molded polyethelene
4-ft Static dissipating hose with swivel cuffs	Included
Power cord	50 ft. detachable
5 Disposable Ultrastat™ filters	Included
Cloth Bag	Included
Dimensions 6 Qt. 9 Qt.	23.5"H x 8"L x 8"W 25"H x 9"L x 9"W
Weight	9.8/10.8 lbs.
Ship Weight w/tools	22/23.5 lbs.
Ship Dimensions 6 Qt. 9 Qt.	32"H x 13"L x 13"W 32"H x 13"L x 13"W
•	

## **WARRANTY**

Lifetime on rotationally-molded housing, 2 years on parts and labor

## **BACK PACK VACUUM ACCESSORIES**



**STANDARD TOOL KIT** 

361AC Kit includes carpet tool with scallops, crevice tool, 2-pc S-bend wand, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.



362AC Kit includes standard tool kit plus 14" floor tool with horsehair brush.



**TURBO BRUSH KIT** 

363AC Kit includes turbo brush head, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery



tool, and slide-on brush for upholstery tool.



## **SIDEWINDER KIT**

364AC Kit includes 14" scalloped carpet tool, crevice tool, dust brush, 2-pc aluminum straight wand, and upholstery tool.



**INDUSTRIAL KIT** 

365AC Kit includes combo floor tool, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.


### **FILTERS**

The revolutionary new Ultrastat<sup>™</sup> filters are made from a high-efficiency synthetic composite treated with an anti-microbial agent. They have greater dust retention, better filtration efficiency and a longer useful life than a standard microfilter because they provide a much lower pressure



**Cloth Filter** 

L12009 6-quart filter L12010 10-quart filter





**Ultrastat™ Filter** 

L12004 6-quart Ultrastat<sup>®</sup> filters (set of 5) L12006 10-quart Ultrastat filters (set of 5) Case quantity: 100 filters



**Dome Filter** K12019 5.7" diameter

## **ATLAS BACK PACK VACUUM 1.25" ACCESSORIES**



G03510 10.5" turbo brush



K00700-14 11" combo floor tool



K00700-15 12" carpet tool, scalloped



K00700-16 12" bare floor tool



K00728-4 5" upholstery tool

13" crevice tool



K00704-1 Dust brush, rectangular



K00704 Dust brush, round



K12036 Floor duster



duster head



K12036-1 Replacement floor



K00707 Adapter, 1.5" to 1.25"



K00728-4-1 Brush slide for K00728-4



D03387-1 Chrome wand, telescopic w/cord management



K00729-5 9" crevice tool



D00349-1 Curved wand handle with swivel connection



D03387 Telescopic wand, chrome



## **ATLAS BACK PACK VACUUM 1.5" ACCESSORIES**



K00700-1 14" carpet tool, scalloped



14" carpet tool with easy glide brush



K00700-3 16" carpet/bare floor tool with adjustable brush



K00700-4 11" carpet/bare floor tool with adjustable brush



K00700-5 15" carpet tool, scalloped

## **BACK PACK VACUUM ACCESSORIES**

## ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued



K00700-7 14" floor tool with nylon brush

K00700-17

K00700-22

18" Sidewinder carpet tool

15" Sidewinder carpet tool



K00700-8 14" floor tool with horsehair brush

K00700-18

K00700-23

K00728-1

5" upholstery tool

with nylon brush

18" Sidewinder floor tool

15" Sidewinder carpet tool



K00700-10 14" floor tool with felt



K00700-11 14" floor tool with felt, scalloped



K00700-13 20" floor tool with nylon brush









15" Sidewinder carpet tool

K00700-20 scalloped K00700-21 standard 18" Sidewinder floor tool with felt



8" Sidewinder carpet tool



K00700-27 8" Sidewinder floor tool with horsehair bristles



K00728-5 5" upholstery tool, metal



K00728-1-1 Slide-on brush for K00728-1 and K00728-5



K00700-6 14" carpet tool, paddle



K00708-3 Dust brush, rectangular with swivel neck



K00708-7 Dust brush, round, metal



K00708-1 Dust brush, round



K00729-3 28" crevice tool



15" crevice tool



K00729-4 9.5" crevice tool



K00714-1 Pipe cleaner, 1" to 4"




5" auto upholstery tool

K00714-2 Pipe cleaner, 4" to 8"



J12035 Hose assy, static dissipating


## ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued/SPARE PARTS



D03386-1 Aluminum wand, 2-PC



D03386 Aluminum wand, 1-PC



D03386-2 Wand, bulk pick up, 36"



D03386-6 Extension wand, telescopic



D03386-7 S-bend wand, telescopic



D03386-8 Aluminum wand, straight, 59" D03386-10

Aluminum extension wand, 59", Sidewinder D12909

Aluminum extension wand, 30", Sidewinder D03386-9

Aluminum 2-pc wand, Sidewinder

## **REPLACEMENT PARTS**



K00700-3-1 16" brush strip for K00700-3



14" nylon or horsehair brush for K00700-7 or K00700-9





K00700-13-1 20" brush set for K00700-13



K00700-4-1 11" brush strip for K00700-4



K00700-10-1 14" felt blade for K00700-10



D03386-1-2 Metal ring for D03386

D03386-1-1

Threaded cap for D03386



K00700-11-1 14" scalloped felt blade for K00700-11

6W/9W

6/9 quarts

1.25 inches

14/14.5 lbs.

UL/CSA



## DYNAMO

## CANISTER VACUUM SERIES

## 6Ш/9Ш

The Dynamo Canister is a go-anywhere, doanything vacuum with revolutionary features that take practicality to a new level. Need HEPA filtration? You got it! Need the noise level to be so quiet workers can make phone calls without being disturbed? You got it! Want one vacuum

We recommend the 6-quart Dynamo for your


everyday cleaning needs, providing durability

with a lifetime internal filter, which results in a

dramatic reduction in long-term costs.

and economy over the long haul. The 6W comes


for multiple jobs? You got it! Each model has its own unique features with versatility and ease at the core. Both vacuums incorporate a unique, colorcoded filtration system that makes it simple to change from high filtration to HEPA or even to ULPA depending on the job.





With its whisper-quiet decibel rating and remarkable filtration system, the 9W is the professional choice for use in healthcare environments and busy call centers. It features a double system of color-coded filters that give you the option of true high filtration, HEPA or ULPA filtration. An EDIC exclusive feature on the 9W allows you to switch the noise level down to a minimum, making it possible to vacuum even while employees use the phone.

The Dynamo canister vacuum series delivers total ease of operation and maintenance. A special indicator light lets you know immediately if the cord or the outlet is defective. The 50-foot power cord is detachable and the motor slides out for quick repairs. Filters can be swapped out in seconds to meet individual job requirements. Each unit comes complete with a standard 3-stage filter set and a 7-piece tool kit.





7-piece tool kit

## **OPTIONAL ACCESSORIES**

Shipping Weight w/tools 23.5/24.5 lbs.

**SPECIFICATIONS** 

Capacity

CFM

Hose

Tool kit

Weight

Tool Diameter

Ship Dimensions

Safety Approval

L13126	Paper filter bags, 6W, 10-pack
L13127	Paper filter bags, 9W, 10-pack
F7401680	Standard basket filter (9W only)
F7401681	Red HEPA basket filter (9W only)
F7401682	Blue ULPA basket filter (9W only)
F7700120	Standard cassette filter
F7700121	Red HEPA cassette filter
F7700122	Blue ULPA cassette filter

## **MODELS**

6W 6-quart Dynamo with high filtration 9-quart Dynamo with high filtration

### **WARRANTY**

30

1 year on parts and labor

## DYNAMO

## CANISTER VACUUM SERIES

## **6W/9W FEATURES**

- Units can be turned on their side with the hose facing up for cleaning hard-to-reach places.
- Unique indicator light lets you know if the power cord or the outlet is defective for easy troubleshooting.
- Telescoping wand makes it easy to clean high ceilings and walls.
- Switch guard protects the unit from foot operation.
- Removable filters make it easy to switch from high filtration to HEPA or ULPA depending on the job.
- Motor slides out and power cord is detachable for inexpensive, on-the-spot repairs.
- Exclusive lifetime internal filter on the 6W dramatically reduces long-term
- Super low decibel rating on the 9W (59 decibels) plus exclusive noise reduction switch for cleaning during regular work hours, even if someone is on the phone.
- Special modular design with weight centered in the middle prevents unit from tipping over.

## FILTRATION SYSTEM

Our unique 3-stage filter system is designed for complete flexibility, allowing you to choose the level of filtration to meet individual job requirements. The system includes a paper dust bag, the internal filter and a cartridge blow out filter.

- High Filtration—99% of all dust particles up to 3 microns including sand, dust mites, pollen, mite feces.
- HEPA Filtration—99.997% filtration at .3 microns including all of the above plus red blood cells, bacteria, mite feces dust, yeasts and fungi, tobacco smoke, virus
- ULPA Filtration—99.999% filtration at .1 microns for maximum cleanliness including all of the above plus E. Coli and Staph bacteria.

### **PAPER FILTERS**

Our paper vacuum bags are more than a dust container. They are a vital part of the filtration system. The paper filter can be sealed completely before removing for a truly clean air system.





9W standard filter set



6W standard filter set



# **DYNAMO** WET/DRY VACUUM SERIES

## **5W/8W**

The new Dynamo series of wet/dry vacuums combines a host of impressive features including whisper quiet operation and incredible suction power—at a price that flattens the competition. The 5 and 8-gallon models are perfect for small spills and pickups without the need to drag out more cumbersome equipment. These models are compact for easy transport and storage yet powerful enough for heavy-

duty commercial settings. A special noise reduction design means you can work anywhere, anytime without causing a disturbance. An optional HEPA filter is available with both models for threestage filtration. Choice of stainless steel or polyethylene housing.



#### **SPECIFICATIONS** 5W/8W

Stainless steel or Housing polyethelene

Capacity 5/8 gallon Motor 100w, 2-stage, 1.5 HP

**CFM** 

86 inches Water Lift Power Cord 33 ft.

60dB Noise Level

Wheels 3" casters

Polyethylene Dolly

Cloth

Tool Kit

Paper Filter Optional **HEPA Filter** Optional

15 ft w/1.5" Hose

**Dimensions** 23"H x 16"L x 16"W

30"H x 16"L x 16"W 20/21 lbs.

Weight 32/38 lbs. Ship Weight w/tools

**Ship Dimensions** 25"H x 17.5"L x 17.5"W 32"H x 17.5"L x 17.5"W w/tools

**Electrical Draw** 13 amps

## **WARRANTY** 1 year on housing,

1 year on parts and labor

8-piece/8-piece deluxe

swivel connector

## **FEATURES**

- 60dB for whisper quiet operation.
- Equipped with a dolly cart for greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum airflow.
- Paper filter bags available plus optional HEPA filters.
- 2-stage motor with 86-inch lift provides powerful suction.
- Two-piece metal wand along with full  $1\frac{1}{2}$  accessory kit included.
- 8' swivel hose includes connection system for easy handling and operation.

### **OPTIONAL ACCESSORY**

L11824 Paper filter bag

### **MODELS**

All models available with optional HEPA filter-Add "H" to model number (5WSH, etc.)

5W 5-gallon poly (with 8-piece tool kit) 5WS 5-gallon stainless steel (with 8-piece tool kit) 8W 8-gallon poly (with Deluxe 8-piece tool kit)

8WS 8-gallon stainless steel (with Deluxe 8-piece tool kit)





Deluxe 8-piece tool kit

# **DYNAMO** WET/DRY VACUUM SERIES

## 12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



Front-mount squeegee for removing large volumes of water fast!



Tip 'N' Pour on 20-gallon model for easy water disposal.

## **FEATURES**

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full  $1\frac{1}{2}$  accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and operation.
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.

## **OPTIONAL ACCESSORIES**

335AC/336AC Front-mount squeegee assembly L11824-1 Paper filter bag

## **MODELS**

Optional HEPA filter available on 12-gallon modelsadd "H" to model number (12WH, 12WSH)

12W 12-gallon poly (with 8-piece deluxe tool kit) 12-gallon stainless steel (with 8-piece deluxe tool kit)

20-gallon poly (with 8-piece deluxe tool kit)

20-gallon stainless steel (with 8-piece deluxe tool kit) 20WS



335AC (24")



336AC (24")

#### Stainless steel or Housing polyethelene Capacity 12/20 gallon 1200w, single vac, 1.9 HP Motor 1600w, dual vac, 2 HP CFM 114/192 Water Lift 100/86 inches Power Cord 33 ft. 63dB Noise Level Casters 3 inches Wheels 6 inches Polyethylene Dolly Tool Kit 8-piece deluxe Filter Washable cloth Paper Filter Optional **HEPA Filter** Optional on 12W 15 ft w/1.5" Hose

12W/20W

swivel connector

30/48 lbs.

50/67 lbs.

13 amps

33.5"H x 20"L x 19"W

39"H x 26"L x 22"W

34.5"H x 21"L x 21"W

39"H x 26"L x 22"W

**SPECIFICATIONS** 

### **WARRANTY**

Ship Weight w/tools

Ship Dimensions

Electrical Draw

**Dimensions** 

Weight

w/tools

1 year on housing, 1 year on parts/labor



### **SPECIFICATIONS**

Cleaning Path 14/18 inches Decibels 67/70 105 CFM Vacuum Motor 6 liters (6.4 quarts) Capacity Water Lift 78 Tool Kit Included **Tool Diameter** 1.25" High impact ABS Housing 50 ft. detachable Power Cord Bag full, belt breakage, brush roll blockage, brush pressure, airway blockage Electronic Indicators All metal, dual on-off Operation Control 47.5"H x 10"L (base) x 14"W **Dimensions** 47.5"H x 10"L (base) x 18"W Handle Up 20/22 lbs. Weight Shipping Weight 27/29 lbs. Ship Dimensions 8.75"H x 37.5"L x 15.75"W 8.75"H x 37.5"L x 20.25"W

#### WARRANTY

Electrical Draw

1 year on housing, 1 year on parts and labor

10 amps

## RELIANT


## **DUAL-MOTOR VACUUM**

This powerful upright vacuum is designed with a dazzling list of features to take cleaning to a new level. The dual motors and high filtration filter combine to handle tough commercial work environments. An onboard tool kit with stretch hose and telescopic wand allows the operator to easily clean those typically out-of-reach places like ceilings and baseboards. The brush housing has a super low profile that makes it a piece of cake to clean under desks and other obstacles, plus there's a four-position brush height adjustment to handle any kind of carpet. And that's only the beginning. All the major parts of the Reliant can be taken apart without tools for easy repairs,

and it has a detachable power cord with plugs on both ends for easy replacement. The Reliant comes complete with onboard tools and is available with a 14 or 18-inch cleaning width.



Reliant comes standard with 4-piece tool kit



Lighted indicator switch let's you know immediately if the power cord is defective



All major parts detach easily for quick repairs

## **FEATURES**

- Stretch hose has identical cuffs allowing you to change direction to clean out any debris stuck in hose.
- Detachable power cord with plugs on both ends.
- Lighted indicator switch that let's you know if a cord is defective.
- Full-bag sensor for motor protection.
- Filter bag compartment only closes when bag is in place, to protect motor from running without bag.
- Powerful suction combines with wide cleaning width for cleaning large areas quickly.
- Rotating cord hook means no need to unwind cord.

## **MODELS**

1400R 14" Reliant w/tool kit 1800R 18" Reliant w/tool kit

## **PILOT**

## **AUTOMATIC SCRUBBER**


Our amazing new automatic scrubber is ideal for deep cleaning of grouted pavers and hard floors. The Pilot gives you all the performance of larger, more expensive equipment but in a lightweight, compact size that's super easy to operate and store. At only 30 lbs, it's simple to transport to any job site. The Pilot's versatility makes it perfect for routine maintenance or periodic deep cleaning, especially in tight, obstructed areas such as restrooms or locker rooms.

The knockout punch of this machine is its rotary brushes. It features a pair of high-speed

counter-rotating circular nylon brushes with two levels of bristles that deep-clean grout better than any cylindrical method. The flexing action of the flared nylon bristles scrubs the most difficult-to-clean mosaic tile and stone grouted floors with truly amazing results. Superior urethane squeegee blades allow one-pass cleaning or can be raised to double scrub for restorative cleaning.



The Pilot is the perfect green machine where less is more! It does not require harsh detergents that can damage sensitive stone and grout surfaces. It uses less solution, works in tandem with green chemicals and with its single motor, draws less amps



### **FEATURES**

- Unique dual counter-spinning rotary brushes (not cylindrical) with two levels of bristles for a deep down clean that outperforms the competition.
- Unbeatable performance in a compact size—only 30 lbs!
- Does the job of heavier, more expensive equipment but can be stored in a closet and is super easy to maneuver. It even fits on a maid's cart.
- Low carbon footprint—cleans with green chemicals, uses less solution and draws less power.
- Truly automatic—simply lower the handle to activate—no on/off switch!
- Comes complete with a high-quality squeegee that leaves floors clean and completely dry.
- A total cleaning system that promotes clean and sanitized stone, tile and hard floors.

## **OPTIONAL ACCESSORIES**

0	
TU1501	Standard brush set (2)
TU1505	Pad holder (2)
TU1501T	Nylo-grit brushes (2)
TU1700PU	Squeegee assembly
F13130	Black stripping pad, 6.5"
F13131	Green scrub pad, 6.5"
F13132	White buffing pad, 6.5"

## **MODEL**

1400SC Pilot automatic scrubber

### WARRANTY

1 year on housing,1 year on parts and labor



## **SPECIFICATIONS**

<b>SPECIFICATIONS</b>	
Brush Motor	120V, 700 watts
Vacuum Motor	Triple fan system
Cleaning Width	14 inches
Cleaning Capacity	4,200 sq. ft. per hour
Squeegee	16 inches
Brushes (2)	Circular/nylon bristles
Brush Speed	550 RPM
Brush Pressure	18 lbs.
Solution Tank	1 gallon
Recovery Tank	1 gallon
Wheels (2)	4", non-marking
Power Cord	25 ft. detachable, 3 ft. pigtail
Dimensions (Upright)	43.75"H x 20"L x 16"W
Weight	30 lbs.
Shipping Weight	33 lbs.
Ship Dimensions	16"H x 23"L x 16.5"W
Electrical Draw	4.5 amps, 115V

## **NEW COMPANION PRODUCT!**

Easy Mop bucketless cleaning system—cleans walls, ceilings, and other hard-to-reach places with no spills, no mess. A pressurized all-inclusive reservoir cleans up to 3,200 sq. ft. per filling. See page 14 for additional details.



## SATURN HIGH SPEED

## BURNISHERS

Available in traditional style or new 17" compact design with fold-down handle!

super high-gloss luster to any hard floor surface. Watching these machines in action will make anyone a believer! The perfect combination of weight and high speed produces a spectacular finish in record time. Brand new to the line-up is a 17" 2000 RPM model with a fold-down handle and a special compressed design for the ultimate in portability and storage plus greater maneuverability in tight spaces. Our traditional 20" models are available in 1500 or



2000 RPM and both the traditional and fold-down models are designed with an all-metal construction including stainless steel brush cover, making them as durable as they are dependable. All models come complete with flexlock pad driver and high-speed pad.

### **SPECIFICATIONS**

17 - 2000 RPM **Brush Speed** 20 - 1500/2000RPM Pad Diameter 17"/20" Motor 1.5 HP Multi-V belt Gear Box Power Cord 75 ft. yellow Cord Strain Relief Heavy-duty steel with spring guard **Brush Cover** Stainless steel/Powder Coated Soft, anti-fatigue Handle Grips Chrome-plated steel Handle

Wheels 5 inches Non-marking PVC Bumper

Operation Control Dual trigger on-off safety switch, left or right hand

54"H x 31"L x 22.5"W

84/96 lbs. Weight 96/108 lbs. Shipping Weight

**Electrical Draw** 11.1 amps

#### **WARRANTY**

Ship Dimensions

Lifetime on stainless steel brush cover. 3 years on parts and labor

### **FEATURES**

- Multi-V belt drive reduces load on bearings and extends motor life.
- Smooth operation for reduced operator fatigue.
- Unique lockout system prevents accidental start-ups and allows machine to be activated with both hands on the grips.
- All-metal chassis plus stainless steel cover assure long life and dependability.
- New 17-inch model folds-down for super easy storage and transportation.
- Cool running 1.5 HP high efficiency motor.
- Rear transport wheels for easy turning and increased mobility.
- Easy motor access for quick servicing.
- 75-foot power cord.

## **MODELS**

20HS1500-SS 20" - 1500 RPM high speed 20HS2000-SS 20" - 2000 RPM high speed 17" - 2000 RPM fold-down 17HS2000F-SS

All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.

## **SATURN**

## DUAL SPEED FLOOR MACHINES

Get more bang for your buck with one machine that does the work of two! Strip, scrub, spray-buff, polish, shampoo, bonnet clean... you name it, this machine does it all! Designed for professional floor care maintenance, the dual speed floor machines from EDIC are equipped with long-wearing steel triple planetary gearboxes, providing heavy duty yet quiet operation. Safety comes first with the exclusive "lockout" lever that allows the motor to be activated while keeping both hands on the handle grips. Use the lower speed to scrub and strip then just flip the switch to high speed and polish floors to a glossy luster. Operation is smooth and easy in even the toughest commercial settings.

### **FEATURES**

- All-metal construction with stainless steel brush cover, heavy duty chrome-plated steel handle and 66 frame motor assure durability.
- All steel triple planetary gearbox provides heavy duty yet quiet
- Turn a 17-inch machine into a 20" machine, or vise versa, by removing just four bolts.
- Dual trigger negative pressure switch allows operator to run with either hand.
- Safe two-handed start-up with exclusive "lockout lever".
- Cool running 1.5 HP high efficiency motor.
- 50-foot power cord.
- Non-marking PVC bumper prevents marks on walls and furniture.
- Available in 17" or 20" diameter.

#### **OPTIONAL ACCESSORIES**

1601/1901BR Pad driver, with molded-in clutch plate

1603/1903BR Two-piece pad driver

For a complete listing of pad drivers, brushes and accessories, see page 37

### **MODELS**

17DS3-SS 17" - 180/320 RPM dual speed 20" - 180/320 RPM dual speed 20DS3-SS

All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.

#### **WARRANTY**

Lifetime on stainless steel brush cover, 3 years on parts and labor



### **SPECIFICATIONS**

of EchileAtions	
Brush Speed	Dual 180/320 RPM
Diameter	17" or 20"
Motor	1.5 HP/66 frame
Gear Box	Steel triple planetary
Power Cord	50 ft. yellow
Cord Strain Relief	Heavy-duty steel with spring guard
Brush Cover	Stainless steel/Powder Coated
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	86/92 lbs.
Shipping Weight	106/112 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	14.4 amps

36



# **SATURN**

## LOW SPEED FLOOR MACHINES

No job is too tough for this rugged series of floor machines from EDIC. With its allmetal construction and steel planetary gear boxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The low speed models are built specifically to handle the stress associated with stripping and scrubbing hard floor surfaces as well as bonnet cleaning and shampooing carpets. Features like the quick and easy handle adjustment, anti-fatigue design,

and the exclusive "lockout lever" for safe two-handed start up make this machine operator friendly and a winner in every commercial setting. Available in six different models, there is a perfect low speed Saturn for any size job.

> All Saturn floor machines are now available with an optional black powder-coated brush cover. All the same great features as our stainless steel models but at a more competitive price.



## **SPECIFICATIONS**

<b>SPECIFICATIONS</b>	
Brush Speed	175 RPM
Pad Diameter	13", 17" or 20"
Motor	13" – 1 HP 17" – 1 HP/1.5 HP 20" – 1 HP/1.5 HP
Gear Box	1.0 HP—dual planetary 1.5 HP—triple planetary
Power Cord	50 ft. yellow
Brush Cover	Stainless steel/Powder coated
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	13" (1 HP) - 91 lbs. 17" (1/1.5 HP) - 95 lbs. 20" (1/1.5 HP) - 98 lbs.
Shipping Weight	13" — 101 lbs. 17" — 112 lbs. 20" — 115 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	13" – 13.2 amps 17" – 13.2/14.4 amps 20" – 14.4/14.4 amps

## **FEATURES**

- All-metal construction assures durability.
- All-steel triple planetary gearbox provides heavy duty yet quiet operation.
- Dual-trigger negative pressure switch allows operator to run with
- Turn a 13-inch machine into a 20" or any other combination, by removing
- Exclusive "lockout lever" is designed so operator can safely activate motor with both hands on the grips.
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment.
- Non-marking PVC bumper prevents marks on walls and furniture.

## **OPTIONAL ACCESSORIES**

390AC Shampoo tank for carpets

Pad driver with molded-in clutch plate 1601BR/1901BR

1603BR/1903BR Two-piece pad driver

For a complete listing of pad drivers, brushes and accessories, see page 37

## **MODELS** All Models 175 RPM

Stainless Steel

13LS2-SS 13" 1 HP

17LS2-SS/17LS3-SS 17" 1 HP/17" 1.5 HP 20LS2-SS/20LS3-SS 20" 1 HP/20" 1.5 HP


## **WARRANTY**

Lifetime on stainless steel brush cover, 3 years on parts and labor

## **ACCESSORIES**

## **PAD DRIVERS**

1202BR	12" block, 13" machine
1601BR	16" block, 17" machine
	molded-in clutch plate
1603BR	16" block, 17" machine
1901BR	19" block, 20" machine
	molded-in clutch plate
1903BR	19" block, 20" machine
1704BR	Flex-lock, 17" hi-speed
2004BR	Flex-lock, 20" hi-speed
F11988	High speed pad




1601BR



**BRUSHES** 

1105BR	Nylon 11" block, 13" machine
1505BR	Nylon 15" block, 17" machine
1805BR	Nylon 18" block, 20" machine
1106BR	Poly 11" block, 13" machine
1506BR	Poly 15" block, 17" machine
1806BR	Poly 18" block, 20" machine
1107BR*	Grit 11" block, 13" machine
1507BR*	Grit 15" block, 17" machine
1807BR*	Grit 18" block, 20" machine



#4 Extra Lite-Equivalent to red pad

## **SHAMPOO TANK**

390AC Shampoo tank 4-gallon capacity with brass valve



13" Saturn with shampoo tank





1106BR







**SPARE PARTS - BRASS FITTINGS** 

## **BRASS FITTINGS**




**Close Nipple** A00055 <sup>1</sup>/<sub>8</sub>MP A00111 <sup>1</sup>/<sub>4</sub>MP

A00111



Nipple A00160  $\frac{1}{4}$ x 2 A00163  $\frac{1}{4}$ x 3



**Hex Reducing Nipple** A00119  $\frac{3}{8}$ MP  $x^{\frac{1}{4}}$ MP A00114B  $\frac{1}{4}$ MP  $x \frac{1}{8}$ MP

A00114B



Bushing A00168-18  $\frac{1}{4}$ MP  $x\frac{1}{8}$ FP A00168  $\frac{3}{8}$ MP  $x\frac{1}{4}$ FP

A00168-2  $\frac{1}{2}$ MP  $x\frac{3}{8}$ FP

A00168




**Barb Fitting** w/Male Pipe 

ı	7100070	4 D/ (KD X 8 WII
	A00139	<sup>1</sup> / <sub>4</sub> BARB x <sup>1</sup> / <sub>4</sub> MP
	A00077	3/8 BARB x 1/8 MP
	A00060	3/8 BARB x 1/4 MP
	A00062	<sup>3</sup> / <sub>8</sub> BARB x <sup>3</sup> / <sub>8</sub> MP
	A90004	$\frac{1}{2}$ BARB $x\frac{1}{4}$ MP



A00061



**Barb Fitting** 

w/Female Pipe




Adapter-Male Pipe X Female Pipe A00172  $\frac{1}{8}$ MP  $x \frac{1}{8}$ FP

A00122  $\frac{1}{8}$ MP  $x\frac{1}{4}$ FP A00121 A00121  $\frac{1}{4}$ MP  $x\frac{1}{4}$ FP



45° Elbow Street A00053-18  $\frac{1}{8}$ MP  $x\frac{1}{8}$ FP A00053  $\frac{1}{4}MP \times \frac{1}{4}FP$ A00053-38  $\frac{3}{8}$ MP  $x\frac{3}{8}$ FP

A00053



90° Elbow Female A00073  $\frac{1}{8}$  FP  $x \frac{1}{8}$  FP A00154  $\frac{1}{4}$ FP  $x\frac{1}{4}$ FP

90° Elbow Street

A00116  $\frac{1}{8}$ MP  $x\frac{1}{8}$ FP

A00052  $\frac{1}{4}$ MP  $x\frac{1}{4}$ FP







Male Branch Tee A00152  $\frac{1}{8}$ MP  $x\frac{1}{8}$ FP  $x\frac{1}{8}$ FP A00075  $\frac{1}{4}$ MP  $x\frac{1}{4}$ FP  $x\frac{1}{4}$ FP

A00075



Female Tee A00161  $\frac{1}{4}$ FP  $x \frac{1}{4}$ FP  $x \frac{1}{4}$ FP

A000161



**Street Tee** A00135  $\frac{1}{8}$ MP  $x \frac{1}{8}$ FP  $x \frac{1}{8}$ FP A11589  $\frac{1}{4}$ MP  $x\frac{1}{4}$ FP  $x\frac{1}{4}$ FP

A00135




Teflon Tape  $500883 \frac{1}{2} \times 520$ 



A00094A

A00086

#### A00086 110° 11008 A00086-1 110° 11004 A00094D



80° 8008

80° 8010



**SPRAY TIPS/QUICK DISCONNECTS** 

**Brass Vee Jets** 

1/4" Male Pipe

**Brass Vee Jets** 1/8" Male Pipe

A00093-1


A00093

ı	A00089-1	110° 11001
	A00089-2	110° 110015
	A00089	110° 11002
	A00089-6	110° 11006
	A00091	110° 11004
	A00091-1	110° 11008
	A00091-2	110° 11003
	A00095-8	110° 11010
	A00087	95° 9505
	A00089-5	95° 9504
	A00089-3	95° 9508
	A00089-7	95° 950050

A00094A-14 95° 9510

A00094A 80° 8002

A00094A-2 80° 8001 A00094A-5 80° 8010



A00104



Tee Jet Cap A00094D Tee jet cap



A00102

**Standard Female Quick Connect** Coupling A00108  $\frac{1}{8}$  female  $x \frac{1}{8}$  FP

A00102  $\frac{1}{4}$  female  $x \frac{1}{4}$  FP A00101 5 female x FP


**Special Male Quick** 



Disconnect

**SPARE PARTS - SPRAY TIPS** 

A00103-1



Disconnect

**Special Female Quick** 

A00109  $\frac{1}{8}$  female  $x \frac{1}{8}$  FP



Checkvalve A00094B Tee jet w/ strainer & checkvalve

Tee Jet Body

 $body {\scriptstyle \frac{1}{4}} M$ 

A00094C Tee jet

A00094B

A00094C



1/4" Flood Jet A00095-9 <sup>1</sup>/<sub>4</sub>MP K2

1/8" Flood Jet






A00095-4 <sup>1</sup>/<sub>8</sub>MP K1.5 A00095-5 <sup>1</sup>/<sub>8</sub>MP K2 A00095-6 1/8 K 3 A00095-7 18K 5



Standard Male Quick **Connect Coupling.** A00107  $\frac{1}{8}$  male  $x\frac{1}{8}$  FP A00104  $\frac{1}{4}$  male  $x\frac{1}{4}$  FP





## VALVES, CLAMPS, CORDS, STRAIN RELIEFS, SWITCHES, MISC. EXTRACTOR PARTS

J90002



**Valves** 

G00525 Valve only pp to 100 psi

00525A Valve w/lever

D00352-1 Lever only

G00526-1 Valve, brass, Glidemaster. up to 1000 psi

D03424 Lever,

Glidemaster

D00364 Valve clamp

**Wand Handle Grips** 

Drain Valve/

Adapter

K00711

K00710

E00427

D00373

K00709

Strainers/Hose

81033AC Grip handle,

stainless

Drain valve

Black elbow

Gasket 2"

Inlet filter 1

Inline strainer

OD  $x^{\frac{1}{8}}$ 

w/bowl

NPT

black

aluminum

D00364-1 Lever,



D00364 D00364-1 D03424

81033AC

K00711

K00710

E00427

G00526-1





J00651 1/4 - 5/8J11508 7/16 - 7/8 J90002 9/16 - 1 1/16 100639 15/8 - 27/16J00642 2 9/16 - 3 7/16



B11199

.....

11504A

Strain Relief

Plastic B11199 w/locknut

B11504 Metal w/locknut

Switches/Rectifier

Toggle, SPST

Toggle, DPST

Push button,

bridge rectifier

bridge rectifier

Black rocker

**DPST** 

25 amp

B00213

B00229

B00188



G00532

G00531

Wheels

Casters

G00532 2" swivel,  $\frac{3}{8}$ " stud

G00531 3" swivel, plate

G03518 4" swivel, plate

G11943 5" dia, 1" bore, hard rubber

G11765 7" dia, 1" bore, non-marking



G10458

G10458 7" dia, 1/3" bore, non-marking

G02514 8" dia, 1" bore, non-marking



G11767 10" dia, 1" bore. non-marking



B02211-1

B11465



B11487

G11767

## **Power Cords**

B10719 power cord, 25' yellow, 16/3, SITW


B11487 power cord, 50', yellow, 14/3, STW, 600V jacket, floor machines

B11900 power cord, 75', yellow, 12/3 SJTW, floor machines

B11769 extension cord, 50', yellow, 12/3, STW with twist lock

B11944 extension cord, 50', yellow, 16/3, SJTW for Atlas Backpack





strainer

K00709-3 Gasket, inline strainer

K00665-1 Hose intake adapter



K00709-3



B02229

M00843-1



B00188

42