

Safety Data Sheet

Issue date 29-Sep-2014 Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON MULTI-PURPOSE INSECT & LICE KILLER

Chemical name 7-7956-1

Other means of identification

Product code FG 438-5106-6

Synonyms Multi-purpose insecticide

Registration number(s) 498-174

Recommended use of the chemical and restrictions on use

Recommended Use Flying and crawling insect killer.

Uses advised against See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

This chemical is regulated by FIFRA.

Acute toxicity - Oral	This is an aerosol product, ingestion is unlikely to occur.
Acute toxicity - Dermal	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Acute toxicity - Inhalation (Gases)	Harmful if inhaled, do not remain in the area during treatment and ventilate thoroughly before reentry.
Serious eye damage/eye irritation	Can cause irritation after contact with the eyes.
carcinogenicity	Lifetime high doses exposures to pyrethrum and piperonyl butoxide caused a high incidence of benign thyroid, parathyroid, ovary and liver tumors in mice and rats. The significance of these observations is questionable and under review. The doses at which tumors were observed for both pyrethrum and piperonyl butoxide greatly exceeded potential human exposure from labeled uses.
Reproductive Toxicity	Not known

Label Elements

EMERGENCY OVERVIEW

CAUTION

appearance Off-white emulsion Physical State Aerosol Odor Cedarwood

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

No information available

3. Composition/information on Ingredients

Common Name Insecticide spray.

Synonyms Multi-purpose insecticide.

Chemical Family Pesticide. **Formula** 7-7956-1

Chemical nature Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
n-butane	106-97-8	10-15	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
Propane	74-98-6	1-5	*
Piperonyl Butoxide	51-03-6	1.00	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8000-34-7	0.20	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

INGESTION Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if

inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

5. Fire-fighting measures

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Clean contaminated surface thoroughly.

Prevention of secondary hazards Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated

absorbent and wash water should be disposed of according to local, state and federal

regulations.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible MaterialsAvoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

See occupational exposure limits listed below. **Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Rubber, vinyl or household type gloves required.

None required. After spraying, leave the room and keep area closed for 15 minutes. Respiratory protection

Thoroughly ventilate room before reentry. Sweep up and discard fallen insects.

Cedarwood

Wash hands thoroughly after handling. Read and follow the USER SAFETY **General hygiene considerations**

RECOMMENDATIONS on the product label.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

appearance Off-white emulsion Odor

color white

Property Values Remarks • Method Not applicable Water-oil emulsion.

Melting point/freezing point Not applicable Water 212 °F/100 °C Boiling point/boiling range

Flash Point Not Available. This is an aerosol

product for which Flame Projection is 0 inches. Temperatures above 120 F

may cause cans to burst. Faster than butyl acetate.

flammability (solid, gas) Flammability Limits in Air Upper flammability limits

Lower Flammability Limit

vapor pressure

Evaporation Rate

Specific gravity 0.945 - 0.945 concentrate

Water solubility Soluble in water

OTHER INFORMATION

VOC content (%) 14.53%

density 7.87 - 7.93 lb/gal

Bulk Density

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 120 F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 120 F.

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

11. Toxicological Information

Information on likely routes of exposure

Product Information Results below are for a very similar product with same concentration of active ingredients.

inhalation Acute Inhalation III.

Eye Contact Primary Eye IV.

Skin contact Acute Dermal IV.

INGESTION Acute Oral IV.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
n-butane 106-97-8	-	-	= 658 g/m³ (Rat) 4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
Piperonyl Butoxide 51-03-6	= 4570 mg/kg (Rat) = 6150 mg/kg (Rat)	> 7950 mg/kg (Rat)	-
Permethrin 52645-53-1	= 383 mg/kg (Rat) = 220 mg/kg (Rat)	> 2 g/kg (Rabbit) = 1750 mg/kg (Rat) > 5000 mg/kg (Rat)	> 0.69 mg/L (Rat)4 h

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged and repeated contact with skin may cause allergic reactions in some individuals.

Serious eye damage/eye irritation Can cause irritation after contact with the eyes.

corrosivityNot applicable.sensitizationNo a skin sensitizer.Germ Cell MutagenicityNo information available.

carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl Butoxide 51-03-6		Group 3		
Permethrin 52645-53-1		Group 2A Group 3		X

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
Not applicable.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas) 2293333 mg/l ATEmix (inhalation-vapor) 658 mg/l

12. Ecological Information

Not applicable under US DOT regulations.

ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates,		45: 96 h Pimephales		4720: 96 h Den-dronereides
hydrotreated light		promelas mg/L LC50		heteropoda mg/L LC50
64742-47-8		flow-through 2.4: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 2.2: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static		
Permethrin		0.008 - 0.03: 96 h		
52645-53-1		Pimephales promelas mg/L		
		LC50 flow-through 0.001 -		
		0.009: 96 h Pimephales		
		promelas mg/L LC50 static		
		0.015: 96 h Cyprinus carpio		
		mg/L LC50 flow-through		
		0.0052 - 0.0077: 96 h		
		Cyprinus carpio mg/L LC50		
		0.00079: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 0.0108: 96 h		
		Lepomis macrochirus mg/L		
		LC50 0.00188 - 0.00336: 96		
		h Lepomis macrochirus mg/L		
		LC50 static 0.00049 -		
		0.00097: 96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 0.0017 -		
		0.0048: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
n-butane	2.89
106-97-8	

Propane	2.3
Propane 74-98-6	2.0
Permethrin	6.5
52645-53-1	

Other adverse effects No information available

Ozone This product does not contain CFCs or other ozone depleting substances. Federal

regulations prohibit the use CFC propellants in aerosols.

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Permethrin	Toxic
52645-53-1	

14. Transport Information

DOT Limited quantity (LQ) Insecticide spray

UN/ID no UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2.1

Marine pollutant Not applicable under US DOT regulations.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

Legend:

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Piperonyl Butoxide - 51-03-6	51-03-6	1.00	1.0
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

SARA 311/312 Hazard Categories

Acute Health HazardyesChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
n-butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
Piperonyl Butoxide 51-03-6	X		
Permethrin 52645-53-1	X	X	

U.S. EPA Label information

EPA Pesticide registration number 498-174

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: HAZARDS TO HUMANS: Harmful if inhaled. HAZARDS TO DOMESTIC ANIMALS: DO NOT USE ON CATS. For use on dogs and puppies (over 12 weeks old). Do not use on puppies less than 12 weeks old. Read entire label before each use.

16. Other information				
NFPA_	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department Issue date 29-Sep-2014

Revision note

This SDS supersedes a previous MSDS dated May 15, 2013.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
