

ADDC

WANO CATALOG



Quality-Consistency-Reliability

Each and every tool that EDIC sells is rigorously tested with high pressure solution at EDIC's factory in Los Angeles before it is approved for shipment. EDIC's testing equipment, materials and procedures are inspected and approved to UL Standards, by an independent safety agency, each quarter. This guarantees that you, the user, receive the very best from all of our tools, each and every time!

WARRANTY – Backing up our commitment to quality we offer the Standard EDIC 2 year Warranty on all our Wands and Accessories.

SPRAY TIPS – To guarantee the spray width, solution flow and pressure rating of our wands we only use U.S. manufactured spray tips.

CONVENIENCE – EDIC can readily accommodate most custom requests. Please feel free to specify between male and female quick disconnects and tip size among other options when ordering.



1753 Blake Avenue, Los Angeles, CA 90031-1006, USA

Telephone: 323-660-1635 • Toll-Free: 800-338-3342 • Fax: 323-667-0144

Email: sales@edic-usa.com • Website: www.edic-usa.com

- 4 GLIDEMASTER CARPET WANDS**
- 5 GLIDEMASTER CARPET WANDS CONT'D**
- 6 GLIDEMASTER STAIR WANDS**
- 7 REVOLUTION HARD SURFACE**
- 8 GLIDEMASTER HARD SURFACE**
- 9 COUNTERTOP HARD SURFACE**
- 10 HAND TOOLS**
- 11 HAND TOOLS - CONT'D**
- 12 VALVES AND KITS**
- 13 TIPS AND BRASS**
- 14 HOSES AND CUFFS**
- 15 MISC. ACCESSORIES**



GLIDEMASTER CARPET WANDS

FEATURES

- POLISHED STAINLESS STEEL VACUUM TUBE AND LOW PROFILE WAND HEAD ARE ANGLED TO ALLOW EASY CLEANING UNDER FURNITURE, OVERHANGS ETC.
- SMOOTH MERGE CONNECTION BETWEEN THE VACUUM HEAD AND TUBE PREVENTS CLOGGING AND INCREASES AIR FLOW
- HIGH PRESSURE/HIGH HEAT STAINLESS STEEL SOLUTION TUBE FOR ADDED DURABILITY
- SPLASH GUARD PREVENTS OVERSPRAY
- AMERICAN MADE SPRAY TIPS GIVE YOU AN ACCURATE SPRAY PATTERN AND FLOW RATE EACH AND EVERY TIME
- STAINLESS STEEL STRAINER AND CHECKVALVE SYSTEM PREVENTS DRIPPING AND PROTECTS TIPS FROM CLOGGING
- ADJUSTABLE COMFORT GRIP HANDLE
- REPLACEABLE RUBBER GRIP TUBE
- AMERICAN MADE QUICK DISCONNECTS ENSURE LONG TERM DURABILITY AND NO LEAKS
- AVAILABLE IN ANY PRESSURE SET-UP

MODEL

OUR POPULAR **DUAL JET S BEND** WAND FEATURES A 12" WIDE HEAD AND A 1.5" DIAMETER POLISHED STAINLESS STEEL VACUUM TUBE. COMES STANDARD WITH FEMALE QUICK DISCONNECT AND 1200PSI BRASS ANGLE VALVE.

Part Number:

1034-110015FB Low Pressure 0-400
1034-11001FS High Pressure 400-1200

Options:

Male Quick Disconnect | Black Grip Handle
3000psi high pressure hose





MODEL

THIS **TRUCKMOUNT STYLE QUAD-JET WAND** CAN BE ORDERED WITH A 12" OR 14" CLEANING PATH AND IS AVAILABLE IN A 1.5" OR 2" POLISHED STAINLESS STEEL S BEND TUBE. FEATURES VEEJET TIPS, STAINLESS CHECK VALVE AND STRAINER, FEMALE QUICK DISCONNECT, 1200PSI BRASS ANGLE VALVE AND OUR LOW PROFILE HEAD.

Part Number:

1228-9501FS 12" head, 1.5" diameter, High Pressure 400-1200

1229-9501FS 12" head, 2.0" diameter, High Pressure 400-1200

1428-9501FS 14" Head, 1.5" diameter, High Pressure 400-1200

1429-9501FS 14" head, 2.0" diameter, High Pressure 400-1200

Options:

Male Quick Disconnect | Black Grip Handle
3000psi high pressure hose



MODEL

OUR **SINGLE BEND, SINGLE JET WAND** FEATURES A CHOICE OF 10" OR 12" WIDE HEAD WITH A 1.5" DIAMETER POLISHED STAINLESS STEEL VACUUM TUBE. WAND COMES STANDARD WITH A FEMALE QUICK DISCONNECT AND A 1200PSI BRASS ANGLE VALVE.

Part Number:

1033-110015FB 12" Low Pressure 0-400psi

330-11003FB 10" Low Pressure 0-400psi

MODEL

OUR **EDGE WAND** ALLOWS YOU TO CLEAN THE AREAS ALONG WALLS AND FURNITURE THAT YOUR WIDER WANDS MAY MISS. THE SMALLER HEAD ALSO CREATES A HIGHER CONCENTRATION OF SUCTION AT THE POINT OF CONTACT.

Part Number:

1031-5003FB

Options:

Male Quick Disconnect | Black Grip Handle
3000psi high pressure hose

STAIR WANDS

MODEL

OUR CONVENIENT AND VERSATILE **DUAL JET, S BEND STAIR WAND** FEATURES A POLISHED STAINLESS STEEL 1.5" TUBE, LOW PROFILE HEAD AND A 1200PSI BRASS VALVE. 30" WITH A FEMALE QUICK DISCONNECT.

Part Number:

1035-110015FB Low Pressure 0-400PSI

1035-11001FS High Pressure, 400-1200PSI

Options:

Male Quick Disconnect | Black Grip Handle
3000psi high pressure hose



MODEL

THE **STRAIGHT STAIR WAND/VAN TOOL** IS A MUST HAVE WHEN WORKING LARGE AREAS ON VEHICLES SUCH AS VANS AND SUV'S.

DOUBLES AS A STAIR WAND, AS WELL. DUAL JET, 30" LONG, OPEN SPRAY, 1.5" DIAMETER POLISHED STAINLESS STEEL TUBE, BRASS 1200PSI ANGLED VALVE AND FEMALE QUICK DISCONNECT

Part Number:

1036-110015FB Low Pressure 0-400PSI

1036-11001FS High Pressure, 400-1200PSI

Options:

Male Quick Disconnect | Black Grip Handle
3000psi high pressure hose





HARD SURFACE REVOLUTION

THE ALL-NEW **REVOLUTION** IS A FEATURE-RICH, TILE AND GROUT CLEANING TOOL THAT PROVIDES SMOOTH OPERATION. AT A LIGHTWEIGHT 13LBS, IT GLIDES EASILY OVER HARD SURFACES TO ELIMINATE OPERATOR FATIGUE, YET IT'S ENGINEERED FOR OUTSTANDING DURABILITY. IT WILL WORK ON UNEVEN SURFACES LIKE CONCRETE AND WILL OPERATE WITH TRUCKMOUNTS AND PORTABLES. AN INLINE FILTER CATCHES DIRT BEFORE IT CAN CLOG YOUR TIPS. THE T-HANDLE ALLOWS SIDE TO SIDE AS WELL AS A FRONT TO BACK OPERATION.

STAINLESS STEEL HANDLE, 1.5" TUBE, ERGONOMIC COMFORT GRIPS WITH EASY PULL TRIGGER, A HIGH QUALITY CERAMIC SWIVEL, AND A VACUUM RELIEF WITHIN EASY REACH. WORK ALONGSIDE WALLS WITH EASE WITH THE HIGH IMPACT, 90-DEGREE SOLUTION INLET SWIVEL. WITH MALE QUICK DISCONNECT. UP TO 2500PSI

Part Number:
1200REV



HARD SURFACE GLIDE MASTER

OUR BRAND NEW **GLIDEMASTER HARD SURFACE** CLEANING TOOLS MAKE YOUR JOB MORE EFFICIENT AND PRODUCTIVE. BLAST DIRT AWAY FROM CONCRETE, TILE AND GROUT AS WELL AS COUNTERTOPS. AT ONLY 3 ¼" OFF THE FLOOR, OUR UNIQUE LOW PROFILE DESIGN ALLOWS THE OPERATOR TO REACH UNDERNEATH ALL KINDS OF OBSTACLES SUCH AS COUNTERS AND STALLS TO GET A TRULY DEEP CLEAN.

OUR OPEN AIRFLOW DESIGN MAKES GLIDEMASTER REALLY STAND APART FROM THE COMPETITION. THERE IS NO SPRAY-BAR IN THE SUCTION HEAD TO RESTRICT AIR-FLOW WHICH MEANS SUPERIOR SUCTION. FOUR STAINLESS STEEL SPRAY TIPS ENSURE DURABILITY AND POWERFUL PERFORMANCE. CHOOSE FROM A 14" SQUEEGEE HEAD, A 14" BRUSH HEAD OR GET BOTH HEADS AND INTERCHANGE THEM ON THE SAME WAND! ALSO AVAILABLE IN 6" AS AN ATTACHMENT TO THE WAND OR AS A SEPARATE HAND HELD COUNTER-TOP TOOL. UP TO 2500PSI.



8001AC



8003AC

Part Number:

8000AC - Glidemaster hard surface wand. (Pictured with grip handle and head). Sold as "Wand only". Heads and grip handle sold separately.

8001AC - 6" Glidemaster head with brush for use with 8000AC wand

8002AC - 14" Glidemaster head with squeegee for use with 8000AC wand.

8003AC - 14" Glidemaster head with brush for use with 8000AC wand.

8004AC - Tall grip handle.



8000AC



8002AC

334ACH



SQUEEGEE WAND

334ACH - THE HIGH PRESSURE SQUEEGEE WAND WITH LIGHT WEIGHT AND DURABLE 1.5" ALUMINUM TUBE HAS A 13" SQUEEGEE HEAD TO HELP YOU TACKLE A VARIETY OF HARD SURFACES. UP TO 1200PSI.

OUR HIGH PRESSURE SPRAY GUNS ARE GREAT FOR TOUCHLESS CLEANING. EXTENSION LANCES CAN HELP YOU CLEAN HIGH, LOW AND IN HARD TO REACH PLACES. LANCES ARE AVAILABLE AS COMPLETE ASSEMBLIES WITH SPRAY GUNS OR AS ADD-ONS TO THE 9000AC. UP TO 5000PSI.

Spray gun - **9000AC** | Spray gun with 24" insulated lance - **9000AC-24**
Spray gun with 36" insulated lance - **9000AC-36**
Insulated lances - 5000PSI: 24" - **G09024** | 36" - **G09036**



COUNTERTOP TOOLS

OUR 7" COUNTERTOP **REVOLUTION** IS A SMALLER, HAND HELD VERSION OF THE POPULAR 1200REV. THE 700REV FEATURES THE SAME HIGH QUALITY COMPONENTS AS IT'S BIG BROTHER BUT ALLOWS YOU TO DO THE VERTICAL AND HORIZONTAL SURFACES THAT THE REVOLUTION WAND CANNOT. IT'S POINTED FRONT END ALLOWS YOU TO ATTACK DIRT AND GRIME EVEN IN CORNERS! UP TO 2500PSI



Model Number:
700REV

Model Number:
8001ACK - 6" Glidemaster head.
Up To 2500PSI



HAND TOOLS

OUR **DETAIL TOOLS** FEATURE POLISHED STAINLESS STEEL 1.5" VACUUM TUBES WITH A 1200PSI BRASS VALVE. ALL ARE HEAT CAPABLE WITH VINYL HEAT GRIP FOR THE TUBE AND VALVE LEVER. A 3000PSI HEAT RATED HOSE ENSURES DURABILITY.



1039-9502FB



1039-9502FB-C

OPEN SPRAY DETAIL TOOL

Part Number: 1039-9502FB 4"
1339-9502FB 3"
1539-9502FB 5"



1039-9502FB

ENCLOSED SPRAY DETAIL TOOL

Part Number: 1039-9502FB-C 4"
1339-9502FB-C 3"
1539-9502FB-C 5"




1039-9502FB-C

Options:

Male Quick Disconnect
Spray Tip
Window and Vac Release



VACUUM RELEASE



3"

4"

5"



1037-9502FB

OUR **PLASTIC SEE-THRU DETAIL TOOL** HAS A 4" WIDE HEAD, POLISHED STAINLESS TUBE, 1200PSI VALVE AND FEMALE QUICK DISCONNECT . ALSO HAS VINYL HEAT GRIPS FOR TUBE AND VALVE LEVER. 1.5" DIAMETER – 3000PSI RATED HOSE- OPEN SPRAY

Part Number: 1037-9502FB

Options: Male Quick Disconnect



321ACH

STAIR and UPHOLSTERY TOOL

OPEN SPRAY, 4" WIDE, STAINLESS STEEL
Model Number: 1021-1/8K2FB

OPEN SPRAY, 4 " WIDE,
STAINLESS STEEL, WINDOW,
THUMB SLIDE VAC RELEASE

Model Number: 1021-1/8K2FB-WVR

ENCLOSED SPRAY, 3.5" WIDE, ALUMINUM CASTING, WINDOW, THE RE-CIRCULATING SLOTS SPEED UP DRY TIME

Model Number: 321ACH



1021-1/8K2FB



1021-1/8K2FB



1038AC



1038AC

CREVICE TOOL

OPEN SPRAY, 18" LONG,
2.5" SLOT, INSULATING GRIP

Model Number: 1038AC

VALVES

VALVE ASSEMBLY FOR 1039AC,
1021AC, AND 1037AC
TYPE HAND TOOLS

Part Number: 11593A

REPAIR KIT FOR 11593A

Part Number: 11593-2A

VALVE ASSEMBLY FOR ALL
REGULAR GLIDEMASTER
WANDS AND STAIRWANDS

Part Number: G00526-1

REPAIR KIT FOR G00526-1

Part Number: 12988A

VALVE FOR 1037AC

Part Number: 11593-1A

VALVE FOR 321ACH

Part Number: G11603

REPAIR KIT FOR G11603

Part Number: 11603A



11593A



11593-2A



11603A



12988A



G11603



11593-1A



G00526-1



V-JET



TEE JET

BRASS AND TIPS

BRASS 1/4" V JET

SIZE	PART NO.
11001	A00086-6
110015	A00086-4
11002	A00086-7
11003	A00086-3
11004	A00086-1
11005	A00086-8
11006	A00086-5
11008	A00086
11010	A00086-2
9501	A00093-3
9502	A00093-4
9503	A00093-5
9504	A00092-4
9505	A00093-6
9506	A00093-7
8001	A00093-8
8002	A13605
8003	A00093-9
8004	A00093-2
8005	A00093-10
8006	A00093-11
8008	A00093-1
8010	A00093

BRASS 1/8" V JET

SIZE	PART NO.
11001	A00089-1
110015	A00089-2
11002	A00089
11003	A00091-2
11004	A00091
11005	A00089-8
11006	A00089-6
11008	A00091-1
11010	A00095-8
9501	A13619
9502	A13618
9503	A00089-9
9504	A00089-5
9505	A00087
9508	A00089-3
8001	A13697
80015	A00089-10
8002	A00089-11
8003	A00089-12
6501	A13087
6502	A13282
5003	A00089-13

SS 1/4" V JET

SIZE	PART NO.
11001	A13726
110015	A13726-1
11002	A13726-2
11003	A13726-3
11006	A13726-4
9501	A13726-5
95015	A13726-7
9502	A13726-8

SS 1/8" V JET

SIZE	PART NO.
11001	A13625
110015	A13625-1
11002	A13625-2
11003	A13625-3
11004	A13625-4
9501	A13689
95015	A13625-5
9502	A13625-6
9503	A13625-7
9504	A13625-8
9506	A13625-9
8004	A13625-10

SS TEE JET TIP ONLY

SIZE	PART NO.
11001	A11867
110015	A11867-1
11002	A11867-2
11003	A11867-3
9501	A11867-4

K TYPE SPRAY TIPS

SIZE	PART NO.
1/8K.1	A00095
1/8K.5	A00095-1
1/8K.75	A00095-2
1/8K1.5	A00095-4
1/8K2	A00095-5
1/8K3	A00095-6
1/8K 5	A00095-7
1/8K-SS2 (STAINLESS)	A13514

BRASS TEE JET TIP ONLY

SIZE	PART NO.
11001	A00094A-17
110015	A00094A-9
11002	A13690
11003	A00094A-11
11004	A00094A-13
11005	A13691
11006	A00094A-15
11008	A00094A-7
11010	A00094A-1
9510	A00094A-14
9504	A00094A-18
9503	A00094A-19
9502	A00094A-16
95015	A00094A-20
9501	A00094A-21
8010	A00094A-5
8006	A00094A-8
8004	A00094A-22
8003	A00094A-12
8002	A00094A
8001	A00094A-2
6506	A00094A-23
6505	A00094A-24
50015	A00094A-25
5002	A00094A-3

QUICK DISCONNECTS

SIZE/DESCRIPTION	PART NO.
3/8 FEMALE X 3/8 FP	A00101
3/8 MALE X 3/8 FP	A00105
1/4 FEMALE X 1/4 FP	A00102
1/4 MALE X 1/4 FP	A00104
1/8 FEMALE X 1/8 FP	A00108
1/8 MALE X 1/8 FP	A00107



BRASS PARTS

DESCRIPTION	PART NO.
CHECK VALVE WITH BUILT IN STRAINER	A00094B
CHECK VALVE BODY	A00094C
CHECK VALVE CAP	A00094D
1/4" TO 1/4" HEX NIPPLE	A12960
1/4" CLOSED NIPPLE	A00111

HOSES AND CUFFS

1.5" VACUUM HOSE WITH CUFFS (NO SOLUTION LINE)
15' - **J00616-15** | 25' - **J00616-25** | 50' - **J00616-50**

2" VACUUM HOSE WITH CUFFS (NO SOLUTION LINE)
50' - **J00624-50** | 75' - **J00624-75**

1/4" 3000PSI BLUE SOLUTION HOSE WITH 1/4" MALE/
FEMALE QUICK DISCONNECTS
15' - **00604-15HPA** | 25' - **00604-25HPA**
50' - **00604-50HPA** | 100' - **00604-100HPA**

3/8" LOW PRESSURE, NON-HEAT SOLUTION HOSE
WITH 1/4" MALE/FEMALE QUICK DISCONNECTS
15' - **00604-15A** | 25' - **00604-25A** | 50' - **00604-50A**

1/8" BLACK SOLUTION HOSE WITH 1/4" MALE/
FEMALE QUICK DISCONNECTS
15' - **11876-15A** | 25' - **11876-25A**

BULK SOLUTION HOSE
1/8" BLACK 3000PSI - **J11876** | 1/4" BLUE 3000PSI - **J00580**
1/4" GREY LOW PRESSURE/NON HEAT - **J00596-1**
3/8" GREY LOW PRESSURE/ NON HEAT - **J00613B**

COMPLETE HOSE ASSEMBLIES

LOW PRESSURE/NO HEAT

INCLUDES 1.5" VACUUM HOSE WITH CUFFS, 3/8" SOLUTION LINE
WITH CRIMPS AND MALE/FEMALE QUICK DISCONNECTS
15' - **1040AC** | 25' - **2540AC** | 50' - **5040AC**

HIGH PRESSURE/HEAT

1.5" VACUUM HOSE WITH CUFFS, 1/4" 3000PSI SOLUTION LINE
WITH CRIMPS AND MALE/FEMALE QUICK DISCONNECTS
15' - **1040AC-HP** | 25' - **2540AC-HP** | 50' - **5040AC-HP**

1.5" VACUUM HOSE WITH 1/8" HIGH PRESSURE SOLUTION LINE
15' - **1040AC-HPB** | 25' - **2540AC-HPB** | 50' - **5040AC-HPB**

8'X 1.25" VACUUM HOSE WITH 1/4" 3000PSI SOLUTION HOSE - **343AC**

HOSE CUFFS

1 1/2" HOSE TO 1 1/2" CUFF - **J00625** | 1 1/4" HOSE TO 1 1/2" CUFF - **J00647**
1 1/4" HOSE TO 1 1/4" CUFF - **J00626-1** | 1 1/2" HOSE TO 2" CUFF - **J13731**
2" HOSE TO 2" CUFF - **J11630** | 2" HOSE TO 1 1/2" CUFF - **J00627**

1.5" CUFF TO CUFF HOSE CONNECTOR - **J00630**



ACCESSORIES



VELCRO STRAP - **B12915**

CHROME HANDLE WITH COMFORT GRIP FOR WANDS – **D13721**

FULLY DIPPED GRIP FOR WANDS - **81033AC**

1.5" VACUUM RELEASE ADAPTER
(FOR TOOLS WITH NO VAC RELEASE) - **J00150VR**

ONE TO TWO HOSE ADAPTER 1.5" - **J00150Y**

UNIVERSAL 12" TEFLON WAND GLIDE - **1012AC-GL**



EDIC



1753 Blake Avenue, Los Angeles, CA 90031-1006, USA
Telephone: 323-660-1635 • Toll-Free: 800-338-3342 • Fax: 323-667-0144
Email: sales@edic-usa.com • Website: www.edic-usa.com