



FASTENERS

We carry a wide variety of fasteners for all your needs.



290 Oser Avenue, Hauppauge, NY 11788
Tel: 631.231.9400 · Toll Free: 888.231.9333
Fax: 631.231.0330 · 800.408.0330
custservice@jacknob.com
www.jacknob.com

Fasteners

MACHINE SCREWS

SIZE/HEAD TYPE	CHROME PLATED STEEL	CHROME PLATED BRASS	BRASS PLATED STAINLESS	ZINC PLATED STEEL	STAINLESS STEEL
8-32 x 5/8" One Way Oval Head	9403				9409
8-32 x 3/4" One Way Oval Head	9413				9419
8-32 x 1" One Way Oval Head	9423		9422		9429
8-32 x 1-1/8" One Way Oval Head	9443		9442		9449
8-32 x 1-3/8" One Way Oval Head	9463				9469
8-32 x 1-5/8" One Way Oval Head	9483		9482		9489
10-24 x 3/4" One Way Round Head	9513				
10-32 x 1/2" Slotted Flat Head	93783				
10-32 x 3/4" One Way Round Head	9543				
1/4-20 x 3/4" One Way Round Head		9571			
1/4-20 x 3" Phillips Pan Head	94823				
1/4-20 x 4" Phillips Flat Head				94884	

10-24 SHOULDER SCREWS

SIZE/HEAD TYPE	CHROME PLATED STEEL	CHROME PLATED BRASS	BRASS PLATED	STAINLESS STEEL
# 3/8" One Way Round Head	9883	9881		9889
1/2" One Way Round Head	9773	9771	9772	9779
3/4" One Way Round Head	9783	9781	9782	9789
15/16" One Way Round Head	9793	9791	9792	9799
1-1/16" One Way Round Head	9803	9801	9802	9809
1-3/16" One Way Round Head	9813	9811	9812	9819
1-5/16" One Way Round Head	9823	9821	9822	9829
1-5/16" Phillips Round Head		9861		
1-1/2" One Way Round Head	9873			

3/8" has full threads (no shoulder)

SIX LOBE FASTENERS (T-27 HEADS)

10-24 BARREL NUTS

LENGTH	CHROME PLATED STEEL	STAINLESS STEEL
1/2"	88203	88209
5/8"	88213	88219

ALL BARREL NUT & SHOULDER SCREWS HAVE A 1/4" OUTER DIAMETER

10-24 SHOULDER SCREWS

LENGTH	CHROME PLATED STEEL	STAINLESS STEEL
3/8"	88223	88229
1/2"	88233	88239
3/4"	88243	88249
15/16"	88253	88259
1-1/16"	88263	88269
1-3/16"	88273	88279
1-5/16"	88283	88289
1-3/8"	88293	

3/8" has full threads (no shoulder)

8-32 OVAL HEAD (T-20)

LENGTH	CHROME PLATED STEEL	STAINLESS STEEL
5/8"	88313	88319
3/4"	88323	88329
1"	88333	88339
1-1/8"	88343	88349
1-3/8"	88353	88359
1-5/8"	88363	88369

10-24 SHOULDER SCREWS WITHOUT CENTER PIN

LENGTH	CHROME PLATED STEEL
1/2"	88133
3/4"	88143
15/16"	88153
1-1/16"	88163
1-3/16"	88173
1-5/16"	88183

ONE WAY ROUND TAPPING SCREWS

SIZE	CHROME PLATED STEEL	BRASS PLATED	STAINLESS STEEL
6 x 3/4"	9073		
8 x 3/8"	9103		
8 x 1/2"	9113		
10 x 3/8"	9163		
10 x 1/2"			9159
10 x 5/8"	9173	9172	9179
10 x 3/4"	9193		
10 x 1"	9203		
12 x 5/8"	9213		
12 x 1-1/2"	9233		
14 x 1/2"	9253		
14 x 5/8"	9263		
14 x 1"	9283		
14 x 1-3/4"	9343		
14 x 2"	9313		
14 x 2-1/2"	9323		
14 x 3"	9333		

ALL BARREL NUT & SHOULDER SCREWS HAVE A 1/4" OUTER DIAMETER

PAN HEAD TAPPING SCREWS WITHOUT CENTER PIN

SIZE	CHROME PLATED STEEL
12 x 1-1/2"	91613
14 x 1-3/4"	92373

TAPPING SCREWS

SIZE/HEAD TYPE	CHROME PLATED STEEL	STAINLESS STEEL
10 x 5/8" Pan Head	90963	90969
10 x 3/4" Pan Head	90943	90949
10 x 1" Flat Head (T-20)	91053	91059
B 12 x 7/16" Pan Head		91429
12 x 1-1/2" Truss Head	91813	91819
12 x 2" Truss Head	91913	91919
12 x 2-1/2" Truss Head	91903	91909
* 14 x 1/2" Pan Head	92083	92089
* 14 x 5/8" Pan Head	92193	92199
14 x 5/8" Truss Head	92213	92219
14 x 3/4" Pan Head		90929
14 x 1" Truss Head	92183	92189
14 x 1-1/2" Pan Head		92319
14 x 1-3/4" Pan Head	92423	92429
14 x 2" Pan Head	92383	92389
14 x 2-1/4" Pan Head		92449
14 x 2-1/2" Pan Head	92393	

B - "Blunt" Tip (Type MS)
* - Type #410 Stainless Steel

PHILLIPS TAPPING SCREWS

SIZE/HEAD TYPE	CHROME PLATED STEEL	BRASS PLATED STAINLESS	STAINLESS STEEL
10 x 1/2" Phillips Flat Head	90864		
10 x 5/8" Phillips Flat Head	90884		
10 x 3/4" Phillips Pan Head	90933		
10 x 1" Phillips Flat Head	91013		
10 x 1-3/4" Phillips Flat Head			91109
12 x 5/8" Phillips Pan Head	91353		
12 x 1-1/2" Phillips Pan Head	91553		
12 x 2" Phillips Pan Head	91783		
14 x 1/2" (AB) Phillips Pan Head	92003		
14 x 5/8" (A) Phillips Pan Head	92063	92072	92079
14 x 5/8" (AB) Phillips Pan Head	92093		
14 x 1" Phillips Pan Head	92153		
14 x 1-1/2" Phillips Flat Head			92309
14 x 1-3/4" Phillips Pan Head	92353	92362	92369
14 x 2" Phillips Pan Head	92403		92419
14 x 2-1/2" Phillips Pan Head	92503		92519
14 x 3" Phillips Pan Head	92603		
12 x 1-1/2" Square Recess Pan Head	91543		

BARREL NUTS

SIZE/HEAD TYPE	CHROME PLATED STEEL	CHROME PLATED BRASS	BRASS PLATED	STAINLESS STEEL
8-32 x 1/2" Unslotted Head	9763		9762	9769
10-24 x 1/2" Phillips Round Head	9723	9721		
10-24 x 1/2" One Way Round Head	9703	9701	9702	9709
10-24 x 5/8" One Way Round Head	9713	9711	9712	9719

8915
8925
8935

8965

96503

96513

96523

96533

CHROME PLATED STEEL DRIVERS


8905	3 Pack One Way Screw Removers
8915	One Way Screw Remover (Sizes 6-8)
8925	One Way Screw Remover (Sizes 8-10)
8935	One Way Screw Remover (Sizes 12-14)
8965	Use with all Hex Bits (Magnetic End)

HARDENED STEEL BITS

96513	Six Lobe Hex Bit (T-20)
96503	Six Lobe Hex Bit (T-27)
96523	Six Lobe Hex Bit (T-30)
96533	Six Lobe Hex Bit Combo (T-20 & T-27) (Can not be used with Driver)

#111106


CAST STAINLESS STEEL PIVOT HINGES



Part # 7803: For 1/2" Door & Post

Part # 7813: For 3/4" or 1" Door
& 3/4" or 1" Post

Part # 7853: For 1/2" Door & 3/4"
or 1" Post



NEW - BALL BEARING
SELF CLOSING DESIGN
PATENT PENDING

#304 CAST
STAINLESS STEEL
#4 SATIN FINISH


PART #7813 SHOWN WITH 3/4" NYLON INSERTS



PIVOT HINGES (7803/7813/7853)

DOOR PACKS & RELATED HARDWARE

No Routing Necessary!
Just Drill the Holes and Install...



(7803) 1/2" DOOR & POST

INSWING (78033)	
PART	PART #
HOOK	4003
LATCH	5033
KEEPER	5163
STRIKE	5173

OUTSWING (78043)	
PART	PART #
HOOK	4023
DOOR STOP	4123
LATCH	5023
STRIKE	5173
DOOR PULL	6203

(7813) 3/4" DOOR & POST

INSWING	
PART	PART #
HOOK	4003
STRIKE & KEEPER	4903
LATCH	5033

OUTSWING	
PART	PART #
HOOK	4023
DOOR STOP	4123
STRIKE & KEEPER	4913
LATCH	5023
DOOR PULL	6203

(7813) 1" DOOR & POST

INSWING (110993)	
PART	PART #
HOOK	4003
LATCH	5033
STRIKE	5173
KEEPER	5183

OUTSWING (77313)	
PART	PART #
HOOK	4023
DOOR STOP	4123
LATCH	5023
STRIKE	5173
DOOR PULL	6203

(7853) 1/2" DOOR & 3/4" POST

INSWING (78033)	
PART	PART #
HOOK	4003
LATCH	5033
KEEPER	5163
STRIKE	5173

OUTSWING (78043)	
PART	PART #
HOOK	4023
DOOR STOP	4123
LATCH	5023
STRIKE	5173
DOOR PULL	6203


STRONG STUFF®



5113



3113



5703



7813



7813



1753



4153



5403




6203



5023



7113



7413



4003

Jacknob® corp.
Cast Stainless Steel
 • Durable
 • Superior Quality
 • No Welds
 • One Piece Construction



8503

Jacknob[®]
Corp.

All Inclusive Hardware Packs

**ONE PACK
DOES IT
ALL!**

- * Brackets
- * Hinges
- * Hooks
- * Door Pulls
- * Strike & Keepers
- * Latches
- * Anchors
- * Fasteners



290 Oser Avenue, Hauppauge, NY 11788
Tel: 631.231.9400 | Toll Free: 888.231.9333
Fax: 631.231.0330 | 800.408.0330
Custservice@jacknob.com
www.jacknob.com




ALL INCLUSIVE HARDWARE PACKS

Complete Stalls

- #6201100 Inswing - (For 1-1/4" Post & 7/8" Door)
- #6201200 Inswing - (For 1-1/4" Post & 1" Door)
- #6202100 Outswing - (For 1-1/4" Post & 7/8" Door)
- #6202200 Outswing - (For 1-1/4" Post & 1" Door)




TWO EAR
PANEL PACK 7/8"




OR

TWO EAR
PANEL PACK 1"




ONE EAR
PILASTER PACK 1-1/4"




TOP HINGE
ASSEMBLY



PILASTER POST
SHOE PACK




INSWING
DOOR PACK




OR

OUTSWING
DOOR PACK




BOTTOM HINGE
ASSEMBLY



Additional Stalls

- #6201110 Inswing - (For 1-1/4" Post & 7/8" Door)
- #6201210 Inswing - (For 1-1/4" Post & 1" Door)
- #6202210 Outswing - (1-1/4" Post & 1" Door)
- #6202110 Outswing - (For 1-1/4" Post & 7/8" Door)



290 Oser Avenue, Hauppauge, NY 11788
Tel: 631.231.9400 | Toll Free: 888.231.9333
Fax: 631.231.0330 | 800.408.0330
Custservice@jacknob.com
www.jacknob.com

111110

Note : For Overhead Bracing, Headrail sold separately.



PILASTER SUPPORT BRACKETS

**135009 (3/4")
135019 (7/8")
135029 (1")
135039 (1-1/4")**


**FOUR CHOICES
FOR VARIOUS
THICKNESS
OF MATERIALS**

**HEAVY
DUTY
STAINLESS
STEEL**

**USED
WITH
TAMPER-
PROOF
SCREWS**

**CAN BE
CUT TO
3" MINIMUM**

**CAN BE
ADJUSTED
TO 13"
MAXIMUM**




290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788

PHONE (631) 231-9400


www.jacknob.com • custservice@jacknob.com

FAX (631) 231-0330

135009, 135019, 135029, 135039
 (3/4") (7/8") (1") (1-1/4")
PILASTER (POST) SUPPORT BRACKETS



CONTINUOUS STAINLESS STEEL BRACKETS



290 Oser Avenue, Hauppauge, NY 11788
Tel.: 631.231.9400 • Toll Free: 888.231.9333
Fax: 631.231.0330 • Toll Free: 800.408.0330
www.jacknob.com • custservice@jacknob.com

Jacknob[®]
Corp.

Continuous Stainless Steel Brackets



290 Oser Avenue, Hauppauge, NY 11788

Tel: 631.231.9400 • Fax: 631.231.0330

Features

Material

AISI #304 (18-8) Stainless Steel,
18 gauge (.050" thick)

Finish

#4 'Brushed' Satin

Dimensions

All brackets are 2-1/2" high except for 'U' and
'Mini' brackets which are 1-1/2" high.

Available for 1/2", 3/4", 1", and 1-1/4" Panel thickness.

Continuous lengths to include 41", 54", and 57".

All holes are .260" diameter and equally spaced along the length.

Fabrication

All brackets are one piece, continuous 'roll-formed' and contain no
welds or rivets.

All corners are chamfered or radius - no sharp edges.

All outer surfaces are covered with protective peel-off paper.


Installation

Can be installed with 1/4" diameter tapping screws and/or 1/4"
diameter barrel nuts and shoulder screws.




FIX-IT KITS™

● **Adds Strength and Durability.**



● **Each kit contains everything you need to replace broken and missing hooks or latches.**



● **Stamped Stainless Plate Covers All Unsightly Holes.**



Fix-It Kits



290 Oser Avenue, Hauppauge, NY 11788

Tel: 631.231.9400 • Fax: 631.231.0330

115523 Hook Kit

Material

#304 (18-8) Stainless Steel

Finish

#4 'Brushed' Satin

Dimensions

Plate: 3" x 3" x 5/64" (14 gauge)

Hook: 3" long x 2-1/4" high x 1-7/16" wide


(Base is 3/16" thick)

Mounting Hardware

(6) #14 x 1/2" six-lobe (tamper-resistant)
pan head screws - stainless steel

Installation

Can be mounted on any material 1/2" or thicker



Radial - 111680, 11690, 111700

Square - 115490, 115500, 115510 Latch Kits

Material

Plate: #304 (18-8) Stainless Steel

Latch & Keeper: Cast Zinc

Finish

Plate: #4 'Brushed' Stain

Latch & Keeper: Polished Chrome

Dimensions

Plate: 2-5/8" wide x 4" high x 1/32" (22 gauge) thick

Latch: 4" high x 3-3/16" wide (2-3/4" hole spacing)


Strike & Keeper: 2-1/2" high (1-1/2" hole spacing)

Mounting Hardware

Through-bolted, tamper-resistant
barrel nuts and shoulder screws - chrome-plated steel

Installation

For 1" thick doors and 1-1/4" thick posts.



Part numbers and pricing, visit www.jacknob.com or email custservice@jacknob.com

The Pouch

CLEAN AND SECURE STORAGE

Jacknob®


Corp.



Clean, Safe, Secure for:


- Laptops
- Pocketbooks
- Briefcases
- Sanitary Storage
- Tough and Durable
- Patented Design
- Fasteners Included

Keep your valuables
off the dirty floor.



290 Oser Avenue, Hauppauge, NY 11788
Tel: 631.231.9400 · Toll Free: 888.231.9333
Fax: 631.231.0330 · 800.408.0330
custservice@jacknob.com
www.jacknob.com
U.S. Patent No. D551481

110300, 108455
THE POUCH/PURSE WRAP



WARNING: 1. Do NOT over tighten.
2. Do NOT mount behind door or within door's swing.

Material: 3/16" Acrylic
Mounting Holes (4) - 1/4" Dia.





HINGED BRACKETS FOR 3/4", 7/8", 1" & 1-1/4"


WHAT'S YOUR ANGLE?

#117829 (3/4")

#122869 (7/8")

#111359 (1")

#111369 (1-1/4")



FOR POSTS, PANELS OR ANY ALCOVE SITUATION...

290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788

PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com



* 1 1 5 1 0 1 *

FAX (631) 231-0330





CORNER GUARDS

2" x 2" x 48" Long

HEAVY DUTY
#18 GAUGE
STAINLESS STEEL



CLEAN
#4 BRUSHED
SATIN FINISH

- #131049 (no Holes or Adhesive)
- #131059 (with Adhesive Backing)
- #131069 (with 1/4" Dia. Mounting Holes)

**WITHOUT
CORNER GUARDS?**

**WITH
CORNER GUARDS!**

290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788


PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com



* 1 1 5 1 0 2 *

FAX (631) 231-0330






EXTENDED STRIKE & KEEPERS FOR 1" POSTS & DOORS

FOR A "NO-SIGHT" PRIVACY STALL

#134304 & 134308 - INSWING APPLICATION

#134314 & 134318 - OUTSWING APPLICATION



HEAVY DUTY
EXTRUDED
ALUMINUM

CLEAR ANODIZED
or BRITE-DIP
FINISHES

FULL LENGTH
RUBBER
BUMPER

Slot added on request.
Please advise location (X).

290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788



* 1 1 5 1 0 3 *

PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com

FAX (631) 231-0330




PANEL BRACKETS

1/4", 1/2", 3/4"

FOR PANELS, SIGNS, SHELVES, ETC.

1/4"
DIA.


#134329 - #134339 - #134349
(1/4") (1/2") (3/4")



2-1/2"

2"

1-1/2"



HEAVY DUTY
#18 GAUGE
STAINLESS STEEL

CLEAN
#4 BRUSHED
SATIN FINISH

290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788


PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com



* 1 1 5 1 0 4 *

FAX (631) 231-0330





ALL ALUMINUM PARTS

HINGES-STRIKE & KEEPERS-LATCHES

HINGES



**54" PIANO HINGE
WITH COVER**
(8668/8664)



8" HIGH SET
(7978/7988)



8" HIGH SET
(8974/8984)

STRIKE & KEEPERS (6" HIGH)



OUTSWING
(5878/5874)



INSWING
(5778/5774)



OUTSWING-FLAT
(5898/5894)




INSWING-FLAT
(5798/5794)

SLIDE LATCHES



WITH ANGLE BAR
(4988/4984)



WITH STRAIGHT BAR
(5058/5054)

**ALL PARTS AVAILABLE IN
CLEAR ANODIZED OR BRITE-DIP FINISHES**



290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788

PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com

FAX (631) 231-0330

Jacknob[®] Corp.

DOUBLE ACTING SPRING HINGES 4" HIGH

#131219 (2-HINGE SET) (40 lb DOOR-MAX)

#131319 (3-HINGE SET) (60 lb DOOR-MAX)



**HEAVY DUTY
#13 GAUGE
STAINLESS STEEL**

**CLEAN
#4 BRUSHED
SATIN FINISH**

**FOR DOOR & POST
THICKNESS
1" - 1-3/8"**

**SPRING
TENSION
ADJUSTABLE**

290 OSER AVENUE • P.O. BOX 18032 • HAUPPAUGE, NY 11788






PHONE (631) 231-9400

www.jacknob.com • custservice@jacknob.com

FAX (631) 231-0330

131219, 131319 (DOUBLE ACTING HINGES)

TOP VIEW



CAUTION:
DO NOT EXCEED (3) ADJUSTMENT HOLES TENSION.

ADJUSTING SPRING TORQUE:

- 1) INSERT TENSION ROD INTO ADJUSTMENT HOLE CLOSEST TO OUTER LEAF ON POST SIDE.
- 2) ROTATE TENSION ROD AS SHOWN IN DIAGRAM.
- 3) INSERT TENSION PIN TO DESIRED TENSION HOLE.
- 4) REMOVE TENSION PIN AND CHECK DOOR FOR DESIRED CLOSING.
- 5) IF DESIRED CLOSING FORCE IS NOT ACHIEVED, CHANGE TENSION PIN FROM ONE HOLE TO THE NEXT.
- 6) REPEAT STEPS FOR OTHER HINGES ON DOOR SIDE.

* **NOTE** *
FOR MORTISED EDGE,
DOOR & POST CAN NOT
EXCEED 1-3/8" THICK.



* 1 1 5 1 0 8 *