

EDIC... ON THE MOVE

Our company was founded in 1975 with the goal of designing and developing the most innovative, productive and durable carpet care equipment and cleaning systems on the market. That vision holds true today as EDIC continues to expand with new product lines, patented innovations, accessories, and the support of a knowledgeable staff trained first and foremost in customer service. We thank you for your interest in our products and look forward to a successful new or continuing business relationship with you.

For further information or to locate your nearest EDIC authorized distributor, contact:

EDIC 1753 Blake Avenue Los Angeles, CA 90031-1006 USA

Telephone: (323) 660-1635
Toll-free: (800) 338-3342
Fax: (323) 667-0144
Email: sales@edic-usa.com
Website: www.edic-usa.com

TABLE OF CONTENTS

NEW PRODUCTS Endeavor Revolution	4 5
Portable Extraction Cleaning Machines	
Self-Contained Extractors FiveStar Comet Polaris Supernova	6 7 8 10
Box Extractors Bravo Spotter Galaxy Galaxy Pro Galaxy 5	11 12 13 14
Extraction Machine Accessories Powermate Wands, Carpet Tools & Attachments Aviator Axial Fan Aqua Dri Carpet Dryer External Heater/Bazooka Gum Remover/Circuit Locator	15 16 18 19 20
Auto Detailing Equipment & Accessories Galaxy Automotive Galaxy 5 Bravo Spotter/Aqua Dri Auto Accessories/Dynamo Wet/Dry Vacuum	21 22 23 24
Vacuums Backpack Vacuums Atlas 6 & 10 Quart Backpack Accessories & Tools	25 26
Canister Vacuums - Dry Only Dynamo 6 & 9 Quart Canisters	30
Canister Vacuums - Wet/Dry Dynamo 5 & 8 Gallon Dynamo 12 & 20 Gallon	32 33
Upright Vacuums Reliant	34
Automatic Scrubbers/Grout Restoration Pilot	35
Floor Machines and Accessories Burnishers Dual Speed Low Speed Floor Machines Accessories	36 37 38 39
Spare Parts and Supplies Brass Fittings, Spray Tips, etc.	40
Rental Program Rental Equipment/Chemicals	43



SPECIFICATIONS

Capacity - 13 Gallon

Tank Construction - Rotationally Molded Polyethylene

Tile & Grout Pump - 1200 PSI, Adjustable, Self-priming

Carpet Pump - 250 PSI, Adjustable

Vacuum Motors - Dual 2-Stage, parallel

CFM - 200

Heater - 2000W Internal

Rear Wheels - 12"

Casters - 4" Dual-wheel

Auto Fill - Float Style

Auto Dump - 3.5 GPM

Intake - 1.5" Cool Cuffs

Power Cord - Dual 50' Detachable

Dimensions - 22.5"W x 33"L x 42.5"H

Weight - 175 lbs

WARRANTY

Industry-leading limited lifetime warranty. 2 years on parts and labor, lifetime on the housing

MODELS

90001 Multi-purpose extractor, 200CFM,

1200 PSI (adj.) / 250 PSI (adj.)

Machine only, all tools sold separately.

ENDEAVOR

The all-new Endeavor is a high-performance, dual-vac, multipurpose extractor engineered to help you clean more efficiently than ever. It has a number of breakthrough features, starting with an innovative design that allows one operator to load or unload the unit into a truck or van without a ramp. The key to this design is a set of casters mounted up near the handle complemented by ramps built right into the mold, so you can literally roll the machine into your vehicle. It also has an auto-fill, autodump design which eliminates workflow interruption. For power matched by versatility, the dual-vac Endeavor has the most versatile dual-pump system on the market, allowing you to clean upholstery, carpet or hard floor surfaces. It can be used as a 250 psi heated carpet extractor or a 1200 psi tile and grout machine without heat. When it comes time for routine maintenance, you'll really appreciate the remarkably well-organized and uncluttered layout of its interior components. That means easy access for no-hassle servicing. Its long list of thoughtfully designed features includes a spinner/wand holder to save you a trip to your vehicle, recessed power cord receptacles, dual-wheeled casters for easy maneuverability, a low easy-pour solution tank opening, a 250 psi pump that can be adjusted down to as low 20 psi for upholstery cleaning, a double-wall motor compartment for quiet operation, along with an overall design that places the weight of the machine over the back wheels to give you good leverage to turn, transport and load the Endeavor with ease!

FEATURES

- Multi-purpose extractor that can clean both hard surface & carpet.
- Easy one-person loading and unloading. Handle mounted casters and dolly style weight distribution eliminates the need for a ramp!
- 5 gallon bucket fits on the recovery lid to reduce trips to and from the vehicle.
- Dual-wheel casters provide excellent maneuverability.
- 12" non-marking, soft rear wheels protect fittings from being damaged during transport.
- Combination wand / spinner holder on the front of the machine for easy transport or storage.
- Conveniently located switches and controls, along with a built-in circuit locator.

OPTIONAL ACCESSORIES

1200REV Revolution 12" hard surface tool 2540AC-HPC 25' hose set with cool cuff

Auto-fill / auto-dump hose assembly 9540AC-AD 12" Dual-jet stainless steel carpet wand 1034ACH

Stainless steel detailer tool 1039AC

Spray gun, touch-less bathroom cleaning tool 9000AC

REVOLUTION

The all-new Revolution is a tile and grout-cleaning tool that provides remarkably smooth operation, gliding easily over the floor for less operator fatigue. It has a lightweight design — only 13 lbs! — yet it's engineered for outstanding durability. It works on uneven surfaces like grouted tile or smooth surfaces such as concrete, and can be used with truckmounts or portables. The Revolution's handle folds to 180 degrees so you can clean under a counter or overhang as low as 6 inches. For exceptionally convenient operation, it has a 90-degree inlet swivel that rotates 360 degrees, which always keeps the hose out of the way even when you're cleaning alongside a wall. It's also loaded with innovative features designed to help you clean more quickly and efficiently, including: An inline filter that catches dirt before it has a chance to clog tips — it works great even with machines that don't have good filtration. An easy-pull trigger with safety. Recovery hoses located in the center of the head for better suction, allowing you to

clean along edges without hitting hoses.
Comfortable and ergonomic hand grips.
A conveniently located vacuum relief
mounted in the handle so you can easily adjust air flow without bending over.
A stainless steel handle for long-term
durability. A high quality ceramic swivel
that's repairable. And a T-style handle
that allows side- to-side as well as front-toback operation.



FEATURES

- 90-degree inlet swivel rotates 360 degrees always keeping the hose out of the way even when cleaning alongside a wall.
- Comfortable and ergonomic hand grips.
- Inline filter catches dirt before it has a chance to clog tips works great even with machines that don't have good filtration.
- Easy pull trigger with safety.
- Conveniently located vacuum relief is mounted in the handle so you can easily adjust air flow without bending over.
- Stainless steel handle.
- Recovery hoses located in the center of the head for better suction – allowing you to clean along edges without hitting hoses.
- Highest quality ceramic swivel is repairable.

MODEL

1200REV 12" revolution hard surface tool, repairable ceramic swivel, 1.5"



Diameter	12"
Repairable Swivel	Yes
Maximum PSI	2500
Intake Diameter	1.5"
Trigger Safety	Yes
Weight	13 Lbs.

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



FIVESTAR

The amazing FiveStar is a small, self-contained unit with powerful brush agitation to clean carpets, hard floors and grouted tile. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The FiveStar is small enough to clean tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design allows you to fill and empty out of the same bucket and eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning. No more spills or mess!







Fold-down handle for easy storage and transport

SPECIFICATIONS

SPECIFICATIONS	
Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	112 CFM, 2 HP
Water Lift	107"
Brush Motor	1/6 HP
Brush Speed	2,500 RPM
Brush Style	Chevron design, 4 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W
Electrical Draw	12 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for easy storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright-mounted motor and intercooler system combine for long-lasting operation.

OPTIONAL ACCESSORIES

330ACS 10" Single-jet stainless steel wand

357AC Upholstery tool, 8' vacuum and solution hose assembly and hose bag 357AC-CM Upholstery tool, 15' vacuum and solution hose assembly and hose bag

341AC 8' vacuum and solution hose assembly 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories ($1\frac{1}{4}$ " diameter), see pages 16-18.

MODELS

401TR FiveStar, carpet cleaner only

411TR FiveStar, all floor unit—carpet, hard floor and grouted tile

COMET

The Comet is a small, economical, self-contained unit with powerful brush agitation to clean carpets. It weighs only 40 pounds so it's light enough for anyone to handle, plus the compact body design and fold-down handle make it a breeze to transport and store. Remove two screws and the machine opens like a clamshell for fast service. The Comet is small enough to clean in tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design eliminates the need to pour solution into the machine. Simply fill the bucket, set it on the machine, close the lid and begin cleaning.

No more spills or mess! The single on-off switch is designed for operation simplicity.



- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for compact storage.
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy.
- See-through recovery dome.
- Side extension for cleaning right to baseboards.
- Upright mounted motor and intercooler system combine for long-lasting operation.

OPTIONAL ACCESSORIES

330ACS 10" single-jet stainless steel wand

357AC Upholstery tool, 8' vacuum and solution hose assembly and hose bag

341AC 8' vacuum and solution hose assembly 341AC-15 15' vacuum and solution hose assembly

For our full line of optional accessories $(1\frac{1}{4}$ diameter), see pages 16-18.

MODEL

419TR Comet carpet cleaner

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



SPECIFICATIONS

SPECIFICATIONS	
Solution Tank	3 gallon
Lift-off Recovery Tank	3 gallon
Solution Pressure	50 psi
Vacuum Motor	92 CFM
Water Lift	85"
Brush Motor	1/12 HP
Brush Speed	2500 RPM
Brush Style	Chevron design, 3 rows
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	12 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft.
Dimensions	24"H x 23"L x 12"W
Weight	40 lbs.
Shipping Weight	53 lbs.
Ship Dimensions	28"H x 26"L x 15"W
Electrical Draw	12 amps




DLARIS 500P5, 700P5, 701P5

These self-contained workhorses combine remarkable ease of operation with unbeatable performance and portability to deliver consistent results in light speed!

The Polaris is big enough to tackle large rooms and hall-ways and is available with a full complement of accessories giving it maximum versatility to clean upholstery, stairs and other hard to reach places. A lift-off recovery bucket makes emptying quick and easy without the need for a drain hose. Special features including the

patented 4-wheel design, adjustable handle and lightweight construction allow easy transportation and unparalleled balance and maneuverability.





SPECIFICATIONS

SPECIFICATIONS	
Solution Tank	5 gallon/7 gallon
Solution Pressure	50 psi (500 & 700) 100 psi (701)
Vac Motor	112 CFM, 2 HP, 136" lift
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	14/17 inches
Tank Construction	Polyethylene
Wheels	7 inches, non-marking
Power Cord	25 ft. (500) 50 ft. detachable (700/701)
Dimensions 500PS 700/701PS	39"H x 30"L x 14"W 39"H x 30"L x 17"W
Weight	68/78 lbs.
Shipping Weight	95/103 lbs.
Ship Dimensions	42"H x 34"L x 21"W
Electrical Draw	14/14/15 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES

- Patented 4-wheel design makes turning in tight places easy and balances total weight, even full of water, for easy maneuvering.
- Lift-off recovery bucket—no drain hose.
- Patented self-adjusting, self-leveling brush and vacuum shoe combine for superior cleaning of all carpet lengths and uneven floors.
- Fully adjustable handle for greater operator ease, increased leverage on stairs and over curbs plus compact storage.
- Side extension for cleaning right to baseboards (700/701).
- Upright-mounted vacuum plus intercooler system extends motor life.
- See-through recovery dome.

OPTIONAL ACCESSORIES

1204ACH	Powermate—12" wide power brush	
D02359-1	Adapter to connect standard $1\frac{1}{2}$ diameter hose assemblies	
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag	
323ACH	Prespray wand	
1033AC	Single-jet wand	
1034AC	Dual-jet wand	
1041AC	15 ft. vac and solution hose assembly with adapter plate	
For our full line of optional accessories $(1\frac{1}{2})^n$ diameter, see pages 15-20.		

MODELS

500PS	5-gallon Polaris/14" wide/50 psi
700PS	7-gallon Polaris/17" wide/50 psi
701PS	7-gallon Polaris/17" wide/100 psi

POLARIS 801P5, 1201P5

For wide open spaces where productivity is the bottom line, the 800 and 1200 models clean quickly and efficiently. These larger self-contained units come equipped with dual vacuums to more thoroughly clean and dry carpets. The Polaris has a built-in silencer so you can clean without interrupting the workflow. Top quality construction, remarkable ease of operation and versatility combine for a machine that consistently outperforms the competition. Dual lift-off recovery buckets with no hose



Ouick-fit accessories

to detach allow
easy emptying.
Maintenance
is a breeze as
well—just remove
two screws and
open like a clamshell
for quick internal access.



New optional valve allows you to adjust the performance of the machine for regular maintenance or heavy-duty restorative cleaning.

FEATURES

- Large wheels, adjustable handle and lightweight construction team up for easy handling and storage.
- Optional accessories quickly attach to the rear of machine for cleaning stairs, upholstery, etc.
- Patented dual lift-off recovery buckets provide quick and convenient emptying.
- Patented four-wheel design for balance and reduced turning radius.
- High speed brush motor and brush guarantee powerful agitation to release deeply embedded soil and grit, extending carpet life.
- Patented brush system utilizes fully sealed stainless steel ball bearings for years of trouble-free operation.

OPTIONAL ACCESSORIES

1204ACH Powermate–12" v	wide	power	brush
-------------------------	------	-------	-------

D02359-1 Adapter to connect standard 1½ diameter hose assemblies
358AC Upholstery cleaning kit—upholstery tool, vacuum and solution

hose assembly and hose bag

323ACH Prespray wand 1033AC Single-jet wand 1034AC Dual-jet wand

1041AC 15 ft. vac and solution hose assembly with adapter plate

For our full line of optional accessories ($1\frac{1}{2}$ " diameter), see pages 15-20.

MODELS

801PS 8-gallon Polaris/19" wide/100 psi 1201PS 12-gallon Polaris/19" wide/100 psi

SPECIFICATIONS

Solution Tank	8/12 gallon
Solution Pressure	100 psi
Vac Motors	Dual, 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	19 inches
Tank Construction	Polyethylene
Tank Construction Wheels	Polyethylene 8 inches, non-marking
Wheels	8 inches, non-marking
Wheels Power Cord Dimensions 801PS	8 inches, non-marking 50 ft. detachable 38"H x 48"L x 19"W
Wheels Power Cord Dimensions 801PS 1201PS	8 inches, non-marking 50 ft. detachable 38"H x 48"L x 19"W 38"H x 48"L x 19"W
Wheels Power Cord Dimensions 801PS 1201PS Weight	8 inches, non-marking 50 ft. detachable 38"H x 48"L x 19"W 38"H x 48"L x 19"W 114/120 lbs.
Wheels Power Cord Dimensions 801PS 1201PS Weight Shipping Weight	8 inches, non-marking 50 ft. detachable 38"H x 48"L x 19"W 38"H x 48"L x 19"W 114/120 lbs. 131/136 lbs.

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



SUPERNOVA

There is literally nothing like the Supernova series—remarkable self-contained extractors that clean in both forward and reverse! The patented two-way system provides unparalleled productivity in any setting—clean up to 4,000 square feet in one hour. All models operate forward in hallways



Optional accessories for versatile cleaning

and other open areas, but with a simple pull of a lever instantly change to reverse to clean corners and other tight areas for a dramatic reduction in labor costs. A specially designed vacuum head allows cleaning on hard floors in addition to carpets, without any cumbersome attachments. Just walk off carpet on to hard floors—it's that simple. Dual vacuum motors and a 19" cleaning width on the 800 and 1200 models combine with a host of other exclusive features to guarantee unrivaled performance.

SPECIFICATIONS

SPECIFICATIONS	
Solution Tank	7/8/12 gallon
Solution Pressure	50 psi
Vacuum Motor 700	112 CFM, 2 HP
Vac Motors 800/1200	Dual, 2-stage bypass, 200 CFM, 3.5 HP
Brush Motor	4200 RPM, 1/6 HP
Brush Speed	2100 RPM
Brush Style	Chevron design
Brush Bearings	Sealed, stainless steel ball bearings
Cleaning Width	17/19/19 inches
Tank Construction	Polyethylene
Wheels	8 inches, non-marking
Power Cord	50 ft. detachable
Dimensions 700 800/1200	37.5"H x 31.75"L x 17"W 38"H x 39"L x 19.25"W
Weight	87/113/123 lbs.
Shipping Weight	115/136/146 lbs.
Ship Dimensions 700 800/1200	42"H x 34"L x 21"W 42"H x 45"L x 25"W
Electrical Draw	12.8/12.8/15 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES

- Two-way system for forward and reverse operation.
- Patented self-adjusting, self-leveling brush and vacuum shoes for easy cleaning of all carpet lengths and uneven floors plus longer brush life.
- Exclusive "clamshell" body provides fast and easy internal access for quick servicing.
- Patented lift-off recovery buckets—no drain hose.
- Fully adjustable handle.
- Patented 4-wheel design gives extraordinary balance and reduces turning radius for easy maneuverability in tight areas.
- Side extension for cleaning right to baseboards.
- Dual spray jets on both sides of the brush suspend the soil for increased pick up and faster drying.

OPTIONAL ACCESSORIES

1204ACH	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit: upholstery tool, vacuum and solution hose assembly and hose bag
323ACH	Prespray wand
1033AC	Single-jet wand
1034AC	Dual-jet wand
334ACH	Hard floor squeegee wand
1041AC	15 ft. vac and solution hose assembly with adapter plate
For our full lin	ne of optional accessories (1½" diameter), see pages 15-20.

MODELS

700PSN	7-gallon Supernova
800PSN	8-gallon Supernova, dual vacuum
1200PSN	12-gallon Supernova, dual vacuum

BRAVO SPOTTER

AVAILABLE WITH HEAT!

The new Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time-simply unload and begin cleaning



Porthole allows easy access to recovery tank

immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the



upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life.



SPECIFICATIONS

Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2 stage, bypass
Water Lift	106"
Handle	Adjustable, 22-37"
Wheels	6 inches
Power Cord	25 ft.
Optional Heater	1500 watts, stainless steel
Recommended Hose Assembly	8 ft.
Optional Economy Tool	Plastic
Optional Deluxe Tool	Long nose, stainless steel handle
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Ship Dimensions	23"H x 18"L x 15.5"W
Electrical Draw 300MH 339MH-HT	12 amps 15 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

Bravo with heat: Lifetime on rotationally-molded housing, 1 year on parts and labor

FEATURES

- Optional in-tank heater delivers 150-degree heat. (339MH-HT)
- Unique molded-in holders carry spray bottles for greater ease.
- Large six-inch wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Quickly opens up for easy servicing and repair.
- Large porthole on recovery tank allows easy access for odor-free maintenance.

OPTIONAL ACCESSORIES

330ACS 10" single-jet wand

10" hard-floor squeegee wand 334ACH Powermate - 12" wide power brush 1204ACH

323ACH Prespray wand

8-ft. hose assembly with quick connects 342AC

8-ft. high pressure hose assembly with quick connects 343AC

1040AC 15-ft. hose assembly

Stainless steel upholstery tool 1039AC

Upholstery tool, durable plastic head 1037AC

MODELS

300MH Deluxe model with high performance motor (tools and hose set

sold separately)

339MH-HT Bravo with heat, stainless steel tool and transport handle

For our full line of

optional accessories

 $(1\frac{1}{2}^{n})$ diameter, see pages 15-20.



GALAXY HEAT READY!

Introducing our exclusive line-up of Galaxy carpet extractors that now comes "heat-ready." Life's little decisions just got a whole lot easier! You can purchase any Galaxy without heat and if you change your mind, no problem. Simply order our external heater, and away you go. Placing the heater on the outside also insures that everything on the inside of the machine runs cooler, extending the life of the vacuum and pump motors. The stainless steel heater tank is guaranteed for life. If a repair is necessary, simply lift the heater off the back of the machine. Meantime, you can continue to use the unit without heat.

From a seller's standpoint, there's no need to purchase both heated and non-heated units-just stock machines and heaters. Your customers can

start with a non-heated model then later upgrade to heat without having to purchase a whole new machine.

SPECIFICATIONS

SPECIFICATION	3
Solution Tank	12 gallon
Recovery Tank	11 gallon
Solution Pressure	100/150/200/500 psi
Vacuum Motors	Dual high-performance 2-stage and 3-stage
Water Lift	150"/185"/210"
Tank Construction	Polyethylene
Baseplate	1" aluminum
Rear Wheels	10 inches, non-marking
Casters	4 inches
Power Cord	50 ft. detachable
Hose Assembly	25 ft.
Optional Wand	Deluxe dual-jet S-bend stainless steel
Dimensions	35"H x 31"L x 18"W
Weight	78/80/80/84/84/89 lbs.
Shipping Weight	94/96/96/100/100/105 lbs.
Ship Dimensions	36.5"H x 31.5"L x 19"W
Electrical Draw	13.5/13.5/14.1/14.2/15.4/17.1 amps

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES (Galaxy and Galaxy Pro)

- Exclusive heat-ready system offers the ultimate in versatility.
- External heater makes repairs a snap and keeps heat away from the motor compartment.
- New "granite look" projects an image of professionalism and keeps the machine looking brand new.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Standard 5-gallon bucket fits under drain valve for easy emptying.
- Opens quickly like a clamshell for easy servicing.
- Top-mounted switches.
- Sealed motor cavity insures that spills on the outside stay out.

MODELS

2000SX	Dual 2-stage vacs, 150" lift, 100 psi, not heat ready
2000SX-HR	Dual 2-stage vacs, 150" lift, 100 psi
2000IX-HR	Dual 2-stage vacs. 185" lift, 150 psi
2000JX-HR	Dual 2-stage vacs, 150" lift, 200 psi (adj)
2000KX-HR*	Dual 2-stage vacs, 185" lift, 200 psi (adj)
2000CX-HR*	Dual 3-stage vacs, 185" lift, 500 psi (adj)
	*20-amp circuit required

GALAXY PRO

HEAT READY!

This is the big brother to our popular Galaxy series with a large 17-gallon capacity housed within an extremely portable unit that's affordably priced. The "heat-ready" Galaxy Pro includes all the great features of our standard Galaxy model with the added benefits of an optional adjustable 500 psi and the ability to clean extremely large areas quickly and professionally. Versatility is the name of the game with the heat-ready system. You can

purchase the machine without heat and later decide to add heat without having to buy a new unit. The external heater makes repairs a snap, and it keeps the heat away from the internal components, extending the life of the machine. All units are available "heat ready."







Optional external heater for Galaxy and Galaxy Pro

OPTIONAL ACCESSORIES (Galaxy and Galaxy Pro)

Heater kit (see page 18 for more details) 605HR Single-jet stainless steel wand (specify psi) 1033ACH

1034ACH Dual-jet stainless steel wand (for 100-250 psi machines) Dual-jet stainless steel wand (for 500 psi machines) 1034ACH-500

10" hard floor squeegee wand 334ACH Stainless steel detailer tool 1039AC

Powermate-12" wide power brush (specify psi) 1204ACH

18" Powermate, up to 500 psi 1800AC-200

Receptacle for power wand (factory installed) 00206-1A

988CS Circuit locator

25' vacuum and high pressure solution hose assembly 2540AC-HP

with quick conncects

For our full line of optional accessories ($1\frac{1}{2}$ " diameter), see pages 15-20.

MODELS

2700IX-HR 2700JX-HR	Dual 2-stage vacs, 185" lift, 150 psi Dual 2-stage vacs, 150" lift, 200 psi (adj)
2700CX-HR*	Dual 3-stage vacs, 185" lift, 500 psi (adj)
2700FX-HR	Dual 3-stage vacs, 210" lift, 500 psi (adj)
	dual power cords, circuit locator included

*20-amp circuit required.

SPECIFICATIONS

Solution Tank	17 gallon
Recovery Tank	15 gallon
Solution Pressure	150/200/500 psi
Vacuum Motor	Dual high-performance 2-stage and 3-stage
Water Lift	150"/185"/210"
Optional Wand	Dual-jet or single-jet stainless steel.
Optional Hose Assembly	25 ft.
Tank Construction	Polyethylene
Baseplate	1/4" aluminum
Rear Wheels	10 inches, non-marking
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	38"H x 31"L x 20"W
Weight	95/99/104/104lbs.
Shipping Weight	111/115/120/120 lbs.
Ship Dimensions	40.5"H x 39"L x 21"W
Electrical Draw Dual Cord (FX)	14.1/14.2/17.1 amps 14.7/11.8 amps per cord

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



Optional external heater

GALAXY 5 NOW AVAILABLE HEAT READY!

One look at our new compact addition to the Galaxy series and you'll realize that it is possible to have your cake and eat it too! The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The Galaxy 5 is an obvious choice for auto detailing and for those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The new optional external heater can be removed in seconds if a repair is necessary, and the stainless steel heating element is guaranteed for life.







h

SPECIFICATIONS

Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
Optional Heater	2000 watts, stainless steel
Vacuum Motor	Single 3-stage
Water Lift	136"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Dimensions	28"H x 24.5"L x 16"W
Weight	57 lbs.
Shipping Weight	65 lbs.
Ship Dimensions	30"H x 25.5"L x 17"W

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

FEATURES

- External heater is a snap to remove and keeps heat away from the inside of the machine for longer life.
- No drip" motor cavity guarantees water spilled on outside of machine stays out!
- Opens quickly like a clamshell for fast and easy servicing.
- Upright-mounted motors along with a special intercooler guarantee long life and durability.
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Silencer system for quieter operation.
- Handle folds down for easy transport and compact storage.
- Optional heating system delivers consistent 170 degrees.

OPTIONAL ACCESSORIES

1204ACH	Powermate – 12" wide power brush
330ACS	10" Stainless steel wand
1038AC	Crevice tool
1039AC	Stainless steel upholstery tool
323ACH	Prespray wand

MODELS

500BX 3-stage vac, 100 psi, not heat ready 500BX-HR 100 psi, heat ready

POWERMATE

1204ACH

Why use a standard wand when you can get a combination of powerful brush agitation and speed in a super lightweight attachment with wheels—all at a bargain price! So lightweight and maneuverable, the Powermate will triple your productivity. No more backaches and fatigue from slow, tedious cleaning with a wand. The Powermate attaches to any portable unit to remove deeply imbedded soil and grit at record speed! A high-speed cylindrical brush gets down to the base of

the carpet fibers for more effec-



tive cleaning. Available with $1\frac{1}{2}$ " diameter handle. For use up to 500 psi. Order factory installed part number 00206-1A receptacle with your EDIC extractor to have the ability to plug the power cord from your Powermate directly into your machine instead of an outlet.

FEATURES

- Weighs only 15 lbs.
- See-through front cover.
- Sealed, stainless steel ball bearings.
- High-speed 2500 RPM brush for deep cleaning.
- Heavy-duty aluminum handle.
- Adapts to all EDIC extractors.

OPTIONAL ACCESSORIES

B00216 Adapter to plug Powermate into standard

wall outlet

00206-1A Receptacle, power wand (factory installed)

MODELS

1204ACH 12" wide power brush, 1.5" handle

diameter, up to 500 psi

1800AC-200 18" wide power brush, 1.5" or 2" handle

diameter, up to 500 psi

1800VC-500

The ultimate in speed and power for a deep down clean! Powermate 1800AC attaches to any portable or truckmount extractor for cleaning tough, dirty high-traffic areas. An 18" wide cleaning path and high-speed brush save valuable time and reduce operator fatigue. The power brush is designed to clean right up to baseboards and into corners. Its fully adjustable handle fits any size operator and the low profile makes it a breeze to get under furniture. For use



up to 500 psi. Now available in 2" to adapt to most truck-mount units.

FEATURES

- 0-90 degree adjustable handle plus fingertip controls for easy handling.
- High-speed chevron-style brush for deep cleaning.
- See-through sight glass to monitor recovery.
- Heavy-duty steel handle.
- Adapts to all EDIC extractors.
- 5 Spray tips.

SPECIFICATIONS Cleaning Width	1204ACH/1800AC-200 12 inches/18 inches
Housing	Ultra high-impact ABS
Brush	Cylindrical, Tynex bristles
Brush Motor	1/12 HP, 1/6 HP
Brush Speed	2500 RPM/2100 RPM
Electrical Draw	1.9/1.6 amps
Power Cord	25 ft.
Weight	15/47 lbs.
Shipping Weight	25/54 lbs.
Ship Dimensions 1204ACH 1800AC-200	13.5"H x 49.5"L x 18"W 58.5"H x 21"L x 9.5"W

WARRANTY

2 years on parts and labor

GLIDEMASTER WANDS, TOOLS, HOSE ASSEMBLIES



Single or Dual-Jet Stainless Steel Wand

The Glidemaster wands allow for easy pickup under furniture and desks. The head is winged to prevent overspray and the insulated handle, valve lever and grip ensure operator comfort. The dual-jet version has an S-bend for superior pickup under all types of furniture. Dual-jets guarantee maximum pressure for fast and thorough cleaning. Standard or high-pressure models available—up to 1000 psi. 1½ diameter.

MODELS

1033AC/1033ACH 1034AC/1034ACH 1034ACH-500 Single jet: Standard/High pressure Dual jet: Standard/High pressure Dual jet: High pressure up to 500 psi

Width: 12"
Length: 60"
Weight: 7.4 lbs.
Shipping Weight: 12 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

Warranty: 30 days

Aluminum Squeegee Wand

Our new aluminum squeegee wand can be attached to any extractor with 1½" diameter to provide thorough cleaning of hard floor surfaces.



MODEL

334AC Single-jet squeegee wand

Width: 14.5"

Length: 55.5"

Weight: 5 lbs.

Shipping Weight: 9 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

Single-Jet 9" Stainless Steel Wand

This wand is perfect for use with smaller extractors like the FiveStar. $1\frac{1}{4}$ or $1\frac{1}{2}$ diameter available.



MODELS

330AC 1¹/₄ fittings-100 psi - FiveStar/Comet

330ACS 1½" fittings-100 psi - All other EDIC Extractors

Width: 9"
Length: 60"
Weight: 8 lbs.
Shipping Weight: 11 lbs.

Ship Dimensions: 65"H x 12"L x 13"W

Traditional Hose Assemblies

Available with choice of standard or high heat, high pressure models. Lengths from 10'-50'. $1\frac{1}{2}$ " or $1\frac{1}{4}$ " hose cuffs. Complete with fittings, see page 39.

Connector-Model # J00630

Allows you to quickly connect two hose assemblies together for extra length, see page 39.

Easy Mop

Bucketless Floor Cleaning System

The Easy Mop is a self-contained dispensing mop system that



cleans floors, ceilings and walls with no spills, no mess. A zerogravity trigger-action sprayer with an adjustable nozzle makes it easy to clean up the sides of walls and even ceilings, and get into corners and tight spaces. The Easy Mop is designed to work in tandem with green chemicals and requires much less chemical than a standard mop.

FEATURES

- Pressurized reservoir—cleans up to 3,200 sq. feet per filling.
- Easy-grip activator is ergonomically sound and activates solution with a slight downward movement, reducing operator fatigue.
- Non-shrinking microfiber pile mop provides increased absorbency and can be laundered over 500 times before replacement.

MODEL/ACCESSORIES

4000EM Easy Mop

4500GG Microfiber Pad (Green/Green) 4500GW Microfiber Pad (Green/White)

EXTRACTION MACHINE ACCESSORIES



Cast aluminum with black powder-coat upholstery tool with see-through window, enclosed spray chamber, and 3-ft. pigtail. Recirculating notches decrease water build-up in spray chamber for faster drying time. High pressure available.

MODELS

1½" diameter 321AC

321ACH High Pressure-up to 300 psi

Width: 3.5" Length: 7" Weight: 1.5 lbs. Ship Wt: 3 lbs.



Durable stainless steel auto detailer tool specially designed to effectively clean in tight places. High pressure up to 1000 psi.

MODEL - 1039AC (1½" diameter) Width: 3.5" Length: 11.5"

Weight: 1.7 lbs. Ship Wt: 3 lbs.



The ultimate in stair cleaning, the stainless steel stair wand has a winged head, grab handle and insulated grip. High pressure up to 1000 psi.

MODEL - 1035AC (1½" diameter)

Width: 12" Length: 36" Weight: 4.5 lbs. Ship Wt: 7.5 lbs.



Upholstery tool with see-through window and hose assembly complete with durable hose bag.

MODELS

357AC 8 ft. hose assy., tool and

hose bag. $1\frac{1}{4}$ diameter.

15 ft. hose assy., tool & 358AC hose bag. $1\frac{1}{2}$ diameter.

4/8.8 lbs.

Weight: 6/12 lbs. Ship Wt:



This auto detailer has a durable plastic head to monitor recovery. Up to 100 psi.

MODEL—1037AC (1½" diameter)

Weight: 1.3 lbs. Ship Wt: 3 lbs. Width: 4 Length: 8"



Lightweight stainless steel stair tool is made of high quality components and built to last. High pressure up to 1000 psi.

MODEL -1021AC (1½ diameter)

Weight: 2 lbs. Ship Wt: 3 lbs. Width: 4" Length: 8"



Lightweight, economy upholstery tool with a durable plastic housing. Not available for high heat. Up to 100 psi.

MODELS

319AC Tool w/8' hose assy.,

 $1\frac{1}{4}$ diameter.

Tool w/8' hose assy., 319ACG

> 1½" diameter. Add D02359-1 for Polaris and Supernova models.

319ACS Tool only, 1½ diameter. Length: 11.5" Width: 4"

2.6/2.6/1 lbs. Weight: Ship Wt: 5/5/3 lbs.



Stainless steel crevice tool for reaching into crevices and tight spaces for more thorough cleaning. Up to 1000 psi.

MODEL -1038AC (1½ diameter)

Length: 17" Width 3.5" Weight: 3 lbs. Ship Wt: 5 lbs.



Prespray wand constructed of brass with 25' hose.

MODELS

323AC-up to 100 psi

323ACH- High heat, high pressure

Ship Wt: 5 lbs. Weight: 3 lbs.





Built-in GFCI outlet for linking multiple units on a single circuit

SPECIFICATIONS

Housing	Roto-molded polyethylene
Motor	1/4 HP
Speeds	2
Power	120 volts
Electric Draw	2.3 amps
Impeller	16.5" diameter
Stackable	Yes
Power Cord	25 ft. yellow safety cord
Weight	29 lbs.
Shipping Weight	36 lbs.
Dimensions	20.5"H x 20.5"L x 16"W
Ship Dimensions	21"H x 21"L x 16"W

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

AVIATOR

Axial Fan

Superior performance, design and engineering makes our new axial fan the most efficient in the industry, providing more CFM with a lower amp draw. Use our large-sized blower to tackle even the toughest water damage restoration and carpet drying jobs in a hurry. With an amazing velocity of 3000 CFM at a super-low 2.3 amps, the Aviator literally blows away the competition! The bottom line is a much faster drying time which puts more money in your pocket. A built-in GFCI outlet means you can link together multiple units using only one 15-amp circuit for the really big jobs. Plus the dual-direction airflow and choice of drying positions make it extremely versatile. The Aviator axial fan is uniquely designed with 360-degree stacking for easy loading and storage. It's lightweight with an ergonomically-designed handle and convenient cord wrap for easy transport and maneuvering. Comes complete with an hour meter to monitor usage.







Easy and secure 360-degree stacking of units

FEATURES

- The most powerful blower in its class with a velocity of 3000 CFM.
- Built-in GFCI outlet makes it easy to daisy-chain multiple units on a single 15-amp circuit.
- Hour meter monitors usage.
- Exclusive 360-degree frame allows for easy stacking of units.
- Circuit breaker protects air mover and attached devices.
- Durable polyethylene housing in granite color that retains its brand-new appearance.
- Available in a low 2.3 amps.

MODELS

3009AF-W Aviator with wheels

AQUA DRI

Portable Air Mover/Carpet Dryer

EDIC's Aqua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with $a\frac{1}{2}$ HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with $\frac{1}{2}$ HP (2700 CFM) for the ultimate in power. Both models can be easily adjusted to four different positions for drying carpets, furniture, curtains, ceilings—you name it! Available with optional carpet clamp.



Accordion hose attachment for attics and other hard-to-reach places



Optional carpet clamp

FEATURES

- Exclusive hi-tech design makes it the most versatile, compact and portable air mover in the industry.
- Heavy-duty housing is made of durable roto-molded polyethylene
- Balanced carry-along handle distributes weight evenly for superior portability.
- Easy to store or stack for transport.
- Thermally protected motor.

OPTIONAL ACCESSORY

13168A Accordion hose attachment

Length: 15 ft. Diameter: 10 in.

Tightening belt allows hose to attach to the nose of the Aqua Dri to allow reach into tight spaces such as vents, attics, and other hard to reach areas.

Yellow with black fabric wear strip.

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor



SPECIFICATIONS	3004ADN/3005ADN
Housing	Polyethylene
Motor	$\frac{1}{2}HP/\frac{1}{2}HP$
Speeds	3
Power	2400/2700 CFM
Electrical Draw	3.9/5.5 amps
Blower Fan	$9\frac{1}{2}$ "/ $10\frac{5}{8}$ " diameter
Intake Screens	Open flow design
Height Adjustment	4 positions
Stackable	Yes
Kickstand	Included
Carpet Clamp	Optional, see models
Power Cord	25 ft.
Dimensions 3004ADN 3005ADN	18"H x 18\\\\^3"L x 17\\\\\\^3"W 19\\\\^4"H x 20\\\\\\\^8"L x 19\\\\\^4"W
Weight	30/33 lbs.
Shipping Weight	33/36 lbs.
Ship Dimensions	19"H x 19"L x 18"W

MODELS

All models available with optional carpet clamp

 $\begin{array}{lll} 3004\text{ADN} & \text{Aqua Dri}, \frac{1}{2}\text{HP}, \, 9\frac{1}{2}\text{" fan} \\ 3005\text{ADN} & \text{Aqua Dri Pro}, \frac{1}{2}\text{HP}, \, 10\frac{5}{8}\text{" fan} \\ 3004\text{AD-CCN} & \text{Aqua Dri}, \frac{1}{2}\text{HP}, \, 9\frac{1}{2}\text{" fan} \\ & \text{with carpet clamp} \end{array}$

3005AD-CCN Aqua Dri Pro, $\frac{1}{2}$ HP, $10\frac{5}{8}$ fan

with carpet clamp

21"H x 21"L x 19½"W

EXTERNAL HEATER SYSTEM

A revolutionary new way to clean with heat!



SPECIFICATIONS

Pressure	Up to 1300 psi
Tank Construction	Stainless steel
Shipping Dimensions	81/4"H x 24"L x 81/4"W
Power Cord	50 ft. detachable
Electric Draw	14.2 amps

WARRANTY

Lifetime on stainless tank and rotationally-molded housing, 2 years on parts and labor

The EDIC external heater system is the only one of its kind.

- Our exclusive "heat ready" system, available on the Galaxy, Galaxy Pro, and select Galaxy 5 models, gives you the option of purchasing a machine without heat and then adding the heater at any time.
- Ours is the only detachable heater on the market that mounts on the outside, taking only seconds to attach or remove. Placing the heater on the outside has another advantage it ensures everything on the inside of the machine runs cooler, thereby extending the life of the pump and motors.
- The stainless steel tank and heating element eliminate galvanic corrosion and clogs in the solution flow that can obstruct heat transfer.
- This system really heats up fast, delivering 210 degrees of heat in about 90 seconds. If a repair is necessary, just lift the heater off the back of the machine. It's that simple!

Our entire line of heated extractors has the heater system mounted on the outside for greater longevity and ease of repair.

MODELS

605HR 2000-watt heater kit for Galaxy, Galaxy Pro and selected Galaxy 5 models 602HR 1000-watt replacement heater for Galaxy series automotive units

CIRCUIT LOCATOR



MODEL: 988CS- with 1 wall outlet plug and one twist-lock to fit EDIC equipment MODEL: 989CS- with 2 wall outlet plugs

So you've got two power cords and you need to find outlets on different circuits? No problem! Just plug the circuit locator with an extension cord into two wall outlets — the sensor instantly lights up when it's good to go. Use it anytime for any equipment. Prevents potential power overload by taking the guesswork out of locating circuits.

GALAXY AUTOMOTIVE

COMES STANDARD WITH HEAT!

Nothing beats these machines for getting at deeply imbedded dirt and grime in auto upholstery and carpet and removing it for good! The winning combination is lots of heat plus high-performance vacuums for squeaky-clean interiors and faster drying time. Our automotive model is a single-cord unit with a powerful yet low amp 3-stage vacuum. Our Galaxy Automotive comes standard with our exclusive Heat 'N' Run external heater that makes repairs a snap and keeps heat away from the motor

chamber, extending the life of the internal parts. The heater can be removed in about 15 seconds if need be, and the unit cleans with or without heat. The Galaxy Automotive is a large 12 gallon capacity inside a compact body for exceptional portability. Comes complete with a vacuum and solution hose assembly designed specifically for automotive detailing and a stainless steel autodetailing tool.





FEATURES

- 1000 watt in-line external heater delivering up to 170 degrees in just 90 seconds.
- Durable stainless steel heating chamber and heating element.
- Exclusive external heating system for easy removal and repair.
- External heater design removes heat from the motor compartment keeping the vacuum motors and pump running cooler.
- Opens quickly like a clamshell for easy servicing.
- Powerful and lightweight ideal for single operators.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.

OPTIONAL ACCESSORIES

1038AC Stainless steel crevice tool1035AC Stainless steel van tool1039AC Stainless steel detailer tool

MODELS

3139BX-EH 12 gal., 1000w heater, 15-ft. hose assembly, 1039AC detailing tool

SPECIFICATIONS

of EchileAttorio	
Solution Tank	12 gallon
Recovery Tank	11 gallon
Solution Pressure	100 psi
Vacuum Motor	Single 3-stage
Water Lift	117"
External Heater	1000 watts
Detailer Tool	Stainless steel
Hose Assembly	15 ft.
Tank Construction	Polyethylene
Baseplate	1/4" aluminum
Rear Wheels	10 inches
Casters	4 inches
Power Cord	50 ft. detachable
Dimensions	35"H x 31"L x 18"W 38"H x 31"L x 20"W
Weight	88 lbs.
Shipping Weight	110 lbs.
Ship Dimensions	36.5"H x 31"L x 19"W
Electrical Draw	18.8 amps

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor



SPECIFICATIONS

or Edit le/tilloite	
Solution Tank	5 gallon
Recovery Tank	3 gallon
Solution Pressure	100 psi
External Heater	1000 watts
Vacuum Motor	Single 3-stage
Water Lift	117"
Tank Construction	Polyethylene
Baseplate	Aluminum
Rear Wheels	7 inches, non-marking
Casters	2.5 inches
Power Cord	25 ft. detachable
Hose Assembly	15 ft.
Weight	57 lbs.
Shipping Weight	65 lbs.
Dimensions	24.5"H x 16"L x 28"W
Ship Dimensions	25"H x 17"L x 29"W
Electric Draw	18.8 amps

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

GALAXY 5

COMES STANDARD WITH HEAT!

The Galaxy 5 was designed for remarkable heat and power all housed within an incredibly lightweight and portable package. The exclusive external heater design, with stainless steel heating chamber and heating element, delivers up to 170 degrees on demand. The unit can be operated on a single power cord, which gives it the versatility to be used in a variety of settings. The heater can be removed in about 15 seconds if a repair is necessary, and the stainless steel heating chamber comes with a lifetime guarantee. The Galaxy 5 is an obvious choice for auto detailing and those jobs where a small yet powerful unit makes more sense. It's light enough for anyone to handle and the fold-down handle makes it a snap to transport and store. We've also added an exclusive baffle system for exceptionally quiet operation. The Galaxy 5 automotive unit comes complete with a vacuum and solution hose assembly designed specifically for automotive detailing and a stainless steel auto-detailing tool.

FEATURES

- Single cord operation.
- Exclusive 1000-watt external heating system for on-demand heat up to 170 degrees.
- Stainless steel heating element.
- Stainless steel heating chamber with lifetime warranty.
- Opens quickly like a clamshell for easy servicing.
- "No drip" motor cavity guarantees water spilled on the outside of machine stays outside and won't accumulate in the motor compartment.
- Exclusive EZ removable heater for quick service and no down time.
- Silencer system for quiet operation.
- Handle folds down for easy transport and compact storage.
- External heater design removes heat from the motor compartment keeping the internal parts cool.

OPTIONAL ACCESSORIES

1035AC Stainless steel van tool1038AC Stainless steel crevice tool1039AC Stainless steel detailer tool

MODEL

539BX-EH Single 3-stage vac, 1000-watt external heater,15-foot automotive hose assembly, 1039AC auto detailer tool.

BRAVO SPOTTER

WITH HEAT!

The new 17-pound Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life. The Bravo automotive unit comes complete with a vacuum and solution hose assembly and a stainless

SPECIFICATIONS

steel auto-detailing tool.

Solution Tank	3 gallon
Recovery Tank	3.5 gallon
Solution Pressure	55 psi
Vacuum Motor	2 stage, bypass
Water Lift	107"
Handle	Adjustable, 22-37"
Wheels	6 inches
Power Cord	25 ft.
Heater	1500 watts, stainless steel
Hose Assembly	8 ft.
High Heat	Long-nose, fully stainless steel tool
Weight	19 lbs.
Shipping Weight	27 lbs.
Dimensions	20.5"H x 15"L x 13"W
Ship Dimensions	23"H x 15"L x 13"W
Electrical Draw	15 amps

FEATURES

- 1500 watt, in-tank heater delivers 150 degree heat.
- Unique molded-in holders carry spray bottles for greater ease.
- Stainless steel heating element.
- Large 6" wheels and an optional transport handle plus cord wrap assembly make it a snap to wheel about.
- Carry-along handle increases portability.
- Small and light enough to carry with one hand.
- Quickly opens up for easy servicing and repair.
- Large porthole on solution tank allows easy access for odor-free maintenance of recovery tank.

OPTIONAL ACCESSORIES

330ACS Single-jet wand, 10" wide 1039AC-1 Stainless steel detailer tool

WARRANTY

Lifetime on rotationally-molded housing and stainless steel heater tank, 2 years on parts and labor

MODEL

339MH-HT Bravo with heat, hose assembly and transport handle

AQUA DRI

Portable Air Mover/Carpet Dryer

EDIC's Aqua Dri hosts a series of exclusive features that put it far ahead of the pack and make it indispensable for quick drying of carpet and hard floors. The Aqua Dri's unique body design makes it super easy to stack for storage or transport. There are two models to choose from: The standard unit offers three-speed drying with $a\frac{1}{2}$ HP motor and 2400 CFM. The larger Aqua Dri Pro offers three-speed drying with $\frac{1}{2}$ HP (2700 CFM)

for the ultimate in power. Both models can be easily adjusted to four different positions for drying auto interiors, carpets, furniture, cur-

tains, ceilings-you name it!



MODELS

All models available with optional carpet clamp 3004ADN Aqua Dri, $\frac{1}{2}$ HP, $9\frac{1}{2}$ " fan 3005ADN Aqua Dri Pro, $\frac{1}{2}$ HP, $10\frac{5}{8}$ " fan

SPECIFICATIONS Housing	3004ADN/3005ADN Polyethylene
Motor	$\frac{1}{2}HP/\frac{1}{2}HP$
Speeds	3
Power	2400/2700 CFM
Electrical Draw	3.9/5.5 amps
Blower Fan	$9\frac{1}{2}$ "/ $10\frac{5}{8}$ " diameter
Intake Screens	Open flow design
Height Adjustment	4 positions
Stackable	Yes
Kickstand	Included
Carpet Clamp	Optional
Power Cord	25 ft.
Dimensions 3004ADN 3005ADN	18"H x 18 ³ "L x 17 ³ "W 19 ³ "H x 20 ⁵ "L x 19 ¹ "W
Weight	30/33 lbs.
Shipping Weight	36 lbs
Ship Dimensions	19"H x 19"L x 18"W

ACCESSORIES



1033ACH Single-jet Wand, high pressure 1034ACH Dual-jet Wand, high pressure



1039AC-1 Stainless Steel Detailer Tool



1038AC Stainless Steel Crevice Tool



1035AC Stainless Steel Stair Wand

WET/DRY VACUUM SERIES

12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



SPECIFICATIONS

Housing	Stainless steel or polyethelene
Capacity	12/20 gallon
Motor	1200w, single vac, 1.9 HP 1600w, dual vac, 2 HP
CFM	114/192
Water Lift	100/80 inches
Power Cord	33 ft.
Noise Level	63dB
Casters	3 inches
Wheels	6 inches
Dolly	Polyethylene
Tool Kit	8-piece deluxe
Filter	Washable cloth
Paper Filter	Optional
HEPA Filter	Optional on 12W
Hose	15 ft w/1.5" swivel connector
Dimensions	33"H x 19"L x 19"W 36"H x 24"L x 20"W
Weight	30/48 lbs.
Shipping Weight	50/67 lbs.
Ship Dimensions	34"H x 21"L x 21"W 39"H x 25"L x 22"W
Electrical Draw	13 amps

FEATURES

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full $1\frac{1}{2}$ accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and operation.
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.

OPTIONAL ACCESSORIES

335AC Front-mount squeegee assembly (12-gal) Front-mount squeegee assembly (20-gal)

L11824-1 Paper filter bag

MODELS

Optional HEPA filter available on 12-gallon models— add "H" to model number (12WH, 12WSH)

12W 12-gallon poly (with 8-piece deluxe tool kit)

12WS 12-gallon stainless steel (with 8-piece deluxe tool kit)

20W 20-gallon poly (with 8-piece deluxe tool kit)

20WS 20-gallon stainless steel (with 8-piece deluxe tool kit)

WARRANTY

1 year on housing, 1 year on parts and labor





(patents pending)

After years of careful planning, our new Atlas is taking the back-pack vacuum market by storm. Feature for feature, it simply defies the competition! It's light enough for anyone to handle and the ergonomically-designed Velcro straps at the chest and hips result in a comfortable fit for virtually any sized operator. A special slide adjustment hooks the shoulder straps together for a higher range of motion. The on/off switch is at the hip level and mounted on top for unparalleled ease of operation. Our unique airflow design makes this unit quieter than most and the baffled exhaust goes out the back, away from the operator, for a higher level of comfort. The Atlas comes with our extraordinary UltrastatTM 3-ply composite filter treated with an anti-microbial



agent that provides exceptional airflow even when full, allowing for greater productivity. This exclusive bag is fitted with a durable plastic rim for an airtight seal around the top, and the seams are sonically welded (as opposed to glued). The result is higher dust retention, and a much longer filtration cycle.

FEATURES

- Longer exhaust chamber and diffused exhaust air for quiet operation.
- EDIC Ultrastat™ filters have better filtration efficiency, greater dust retention and longer useful life than Micro filter bags because Ultrastat's™ revolutionary synthetic material allows greater air flow even when the bag is full.
- 3-position hip adjustment for wider or narrower hips allows the unit to sit more comfortably on the hips.
- Ergonomically designed harness with multi-adjustable settings for optimum comfort.
- Lightweight only 10 lbs.
- Hip-mounted switch results in easy on/off.
- Precision-molded cloth filter bag rim holds it's shape to prevent collapsing inside the unit when the bag is full.
- Optional HEPA filter available on 10-qt units.
- Available in 220-volt.

MODELS

	6-qt w/standard kit	1001TV-HA 10-qt w/standard Kit
	6-qt w/industrial kit	1002TV-HA 10-qt w/industrial kit
603TV-HA	6-qt w/mixed floor kit	1003TV-HA 10-qt w/mixed floor kit
	6-qt w/turbo kit	1005TV-HA 10-qt w/turbo kit
606TV-HA	6-qt w/Sidewinder kit	1006TV-HA 10-qt w/Sidewinder kit

220-Volt Vac – add "220V" to the end of any 6 or 10-qt model number. HEPA Filter – add "H" to the end of any 10-qt. model number.

SPECIFICATIONS 6 quart/10 quart

	- 44 4
Watts	1150
Amps	8.5
CFM	130
Water Lift	110"
Filtration	4 stage
Decibels	65
Thermally Protected	Yes
Construction	Roto-molded polyethelene
4-ft Static dissipating hose with swivel cuffs	Included
Power cord	50 ft. detachable
5 Disposable Ultrastat™ filters	Included
Cloth Bag	Included
Dimensions 6 Qt. 9 Qt.	23.5"H x 8"L x 8"W 25"H x 9"L x 9"W
Weight	9.8/10.8 lbs.
Ship Weight w/tools	22/23.5 lbs.
Ship Dimensions 6 Ot.	32"H x 13"L x 13"W
9 Qt.	32"H x 13"L x 13"W 32"H x 13"L x 13"W

WARRANTY

Lifetime on rotationally-molded housing, 2 years on parts and labor

BACK PACK VACUUM ACCESSORIES



STANDARD TOOL KIT

361AC Kit includes carpet tool with scallops, crevice tool, 2-pc S-bend wand, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.



MIXED FLOOR KIT

362AC Kit includes standard tool kit plus 14" floor tool with horsehair brush.



TURBO BRUSH KIT

363AC Kit includes turbo brush head, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool, and slide-on brush for upholstery tool.



SIDEWINDER KIT

364AC Kit includes 14" scalloped carpet tool, crevice tool, dust brush, 2-pc aluminum straight wand, and upholstery tool.



INDUSTRIAL KIT

365AC Kit includes combo floor tool, telescopic wand, curved wand handle, crevice tool, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.


FILTERS

The revolutionary new Ultrastat™ filters are made from a high-efficiency synthetic composite treated with an anti-microbial agent. They have greater dust retention, better filtration efficiency and a longer useful life than a standard microfilter because they provide a much lower pressure



Cloth Filter

L12009 6-quart filter L12010 10-quart filter



Ultrastat™ Filter

L12004 6-quart Ultrastat filters (set of 5) L12006 10-quart Ultrastat filters (set of 5) Case quantity: 100 filters

drop and therefore better CFM for longer

periods of time. The Ultrastat™ filters are



Dome FilterK12019 5.7" diameter

BACK PACK VACUUM ACCESSORIES

ATLAS BACK PACK VACUUM 1.25" ACCESSORIES



G03510 10.5" turbo brush



K00700-1411" combo floor tool



K00700-15 12" carpet tool, scalloped



K00700-1612" bare floor tool



K00728-4 5" upholstery tool



K00704-1Dust brush, rectangular



K00704Dust brush, round



K12036 Floor duster



K12036-1Replacement floor duster head



K00729-6 13" crevice tool



K00707 Adapter, 1.5" to 1.25"



K00728-4-1Brush slide for K00728-4



D03387-1Chrome wand, telescopic w/cord management



K00729-5 9" crevice tool



D00349-1Curved wand handle with swivel connection



D03387Telescopic wand, chrome

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES



K00700-1 14" carpet tool, scalloped



K00700-214" carpet tool with easy glide brush



K00700-316" carpet/bare floor tool with adjustable brush



K00700-411" carpet/bare floor tool with adjustable brush



K00700-5 15" carpet tool, scalloped

BACK PACK VACUUM ACCESSORIES

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued



K00700-7 14" floor tool with nylon brush



K00700-814" floor tool with horsehair brush



K00700-10 14" floor tool with felt



K00700-11 14" floor tool with felt, scalloped



K00700-13 20" floor tool with nylon brush



K00700-1718" Sidewinder carpet tool **K00700-22**15" Sidewinder carpet tool



K00700-1818" Sidewinder floor tool with nylon brush **K00700-23**

15" Sidewinder carpet tool



K00700-19
18" Sidewinder floor tool with horsehair brush
K00700-25
15" Sidewinder carpet tool



K00700-20 scalloped **K00700-21** standard 18" Sidewinder floor tool with felt



K00700-27 8" Sidewinder carpet tool



K00700-26 8" Sidewinder floor tool with horsehair bristles



K00728-1 5" upholstery tool



K00728-5 5" upholstery tool, metal



K00728-1-1 Slide-on brush for K00728-1 and K00728-5



K00700-6 14" carpet tool, paddle



K00708-3Dust brush, rectangular with swivel neck



K00708-7Dust brush, round, metal



K00708-1Dust brush, round



K00728-3 5" auto upholstery tool



K00729-3 28" crevice tool



K00729-2 15" crevice tool



K00729-4 9.5" crevice tool



K00714-1Pipe cleaner, 1" to 4"



K00714-2 Pipe cleaner, 4" to 8"



J12035Hose assy, static dissipating

ATLAS BACK PACK VACUUM 1.5" ACCESSORIES continued/SPARE PARTS



D03386-1 Aluminum wand, 2-PC



D03386-2 Wand, bulk pick up, 36"



D03386-7S-bend wand, telescopic



D03386 Aluminum wand, 1-PC



D03386-6 Extension wand, telescopic



D03386-8
Aluminum wand, straight, 59"
D03386-10
Aluminum extension wand, 59", Sidewinder
D12909
Aluminum extension wand, 30", Sidewinder

D03386-9Aluminum 2-pc wand, Sidewinder

REPLACEMENT PARTS



K00700-3-1 16" brush strip for K00700-3




K00700-4-1 11" brush strip for K00700-4



D03386-1-1Threaded cap for D03386



K00700-7-1/K00700-9-1 14" nylon or horsehair brush for K00700-7 or K00700-9



K00700-10-1 14" felt blade for K00700-10



D03386-1-2Metal ring for D03386



K00700-13-1 20" brush set for K00700-13



K00700-11-114" scalloped felt blade for K00700-11



ОТАПО

CANISTER VACUUM SERIES

6Ш/9Ш

The Dynamo Canister is a go-anywhere, doanything vacuum with revolutionary features that take practicality to a new level. Need HEPA filtration? You got it! Need the noise level to be so quiet workers can make phone calls without being disturbed? You got it! Want one vacuum

for multiple jobs? You got it! Each model has its own unique features with versatility and ease at the core. Both vacuums incorporate a unique, color-coded filtration system that makes it simple to change from high filtration to HEPA or even to ULPA depending on the job.





We recommend the 6-quart Dynamo for your everyday cleaning needs, providing durability and economy over the long haul. The 6W comes with a lifetime internal filter, which results in a dramatic reduction in long-term costs.

With its whisper-quiet decibel rating and remarkable filtration system, the 9W is the professional choice for use in healthcare environments and busy call centers. It features a double system of color-coded filters that give you the option of true high filtration, HEPA or ULPA filtration. An EDIC exclusive feature on the 9W allows you to switch the noise level down to a minimum, making it possible to vacuum even while employees use the phone.

The Dynamo canister vacuum series delivers total ease of operation and maintenance. A special indicator light lets you know immediately if the cord or the outlet is defective. The 50-foot power cord is detachable and the motor slides out for quick repairs. Filters can be swapped out in seconds to meet individual job requirements. Each unit comes complete with a standard 3-stage filter set and a 7-piece tool kit.



Easy motor access for quick repairs Lifetime internal filter on 6W



7-piece tool kit

SPECIFICATIONS 6W/9W

Capacity

Electrical Draw

 Motor
 1050/1200 watts

 CFM
 105

 Water Lift
 100 inches

6/9 quarts

9/10.5 amps

Noise Level 62/59 decibels
Filtration High/HEPA/ULPA

Power Cord 50 ft. detachable

Hose 8.5 ft.

Wheels 3", non-marking
Casters 2", non-marking

Switch guard Yes

Tool kit 7-piece included

Tool Diameter 1.25 inches

Ship Dimensions 22.5"H x 16"L x 16"W

Weight 14/14.5 lbs.
Shipping Weight w/tools 23.5/24.5 lbs.

Safety Approval UL/CSA

OPTIONAL ACCESSORIES

Paper filter bags, 6W, 10-pack L13126 Paper filter bags, 9W, 10-pack L13127 Standard basket filter (9W only) F7401680 Red HEPA basket filter (9W only) F7401681 F7401682 Blue ULPA basket filter (9W only) Standard cassette filter F7700120 F7700121 Red HEPA cassette filter F7700122 Blue ULPA cassette filter

MODELS

6W 6-quart Dynamo with high filtration9W 9-quart Dynamo with high filtration

WARRANTY

1 year on parts and labor

OYNAMO

CANISTER VACUUM SERIES

6W/9W FEATURES

- Units can be turned on their side with the hose facing up for cleaning hard-to-reach places.
- Unique indicator light lets you know if the power cord or the outlet is defective for easy troubleshooting.
- Telescoping wand makes it easy to clean high ceilings and walls.
- Switch guard protects the unit from foot operation.
- Removable filters make it easy to switch from high filtration to HEPA or ULPA depending on the job.
- Motor slides out and power cord is detachable for inexpensive, on-the-spot repairs.
- Exclusive lifetime internal filter on the 6W dramatically reduces long-term costs.
- Super low decibel rating on the 9W (59 decibels) plus exclusive noise reduction switch for cleaning during regular work hours, even if someone is on the phone.
- Special modular design with weight centered in the middle prevents unit from tipping over.

FILTRATION SYSTEM


Our unique 3-stage filter system is designed for complete flexibility, allowing you to choose the level of filtration to meet individual job requirements. The system includes a paper dust bag, the internal filter and a cartridge blow out filter.

- High Filtration—99% of all dust particles up to 3 microns including sand, dust mites, pollen, mite feces.
- HEPA Filtration—99.997% filtration at .3 microns including all of the above plus red blood cells, bacteria, mite feces dust, yeasts and fungi, tobacco smoke, virus
- ULPA Filtration—99.999% filtration at .1 microns for maximum cleanliness including all of the above plus E. Coli and Staph bacteria.

PAPER FILTERS

Our paper vacuum bags are more than a dust container. They are a vital part of the filtration system. The paper filter can be sealed completely before removing for a truly clean air system.





9W standard filter set



6W standard filter set



DYNAMO WET/DRY VACUUM SERIES

5Ш

The new Dynamo series of wet/dry vacuums combines a host of impressive features including whisper quiet operation and incredible suction power—at a price that flattens the competition. The 5-gallon model is perfect for small spills and pickups without the need to drag out more cumbersome equipment. This model is compact for easy transport and storage yet powerful enough for heavy-duty

commercial settings. A special noise reduction design means you can work anywhere, anytime without causing a disturbance. An optional HEPA filter is available for three-stage filtration. Choice of stainless steel or polyethylene housing.



SPECIFICATIONS 5W

Housing	Stainless steel or
	polyethelene

Ca	pacity	5 gallon

Motor	100w, 2-stage, 1.5 HP
-------	-----------------------

CFM	104

Water Lift 86 inches

Power Cord 33 ft.

60dB Noise Level

Wheels 3" casters

Dolly Polyethylene

Tool Kit 8-piece

Filter Cloth

Paper Filter Optional **HEPA Filter**

Optional

15 ft w/1.5" Hose swivel connector

Dimensions 23"H x 16"L x 16"W

Weight 20 lbs.

Ship Weight w/tools 32 lbs. Ship Dimensions 25"H x 17.5"L x 17.5"W

Electrical Draw 13 amps

WARRANTY

1 year on housing,

1 year on parts and labor

FEATURES

- 60dB for whisper quiet operation.
- Equipped with a dolly cart for greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum airflow.
- Paper filter bags available plus optional HEPA filters.
- 2-stage motor with 86-inch lift provides powerful suction.
- Two-piece metal wand along with full $1\frac{1}{2}$ accessory kit included.
- 8' swivel hose includes connection system for easy handling and operation.

OPTIONAL ACCESSORY

L11824 Paper filter bag

MODELS

All models available with optional HEPA filter-Add "H" to model number (5WSH, etc.)

5W 5-gallon poly (with 8-piece tool kit)

5WS 5-gallon stainless steel (with 8-piece tool kit)



8-piece tool kit



Deluxe 8-piece tool kit

HANDSHIRE

DYNAMO WET/DRY VACUUM SERIES

12W/20W

These wet/dry vacuums have the power and capacity to tackle the really big jobs yet are so quiet you can use them anywhere without interrupting the work environment. The 12-gallon model combines large capacity with ease of transportation and storage. The 20-gallon Dynamo is a powerhouse featuring dual motors and the popular Tip 'N' Pour design for maximum performance. Both models come complete with a deluxe 8-piece tool kit and are available with an optional front mount squeegee attachment for removing large amounts of liquid fast. Optional HEPA filter is available on 12-gallon model. Choice of stainless steel or polyethylene housing.



Front-mount squeegee for removing large volumes of water fast!



Tip 'N' Pour on 20-gallon model for easy water disposal.

FEATURES

- 63dB for whisper quiet operation.
- Equipped with a dolly cart with large rear wheels for easy transport and greater stability.
- Includes high quality "drop-in" style cloth filter bag for maximum air flow.
- Paper filter bags available on both models plus optional HEPA filters on 12W.
- Powerful 1600-watt dual vac motors on 20W for ultimate suction.
- Two-piece metal wand along with full 1½ accessory kit included.
- 8' hose includes full 1.5" swivel connection system for easy handling and operation.
- Easy water disposal with "Tip 'N' Pour" system on 20-gallon and hose drain system on 12-gallon.



335AC (24")

336AC (24")

OPTIONAL ACCESSORIES

335AC/336AC Front-mount squeegee assembly L11824-1 Paper filter bag

MODELS

Optional HEPA filter available on 12-gallon models—add "H" to model number (12WH, 12WSH)

12W 12-gallon poly (with 8-piece deluxe tool kit)

12WS 12-gallon stainless steel (with 8-piece deluxe tool kit)

20W 20-gallon poly (with 8-piece deluxe tool kit)

20WS 20-gallon stainless steel (with 8-piece deluxe tool kit)



WARRANTY

Electrical Draw

Dimensions

Weight

w/tools

1 year on housing, 1 year on parts/labor

swivel connector

33.5"H x 20"L x 19"W

30/48 lbs.

50/67 lbs.

13 amps

39"H x 26"L x 22"W

34.5"H x 21"L x 21"W

39"H x 26"L x 22"W



Ship Weight w/tools

Ship Dimensions



PILOT

AUTOMATIC SCRUBBER

Our amazing new automatic scrubber is ideal for deep cleaning of grouted pavers and hard floors. The Pilot gives you all the performance of larger, more expensive equipment but in a lightweight, compact size that's super easy to operate and store. At only 30 lbs, it's simple to transport to any job site. The Pilot's versatility makes it perfect for routine maintenance or periodic deep cleaning, especially in tight, obstructed areas such as restrooms or locker rooms.

The knockout punch of this machine is its rotary brushes. It features a pair of high-speed counter-rotating circular nylon brushes with two levels of bristles that deep-clean grout better than any cylindrical method. The flexing action of the flared nylon bristles scrubs the most difficult-to-clean mosaic tile and stone grouted floors with truly amazing results. Superior urethane squeegee blades allow one-pass cleaning or can be raised to double scrub for restorative cleaning.

The Pilot is the perfect green machine where less is more! It does not require harsh detergents

that can damage sensitive stone and grout surfaces. It uses less solution, works in tandem with green chemicals and with its single motor, draws less amps.

EDIC's Pilot is user friendly and simple to operate and maintain. The recovery bucket, tank, brushes, squeegee and power cord can be taken apart in seconds to switch to other accessories. Optional nylo-grit brushes and pad holders can be attached for surface polishing and stripping of any hard surface.





SPECIFICATIONS

SPECIFICATIONS	polisii
Brush Motor	120V, 700 watts
Vacuum Motor	Triple fan system
Cleaning Width	14 inches
Cleaning Capacity	4,200 sq. ft. per hour
Squeegee	16 inches
Brushes (2)	Circular/nylon bristles
Brush Speed	550 RPM
Brush Pressure	18 lbs.
Solution Tank	1 gallon
Recovery Tank	1 gallon
Wheels (2)	4", non-marking
Power Cord	25 ft. detachable, 3 ft. pigtail
Dimensions (Upright)	43.75"H x 20"L x 16"W
Weight	30 lbs.
Shipping Weight	33 lbs.
Ship Dimensions	16"H x 23"L x 16.5"W
Electrical Draw	4.5 amps, 115V

NEW COMPANION PRODUCT!

Easy Mop bucketless cleaning system—cleans walls, ceilings, and other hard-to-reach places with no spills, no mess. A pressurized all-inclusive reservoir cleans up to 3,200 sq. ft. per filling. See page 16 for additional details.

FEATURES

- Unique dual counter-spinning rotary brushes (not cylindrical) with two levels of bristles for a deep down clean that outperforms the competition.
- Unbeatable performance in a compact size—only 30 lbs!
- Does the job of heavier, more expensive equipment but can be stored in a closet and is super easy to maneuver. It even fits on a maid's cart.
- Low carbon footprint—cleans with green chemicals, uses less solution and draws less power.
- Truly automatic—simply lower the handle to activate—no on/off switch!
- Comes complete with a high-quality squeegee that leaves floors clean and completely dry.
- A total cleaning system that promotes clean and sanitized stone, tile and hard floors.

OPTIONAL ACCESSORIES

TU1501	Standard brush set (2)
TU1505	Pad holder (2)
TU1501T	Nylo-grit brushes (2)
TU1700PU	Squeegee assembly
F13130	Black stripping pad, 6.5"
F13131	Green scrub pad, 6.5"
F13132	White buffing pad, 6.5"

MODEL

1400SC Pilot automatic scrubber


WARRANTY

1 year on housing, 1 year on parts and labor

SATURN

LOW SPEED FLOOR MACHINES

No job is too tough for this rugged series of floor machines from EDIC. With its all-metal construction and steel planetary gear boxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The low speed models are built specifically to handle the stress associated with stripping and scrubbing hard floor surfaces as well as bonnet cleaning and shampooing carpets. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive "lockout lever" for safe two-handed start up make this machine operator friendly and a winner in every commercial setting. Available in 4 different sizes, there is a perfect low speed Saturn for any size job.



FEATURES

- All-metal construction assures durability.
- All-steel triple planetary gearbox provides heavy duty yet quiet operation.
- Dual-trigger negative pressure switch allows operator to run with either hand.
- Turn a 13-inch machine into a 20" or any other combination, by removing just four bolts.
- Exclusive "lockout lever" is designed so operator can safely activate motor with both hands on the grips.
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment.
- Non-marking PVC bumper prevents marks on walls and furniture.

OPTIONAL ACCESSORIES

390AC Shampoo tank for carpets

1601BR/1901BR Pad driver with molded-in clutch plate

1603BR/1903BR Two-piece pad driver

For a complete listing of pad drivers, brushes and accessories, see page 39

MODELS All Models 175 RPM

Stainless Steel

13LS3-SS	13" 1.5 HP
15LS3-SS	15" 1.5 HP
17LS3-SS	17" 1.5 HP
20153-55	20" 1 5 HP

WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor

SPECIFICATIONS

Brush Speed	175 RPM
Pad Diameter	13", 15", 17" or 20"
Motor	1.5 HP
Gear Box	1.5 HP-triple planetary
Power Cord	50 ft. yellow
Brush Cover	Stainless steel
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	13" – 91 lbs. 15" – 93 lbs. 17" – 95 lbs. 20" – 98 lbs.
Shipping Weight	13" – 101 lbs. 15" – 106 lbs. 17" – 112 lbs. 20" – 115 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	13" – 14.4 amps 15" – 14.4 amps 17" – 14.4 amps 20" – 14.4 amps



SATURN HIGH SPEED

BURNISHERS

Available in traditional style or new 17" compact design with fold-down handle!

The Saturn burnishers make it simple to bring a smooth, super high-gloss luster to any hard floor surface. Watching these machines in action will make anyone a believer! The perfect combination of weight and high speed produces a spectacular finish in record time. Brand new to the line-up is a 17" 2000 RPM model with a fold-down handle and a special compressed design for the ultimate in portability and storage plus greater maneuverability in tight spaces. Our traditional 20" models are available in 1500 or



Multi-V belt drive reduces load on bearings and extends motor life.

Rear transport wheels for easy turning and increased mobility.

Unique lockout system prevents accidental start-ups and allows machine to

All-metal chassis plus stainless steel cover assure long life and dependability.

New 17-inch model folds-down for super easy storage and transportation.

Smooth operation for reduced operator fatigue.

be activated with both hands on the grips.

Cool running 1.5 HP high efficiency motor.

Easy motor access for quick servicing.

75-foot power cord.

2000 RPM and both the traditional and fold-down models are designed with an all-metal construction including stainless steel brush cover, making them as durable as they are dependable. All models come complete with flex-lock pad driver and high-speed pad.

SPECIFICATIONS

Brush Speed 17 – 2000 RPM 20 – 1500/2000RPM

Pad Diameter 17"/20"

Motor 1.5 HP

Gear Box Multi-V belt

Power Cord 75 ft. yellow

Cord Strain Relief Heavy-duty steel with

spring guard

Brush Cover Stainless steel

Handle Grips Soft, anti-fatigue

Handle Chrome-plated steel

Ad | 5 | 5 |

Wheels 5 inches

Bumper Non-marking PVC

Operation Control Dual trigger on-off safety switch, left or right hand

Weight 84/96 lbs.
Shipping Weight 96/108 lbs.

Ship Dimensions 54"H x 31"L x 22.5"W

Electrical Draw 11.1 amps

MODELS

FEATURES

20HS1500-SS 20" - 1500 RPM high speed 20HS2000-SS 20" - 2000 RPM high speed 17HS2000F-SS 17" - 2000 RPM fold-down

WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor

SATURN

DUAL SPEED FLOOR MACHINES

Get more bang for your buck with one machine that does the work of two! Strip, scrub, spray-buff, polish, shampoo, bonnet clean... you name it, this machine does it all! Designed for professional floor care maintenance, the dual speed floor machines from EDIC are equipped with long-wearing steel triple planetary gearboxes, providing heavy duty yet quiet operation. Safety comes first with the exclusive "lockout" lever that allows the motor to be activated while keeping both hands on the handle grips. Use the lower speed to scrub and strip then just flip the switch to high speed and polish floors to a glossy luster. Operation is smooth and easy in even the toughest commercial settings.

FEATURES

- All-metal construction with stainless steel brush cover, heavy duty chrome-plated steel handle and 66 frame motor assure durability.
- All steel triple planetary gearbox provides heavy duty yet quiet operation.
- Turn a 17-inch machine into a 20" machine, or vise versa, by removing just four bolts.
- Dual trigger negative pressure switch allows operator to run with either hand.
- Safe two-handed start-up with exclusive "lockout lever".
- Cool running 1.5 HP high efficiency motor.
- 50-foot power cord.
- Non-marking PVC bumper prevents marks on walls and furniture.
- Available in 17" or 20" diameter.

OPTIONAL ACCESSORIES

1601/1901BR Pad driver, with molded-in clutch plate

1603/1903BR Two-piece pad driver

For a complete listing of pad drivers, brushes and accessories, see page 39

MODELS

17DS3-SS 17" – 180/320 RPM dual speed 20DS3-SS 20" – 180/320 RPM dual speed

WARRANTY

Lifetime on stainless steel brush cover, 3 years on parts and labor




SPECIFICATIONS

SPECIFICATIONS	
Brush Speed	Dual 180/320 RPM
Diameter	17" or 20"
Motor	1.5 HP/66 frame
Gear Box	Steel triple planetary
Power Cord	50 ft. yellow
Cord Strain Relief	Heavy-duty steel with spring guard
Brush Cover	Stainless steel
Handle Grips	Soft, anti-fatigue
Handle	Chrome-plated steel
Wheels	5 inches
Bumper	Non-marking PVC
Operation Control	All metal, dual on-off
Weight	86/92 lbs.
Shipping Weight	106/112 lbs.
Ship Dimensions	48"H x 26.5"L x 23"W
Electrical Draw	14.4 amps

FLOOR MACHINES AND ACCESSORIES





2004BR



1505BR



1106BR



1506BR



1807BR



F11988

ACCESSORIES

PAD DRIVERS

1202BR	12" block, 13" machine
1601BR	16" block, 17" machine
	molded-in clutch plate
1603BR	16" block, 17" machine
1901BR	19" block, 20" machine
	molded-in clutch plate
1903BR	19" block, 20" machine
1704BR	Flex-lock, 17" hi-speed
2004BR	Flex-lock, 20" hi-speed
F11988	High speed pad

BRUSHES

1105BR	Nylon 11" block, 13" machine
1505BR	Nylon 15" block, 17" machine
1805BR	Nylon 18" block, 20" machine
1106BR	Poly 11" block, 13" machine
1506BR	Poly 15" block, 17" machine
1806BR	Poly 18" block, 20" machine
1107BR*	Grit 11" block, 13" machine
1507BR*	Grit 15" block, 17" machine
1807BR*	Grit 18" block, 20" machine

*Grit Brushes are available in the following 4 grades: #1 Heavy Grit–Equivalent to high pro stripper pad #2 Medium–Equivalent to black or brown pad #3 Lite–Equivalent to green or blue pad #4 Extra Lite–Equivalent to red pad

SHAMPOO TANK

390AC Shampoo tank 4-gallon capacity with brass valve



13" Saturn with shampoo tank

RENTAL PROGRAM

Whether you want to get your own private carpet care rental business up and running or you're looking for a good way to boost the sales of your existing business, the EDIC rental program makes it easy. Our complete rental package is perfect for janitor supply houses, vacuum dealerships, rental yards, hardware stores or any other business with walk-in traffic. We provide you with state-of-the-art rental equipment, professionally-formulated cleaning solutions, instructions for home use, and advertising and marketing materials. If you're just starting out in the carpet care business, this is perfect for consignment to stores or delivery to homes. For the retail business owner, just set up the rental package in your store or warehouse and watch your sales grow. At the heart of the program is EDIC's amazing FiveStar extractor, offering powerful cleaning capabilities in a compact unit that's light enough for anyone to handle. Choose from our complete package or build your own package to best suit your needs.

9501R 2-Unit Package

- 2 FiveStar carpet cleaners
- 2 upholstery kits
- 1 rental display rack
- 100 Instruction brochures
- 1 rental contract book (50 rents)
- 1 display rack header
- Start-up package of cleaning solutions which includes 1 case each of all chemicals listed below plus 2 additional cases of N12104 and 1 additional case of N12105

Build Your Own Package

Tell us what units you want, we'll design a customized rental package for you!

Supplies

9020R Rack Header 9029R Rental Display Rack 9050R Rental Receipt Book

Premium Carpet Cleaner

N12101 Quarts, case of 12 N12104 Half gallons, case of 6 N12105 Gallons, case of 6

Additional Chemicals

N12102 Spot & Stain Remover, case of 12
N12100 Pet Stain & Odor Eliminator, case of 12
N12099 Defoamer, case of 12

N12103 Carpet Pre-Spotter, case of 12 spray bottles





Spot Cleaner available in quart-size spray bottle set



Premium carpet cleaner: cases available by the gallon, 1/2 gallon or quart



