**Revision Date**: 02-18-2025

# **SAFETY DATA SHEET**

### **SECTION 1**

### MATERIAL AND MANUFACTURER IDENTIFICATION

#### **PRODUCT**

Product Identifier: Laundry Softener

Intended Product Use: Super Concentrated Laundry Neutralizer/Softener

Manufacturer Identification Code:

### **MANUFACTURED FOR:**

Immaculate Solutions Group 13525 Midland Rd. Poway, CA 92064 888-780-8420

In case of Emergency:

**INFOTRAC** 

1-352-323-3500 (International)

1-800-535-5053 (North American)

Please reference name and manufacturers identification number

## **SECTION 2**

## **HAZARD(S) INDENTIFICATION**

#### **OSHA Hazards**

Harmful by ingestion, Irritant

#### **GHS Classification**

Skin irritation (Category 2) Eye Irritation (Category 2A)

**Routes of Exposure**: Eye contact, skin contact, inhalation, and ingestion.

**Inhalation:** Inhalation of mist or vapor may cause irritation of the respiratory tract. Overexposure may result in coughing, choking or shortness of breath.

**Eye Contact:** Vapors/mist may irritate eyes. Irritation is characterized by redness, itching, or watering of eyes. Direct or prolonged contact with eyes will be painful and irritating; seek immediate medical attention for prolonged irritation.

Skin Contact: Repeated exposure may cause skin irritation, inflammation, drying, and/or chapping.

**Ingestion:** If swallowed may cause GI irritation with abdominal pain, nausea, vomiting, diarrhea, violent colic, and possible gastric hemorrhaging. Seek immediate medical attention.

Acute Effects: This product is considered to be a potential irritant.



Health hazard	2
Flammability hazard	0
Reactivity hazard	0
Other hazard	

Signal word: WARNING

Hazard statement(s): H303 May be harmful if swallowed.
H315 Causes skin irritation.

SDS Product: Pro Acid

Page 1 of 7

H318 Causes serious eye damage.

H332 Harmful if Inhaled

## SECTION 3 COMPOSITON/INFORMATION ON INGREDIENTS

COMPONENT CAS # CONCENTRATIONS FUNCTION

1. Water 7732-18-5 70-80%

2 Methyl tallow diethylenetriamine

condensate, polythoxylated, methyl sulfate 68410-69-5 15-25% 3. Isopropyl Alcohol 67-63-0 <3%

## SECTION 4 FIRST-AID MEASURES

**Inhalation:** Remove from further exposure to fresh air. If respiratory irritation, dizziness, or nausea occurs seek immediate medical attention. If breathing stops, have trained person administer oxygen with a resuscitation mouth cover. Seek immediate medical attention.

**Eye Contact:** Flush eyes with a directed stream of water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Washing eyes immediately after exposure is essential to achieve maximum effectiveness and minimize potential irritation. If irritation persists, seek immediate medical attention.

Skin Contact: Wash contact areas with soap and water. Launder exposed clothing before reuse.

Ingestion: If swallowed, do not induce vomiting. Seek immediate medical attention.

## **SECTION 5** | FIRE-FIGHTING MEASURES

#### **FLAMMABILITY PROPERTIES**

Flashpoint: non-flammable/non-combustible

Flammable Limits: Not Available

Auto ignition Temperature: Not Available

#### FIREFIGHTING PROCEDURES

*General Hazard*: During a fire smoke may contain the original material in addition to toxic and or irritating compounds. Avoid heat sparks or open flame.

Firefighting Instructions: Evacuate all unnecessary personnel. Keep away from heat, sparks and open flame. Use water, alcohol foam, dry chemical or CO<sub>2</sub>. Use water or foam to cool surrounding containers.

*Firefighting Equipment*: Firefighters should wear NICSH/MSHA approved self-contained, positive pressure breathing apparatus and full protective clothing.

Hazardous Combustion Products: Hazardous combustion products may be but not limited to carbon oxides and sodium oxides. Unusual Fire and Explosion Hazards: No known unusual fire/explosion hazards. Keep away from strong oxidizing, reducing and acidic agents.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Persons performing the clean-up should wear personal protective equipment sufficient to keep material away from skin. Avoid direct contact with material. Avoid dust formation. Ensure adequate ventilation. Avoid breathing dust. See section 4 for First-Aid Advice. See section 5 for Firefighting Advice.

#### **PROTECTIVE MEASURES**

To minimize exposure to all chemicals, including this product, use good industrial hygiene and common sense. Use only in well-ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (See section 4 for more advice). Wear NIOSH/MSHA approved organic respirator when ventilation is not adequate or when the sufficiency of ventilation to maintain concentrations below exposure limits is in question. Wear chemical safety goggles to protect against splashes or contact with eyes. See OSHA 29 CFR 1910.33

#### **CLEAN-UP PROCEDURES**

Small Spills: Sweep up to dispose of spill in DOT approved waste container.

Large Spills: Contain (if needed, with soil or other non-combustible absorbent material) and dispose into DOT approved waste container. If possible complete clean up on a dry basis. Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Contain all spills or leaks to prevent discharge into the environment. Responsibility of all spills or releases reported to the appropriate local, state and federal agencies falls upon the user.

**SECTION 7** 

### HANDLING AND STORAGE

#### **HANDLING**

This product is professional strength product to be used by professionals only. Avoid breathing vapors/mist of this product. Always keep container tightly closed and properly labels. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Impervious boots/shoes covering should be used if material is anticipated to contact feet. As with all chemicals, practice good industrial hygiene when handling this product. Always work in a well-ventilated area and avoid inhalation of product dust. Do not ingest.

The manufacturer and seller warrant that this product conforms to its standard specifications when used according to directions. As the conditions of method of its use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true but all statements and suggestions are made without any warranty, expressed or implied, regarding accuracy of the information. The hazards connected with the use of this material and the results to be obtained from the use thereof.

### **STORAGE**

Avoid excessive heat. Avoid storage with oxidizing or reducing agents and/or acids. Avoid storage with combustible organic materials. Employees should be trained to handle this product safely. Loosen closures cautiously. Store the product in a cool dry area away from ignition sources.

Storage temperature: Store in cool dry place.

Storage pressure: Atmospheric

SDS Product: Laundry Sour Soft Page 3 of 7

### SECTION 8 | EXPOSURE / PERSONAL PROTECTION

#### **EXPOSURE LIMITS**

Exposure limits have not been established for this mixture. Avoid, as far as reasonably practicable, inhalation of vapor, mists or fumes generated. Limits for components are listed below:

	OSHA PEL	ACGIH TLV	NIOSH
COMPONENT #	TWA STEL	TWA STEL	TWA STEL
1. Water	N/A	N/A	N/A
2 Methyl tallow diethylenetriamine			
condensate, polythoxylated, methyl sulfate	N/A	400ppm	500ppm
3. Isopropyl Alcohol	400ppm	200ppm	400ppm

#### **ENGINEERING CONTROLS**

The level of protection and types of control will vary depending upon potential exposure conditions. If user operations generate dust, fume or mist, use adequate ventilation to keep exposure below exposure limit. This product is non-hazardous and are unnecessary precautions when used for intended purpose as directed.

#### PERSONAL PROTECTION

*Ventilation and engineering controls*: Use only in well ventilated area. If necessary, use exhaust ventilation to insure adequate ventilation. Insure that water is readily available and that you are prepared to properly wash out your eyes should the need arise. (Refer to section 4).

Respiratory: Wear NIOSH/MSHA approved respirator when ventilation is not adequate. A NIOSH /MSHA —approved air purifying respirator with an organic vapor cartridge or canister may be advisable under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstances where air-purifying respirators may not provide adequate protection.

Eye Protection: Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33

*Skin:* Wear chemical impervious gloves. Gloves are recommended be inspected before use. Dispose of gloves after use in accordance with applicable laws and good laboratory practices. Wear protective clothing to minimize skin contact. Wash skin after use. Wash contaminated clothing and dry before reuse.

Other: One should always use chemicals with an awareness of the potential hazard of the effect on the human system. To minimize employee exposure to all chemicals, including this product, use good industrial hygiene practices.

### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance: Liquid Color: White Odor: Citrus pH: 3-4

Boiling point: Not Available. Freezing point: Not Available.

Melting point: Not Available. Density: Not Available.

Melting point: Not Available.Density: Not Available.Flammability: Not flammable not combustible.Particle size: Not Available.Viscosity: Not Available.Vapor density: Not Available.

Flash point: Nonflammable Solubility: Soluble

Decomposition temperature: Not Available. Vapor pressure: Not Available.

SDS Product: Laundry Sour Soft

Page 4 of 7

## SECTION 10 | STABILITY AND REACTIVITY

Chemical Stability: Stable under ambient temperature and atmospheric pressure.

Conditions to avoid: None known.

Incompatibility with other materials: Heavy metals, combustible organic materials, reducing agents and powdered metals Hazardous decomposition products: Major components of this mixture show no hazardous decomposition if used as directed.

Hazardous decomposition is formed under fire conditions.

Hazardous polymerization: Major components of this mixture show no hazardous polymerization. Conditions to Avoid: Oxidizing agents, Bases, Reducing Agents, Powdered Metals and Nitrites.

## SECTION 11 TOXICOLOGICAL INFORMATION

Toxicological information has not been established on this mixture. Toxicological information on components within this mixture is given by:

COMPONENT # TOXICITY

1. Water No Data Available

2 Methyl tallow diethylenetriamine

condensate, polyethoxylated, methyl sulfate No Data Available

3. Isopropyl Alcohol LD50 Oral - Rat - 5,840 mg/kg (OECD Test Guideline 401) LC50 Inhalation -

Rat - male and female - 4 h - 37.5 mg/l - vapor

4. Acid Alternative – Proprietary No Data Available

### SECTION 12 | ECOLOGICAL INFORMATION

Ecological information has not been established on this mixture. Ecological information on components within this mixture is given by:

COMPONENT # TOXICITY

1. Water No Data Available

2 Methyl tallow diethylenetriamine

condensate, polyethoxylated, methyl sulfate No Data Available

3. Isopropyl Alcohol Acute EC50 10100 mg/l Fresh water -Daphnia magna

4. Acid Alternative – Proprietary No Data Available

## **SECTION 13 | DISPOSAL CONSIDERATIONS**

Dispose of all waste, empty bottles and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations.

Do not dump into storm drains or any body of water. All disposal methods must be in compliance with all federal, State/Province and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. The vendor has no control over the management practices or the processes by which the party who handles or uses this material. The information presented here pertains only to the product as shipped in its intended condition and recommended usage.

SDS Product: Laundry Sour Soft

Page 5 of 7

## SECTION 14 TRANSPORT INFORMATION

DOT (US):

Not Regulated

IMDG:

Not Regulated

## SECTION 15 | REGULARTORY INFORMATION

**US Federal Regulations:** 

OSHA standards require that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheet (SDS) sheets, training and access to written records. We request that you, as per your legal duty to, make all information in this SDS available to your employees and those who handle or consume the product To aid our customers in complying with regulatory requirements regulatory information for components of this product are indicated below

This <u>mixture</u> has no established regulatory information all regulatory information given is based on individual components of the mixture by component number

None

# COMPONENT REGULATION

1. Water

2 Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate

TSCA Status: Methyl tallow diethylenetriamine condensate,

polyethoxylated, methyl sulfate, which appears on this SDS is subject to the Toxic Substances Control Act (TSCA) section 12(b) export notification

requirements delineated at 40 CFR part 707, subpart D.

EPA SARA Title III Chemical Listings: N/A CERCLA Hazardous Substances: Yes (Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl

sulfate) Section 311/312 Hazard Class: Yes (Methyl tallow

diethylenetriamine condensate, polyethoxylated, methyl sulfate) Section

313 Toxic Chemicals: N/A

3. Isopropyl Alcohol SARA 302 Components: This material does not contain any components

with a section 302 EHS TPQ.

SARA 313 Components: The following components are subject to reporting

levels established by SARA Title III, Section 313: 2-Propanol

SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components 2-Propanol Pennsylvania Right To Know Components 2-Propanol CAS-No. 67-63-0 CAS-No. 67-63-0 CAS-No. 67-63-0 Revision Date 2007-03-01 Revision Date 2007-03-01

Revision Date 2007-03-01

4. Acid Alternative – Proprietary No Data Available

SDS Product: Laundry Sour Soft

Page 6 of 7

# **SECTION 16** OTHER INFORMATION

While the information is believed to be accurate, the manufacturer makes no representations as to its accuracy or sufficiency. This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources of each individual component. Since the manufacturer cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material. Users are responsible to verify this data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance on information contained herein. This information relates only to the product designated herein and does not relate to its use in combination with any other material or in any other process.

SDS Product: Laundry Sour Soft

Page 7 of 7